

1620		ENGLISH		Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC:		uwPM1340GT				
2		TPI	Z-IPT Rate	FEED Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERns	Pmm-X	mmPTrns
67	65	2.83465	0.35278	0.04160	0.01327	24.04019	One	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	40	8.96056	0.11160	0.94646	0.47323	1.05656	
19	17	3.00000	0.33333	0.03930	0.01254	25.44253	One	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	40	8.46667	0.11811	1.00167	0.50084	0.99833	
91	89	3.00000	0.33333	0.03930	0.01254	25.44253	One	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	40	8.46667	0.11811	1.00167	0.50084	0.99833	
59	57	3.02362	0.33073	0.03900	0.01244	25.64287	One	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	40	8.40052	0.11904	1.00956	0.50478	0.99053	
43	41	3.17500	0.31496	0.03714	0.01184	26.92668	One	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	40	8.00000	0.12500	1.06011	0.53005	0.94330	
68	66	3.18898	0.31358	0.04160	0.01327	24.04019	Two	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	40	7.96494	0.12555	0.94646	0.47323	1.05656	
11	9	3.20000	0.31250	0.03685	0.01175	27.13870	One	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	40	7.93750	0.12598	1.06845	0.53423	0.93593	
83	81	3.20000	0.31250	0.03685	0.01175	27.13870	One	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	40	7.93750	0.12598	1.06845	0.53423	0.93593	
69	67	3.36614	0.29708	0.04160	0.01327	24.04019	Three	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	40	7.54573	0.13253	0.94646	0.47323	1.05656	
20	18	3.37500	0.29630	0.03930	0.01254	25.44253	Two	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	40	7.52593	0.13287	1.00167	0.50084	0.99833	
92	90	3.37500	0.29630	0.03930	0.01254	25.44253	Two	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	40	7.52593	0.13287	1.00167	0.50084	0.99833	
35	33	3.38667	0.29528	0.03482	0.01110	28.72179	One	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	40	7.50000	0.13333	1.13078	0.56539	0.88435	
60	58	3.40157	0.29398	0.03900	0.01244	25.64287	Two	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	40	7.46713	0.13392	1.00956	0.50478	0.99053	
70	68	3.54331	0.28222	0.04160	0.01327	24.04019	Four	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	40	7.16844	0.13950	0.94646	0.47323	1.05656	
163	161	3.54331	0.28222	0.03328	0.01061	30.05023	One	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	32	7.16844	0.13950	1.18308	0.59154	0.84525	
21	19	3.56250	0.28070	0.03930	0.01254	25.44253	Three	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	40	7.12982	0.14026	1.00167	0.50084	0.99833	
93	91	3.56250	0.28070	0.03930	0.01254	25.44253	Three	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	40	7.12982	0.14026	1.00167	0.50084	0.99833	
44	42	3.57188	0.27997	0.03714	0.01184	26.92668	Two	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	40	7.11111	0.14063	1.06011	0.53005	0.94330	
61	59	3.59055	0.27851	0.03900	0.01244	25.64287	Three	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	40	7.07412	0.14136	1.00956	0.50478	0.99053	
12	10	3.60000	0.27778	0.03685	0.01175	27.13870	Two	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	40	7.05556	0.14173	1.06845	0.53423	0.93593	
84	82	3.60000	0.27778	0.03685	0.01175	27.13870	Two	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	40	7.05556	0.14173	1.06845	0.53423	0.93593	
22	20	3.75000	0.26667	0.03930	0.01254	25.44253	Four	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	40	6.77333	0.14764	1.00167	0.50084	0.99833	
94	92	3.75000	0.26667	0.03930	0.01254	25.44253	Four	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	40	6.77333	0.14764	1.00167	0.50084	0.99833	
115	113	3.75000	0.26667	0.03144	0.01003	31.80316	One	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	32	6.77333	0.14764	1.25209	0.62605	0.79866	
187	185	3.75000	0.26667	0.03144	0.01003	31.80316	One	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	32	6.77333	0.14764	1.25209	0.62605	0.79866	
45	43	3.77031	0.26523	0.03714	0.01184	26.92668	Three	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	40	6.73684	0.14844	1.06011	0.53005	0.94330	
51	49	3.77953	0.26458	0.03120	0.00995	32.05358	One	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	40	6.72042	0.14880	1.26195	0.63098	0.79242	
62	60	3.77953	0.26458	0.03900	0.01244	25.64287	Four	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	40	6.72042	0.14880	1.00956	0.50478	0.99053	
155	153	3.77953	0.26458	0.03120	0.00995	32.05358	One	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	32	6.72042	0.14880	1.26195	0.63098	0.79242	
259	257	3.77953	0.26458	0.03120	0.00995	32.05358	One	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	30	6.72042	0.14880	1.26195	0.63098	0.79242	
13	11	3.80000	0.26316	0.03685	0.01175	27.13870	Three	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	40	6.68421	0.14961	1.06845	0.53423	0.93593	
85	83	3.80000	0.26316	0.03685	0.01175	27.13870	Three	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	40	6.68421	0.14961	1.06845	0.53423	0.93593	
36	34	3.81000	0.26247	0.03482	0.01110	28.72179	Two	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	40	6.66667	0.15000	1.13078	0.56539	0.88435	
71	69	3.89764	0.25657	0.04160	0.01327	24.04019	Five	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	40	6.51677	0.15345	0.94646	0.47323	1.05656	
46	44	3.96875	0.25197	0.03714	0.01184	26.92668	Four	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	40	6.40000	0.15625	1.06011	0.53005	0.94330	
139	137	3.96875	0.25197	0.02971	0.00948	33.65835	One	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	32	6.40000	0.15625	1.32513	0.66257	0.75464	
164	162	3.98622	0.25086	0.03328	0.01061	30.05023	Two	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	32	6.37195	0.15694	1.18308	0.59154	0.84525	
3	1	4.00000	0.25000	0.02948	0.00940	33.92338	One	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	40	6.35000	0.15748	1.33557	0.66778	0.74875	
14	12	4.00000	0.25000	0.03685	0.01175	27.13870	Four	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	40	6.35000	0.15748	1.06845	0.53423	0.93593	
75	73	4.00000	0.25000	0.02948	0.00940	33.92338	One	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	40	6.35000	0.15748	1.33557	0.66778	0.74875	
86	84	4.00000	0.25000	0.03685	0.01175	27.13870	Four	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	40	6.35000	0.15748	1.06845	0.53423	0.93593	
107	105	4.00000																								

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:															METRIC: uwPM1340GT					
2		TPI	Z-IPT Rate	FEED Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERnsPmm-X	mmPTrns
116	114	4.21875	0.23704	0.03144	0.01003	31.80316	Two	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	32	6.02074	0.16609	1.25209	0.62605	0.79866
188	186	4.21875	0.23704	0.03144	0.01003	31.80316	Two	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	32	6.02074	0.16609	1.25209	0.62605	0.79866
27	25	4.23333	0.23622	0.02785	0.00888	35.90224	One	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	40	6.00000	0.16667	1.41347	0.70674	0.70748
38	36	4.23333	0.23622	0.03482	0.01110	28.72179	Four	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	40	6.00000	0.16667	1.13078	0.56539	0.88435
131	129	4.23333	0.23622	0.02785	0.00888	35.90224	One	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	32	6.00000	0.16667	1.41347	0.70674	0.70748
235	233	4.23333	0.23622	0.02785	0.00888	35.90224	One	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	30	6.00000	0.16667	1.41347	0.70674	0.70748
52	50	4.25197	0.23519	0.03120	0.00995	32.05358	Two	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	40	5.97370	0.16740	1.26195	0.63098	0.79242
72	70	4.25197	0.23519	0.04160	0.01327	24.04019	Six	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	40	5.97370	0.16740	0.94646	0.47323	1.05656
156	154	4.25197	0.23519	0.03120	0.00995	32.05358	Two	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	32	5.97370	0.16740	1.26195	0.63098	0.79242
260	258	4.25197	0.23519	0.03120	0.00995	32.05358	Two	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	30	5.97370	0.16740	1.26195	0.63098	0.79242
203	201	4.26667	0.23438	0.02764	0.00881	36.18493	One	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	30	5.95313	0.16798	1.42460	0.71230	0.70195
275	273	4.26667	0.23438	0.02764	0.00881	36.18493	One	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	30	5.95313	0.16798	1.42460	0.71230	0.70195
47	45	4.36563	0.22906	0.03714	0.01184	26.92668	Five	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	40	5.81818	0.17188	1.06011	0.53005	0.94330
15	13	4.40000	0.22727	0.03685	0.01175	27.13870	Five	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	40	5.77273	0.17323	1.06845	0.53423	0.93593
87	85	4.40000	0.22727	0.03685	0.01175	27.13870	Five	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	40	5.77273	0.17323	1.06845	0.53423	0.93593
166	164	4.42913	0.22578	0.03328	0.01061	30.05023	Four	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	32	5.73476	0.17438	1.18308	0.59154	0.84525
117	115	4.45313	0.22456	0.03144	0.01003	31.80316	Three	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	32	5.70386	0.17532	1.25209	0.62605	0.79866
189	187	4.45313	0.22456	0.03144	0.01003	31.80316	Three	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	32	5.70386	0.17532	1.25209	0.62605	0.79866
140	138	4.46484	0.22397	0.02971	0.00948	33.65835	Two	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	32	5.68889	0.17578	1.32513	0.66257	0.75464
53	51	4.48819	0.22281	0.03120	0.00995	32.05358	Three	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	40	5.65930	0.17670	1.26195	0.63098	0.79242
157	155	4.48819	0.22281	0.03120	0.00995	32.05358	Three	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	32	5.65930	0.17670	1.26195	0.63098	0.79242
261	259	4.48819	0.22281	0.03120	0.00995	32.05358	Three	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	30	5.65930	0.17670	1.26195	0.63098	0.79242
4	2	4.50000	0.22222	0.02948	0.00940	33.92338	Two	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	40	5.64444	0.17717	1.33557	0.66778	0.74875
24	22	4.50000	0.22222	0.03930	0.01254	25.44253	Six	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	40	5.64444	0.17717	1.00167	0.50084	0.99833
76	74	4.50000	0.22222	0.02948	0.00940	33.92338	Two	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	40	5.64444	0.17717	1.33557	0.66778	0.74875
96	94	4.50000	0.22222	0.03930	0.01254	25.44253	Six	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	40	5.64444	0.17717	1.00167	0.50084	0.99833
108	106	4.50000	0.22222	0.02948	0.00940	33.92338	Two	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	32	5.64444	0.17717	1.33557	0.66778	0.74875
180	178	4.50000	0.22222	0.02948	0.00940	33.92338	Two	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	32	5.64444	0.17717	1.33557	0.66778	0.74875
212	210	4.50000	0.22222	0.02948	0.00940	33.92338	Two	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	30	5.64444	0.17717	1.33557	0.66778	0.74875
284	282	4.50000	0.22222	0.02948	0.00940	33.92338	Two	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	30	5.64444	0.17717	1.33557	0.66778	0.74875
227	225	4.51556	0.22146	0.02611	0.00833	38.29572	One	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	30	5.62500	0.17778	1.50771	0.75385	0.66326
64	62	4.53543	0.22049	0.03900	0.01244	25.64287	Six	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	40	5.60035	0.17856	1.00956	0.50478	0.99053
252	250	4.53543	0.22049	0.02925	0.00933	34.19049	Two	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	30	5.60035	0.17856	1.34608	0.67304	0.74290
73	71	4.60630	0.21709	0.04160	0.01327	24.04019	Seven	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	40	5.51419	0.18135	0.94646	0.47323	1.05656
39	37	4.65667	0.21475	0.03482	0.01110	28.72179	Five	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	40	5.45455	0.18333	1.13078	0.56539	0.88435
118	116	4.68750	0.21333	0.03144	0.01003	31.80316	Four	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	32	5.41867	0.18455	1.25209	0.62605	0.79866
190	188	4.68750	0.21333	0.03144	0.01003	31.80316	Four	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	32	5.41867	0.18455	1.25209	0.62605	0.79866
141	139	4.71289	0.21218	0.02971	0.00948	33.65835	Three	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	32	5.38947	0.18555	1.32513	0.66257	0.75464
54	52	4.72441	0.21167	0.03120	0.00995	32.05358	Four	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	40	5.37633	0.18600	1.26195	0.63098	0.79242
147	145	4.72441	0.21167	0.02496	0.00796	40.06698	One	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	32	5.37633	0.18600	1.57744	0.78872	0.63394
158	156	4.72441	0.21167	0.03120	0.00995	32.05358	Four	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	32	5.37633	0.18600	1.26195	0.63	

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC: uwPM1340GT								
2		TPI	Z-IPT	Rate	FEED Rate	XFEED	FEED_TPI	ne2Eig	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERs	Pmm-X	mmPTrns
236	234	4.76250	0.20997	0.02785	0.00888	35.90224	Two	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	30	5.33333	0.18750	1.41347	0.70674	0.70748		
253	251	4.78740	0.20888	0.02925	0.00933	34.19049	Three	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	30	5.30559	0.18848	1.34608	0.67304	0.74290		
16	14	4.80000	0.20833	0.03685	0.01175	27.13870	Six	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	40	5.29167	0.18898	1.06845	0.53423	0.93593		
88	86	4.80000	0.20833	0.03685	0.01175	27.13870	Six	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	40	5.29167	0.18898	1.06845	0.53423	0.93593		
204	202	4.80000	0.20833	0.02764	0.00881	36.18493	Two	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	30	5.29167	0.18898	1.42460	0.71230	0.70195		
276	274	4.80000	0.20833	0.02764	0.00881	36.18493	Two	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	30	5.29167	0.18898	1.42460	0.71230	0.70195		
167	165	4.87205	0.20525	0.03328	0.01061	30.05023	Five	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	32	5.21341	0.19181	1.18308	0.59154	0.84525		
25	23	4.87500	0.20513	0.03930	0.01254	25.44253	Seven	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	40	5.21026	0.19193	1.00167	0.50084	0.99833		
97	95	4.87500	0.20513	0.03930	0.01254	25.44253	Seven	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	40	5.21026	0.19193	1.00167	0.50084	0.99833		
65	63	4.91339	0.20353	0.03900	0.01244	25.64287	Seven	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	40	5.16955	0.19344	1.00956	0.50478	0.99053		
74	72	4.96063	0.20159	0.04160	0.01327	24.04019	Eight	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	40	5.12032	0.19530	0.94646	0.47323	1.05656		
142	140	4.96094	0.20157	0.02971	0.00948	33.65835	Four	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	32	5.12000	0.19531	1.32513	0.66257	0.75464		
6	4	5.00000	0.20000	0.02948	0.00940	33.92338	Four	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	40	5.08000	0.19685	1.33557	0.66778	0.74875		
78	76	5.00000	0.20000	0.02948	0.00940	33.92338	Four	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	40	5.08000	0.19685	1.33557	0.66778	0.74875		
99	97	5.00000	0.20000	0.02358	0.00752	42.40422	One	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	32	5.08000	0.19685	1.66946	0.83473	0.59900		
110	108	5.00000	0.20000	0.02948	0.00940	33.92338	Four	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	32	5.08000	0.19685	1.33557	0.66778	0.74875		
171	169	5.00000	0.20000	0.02358	0.00752	42.40422	One	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	32	5.08000	0.19685	1.66946	0.83473	0.59900		
182	180	5.00000	0.20000	0.02948	0.00940	33.92338	Four	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	32	5.08000	0.19685	1.33557	0.66778	0.74875		
214	212	5.00000	0.20000	0.02948	0.00940	33.92338	Four	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	30	5.08000	0.19685	1.33557	0.66778	0.74875		
286	284	5.00000	0.20000	0.02948	0.00940	33.92338	Four	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	30	5.08000	0.19685	1.33557	0.66778	0.74875		
29	27	5.02708	0.19892	0.02785	0.00888	35.90224	Three	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	40	5.05263	0.19792	1.41347	0.70674	0.70748		
133	131	5.02708	0.19892	0.02785	0.00888	35.90224	Three	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	32	5.05263	0.19792	1.41347	0.70674	0.70748		
237	235	5.02708	0.19892	0.02785	0.00888	35.90224	Three	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	30	5.05263	0.19792	1.41347	0.70674	0.70748		
243	241	5.03937	0.19844	0.02340	0.00746	42.73811	One	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	30	5.04031	0.19840	1.68260	0.84130	0.59432		
254	252	5.03937	0.19844	0.02925	0.00933	34.19049	Four	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	30	5.04031	0.19840	1.34608	0.67304	0.74290		
205	203	5.06667	0.19737	0.02764	0.00881	36.18493	Three	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	30	5.01316	0.19948	1.42460	0.71230	0.70195		
277	275	5.06667	0.19737	0.02764	0.00881	36.18493	Three	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	30	5.01316	0.19948	1.42460	0.71230	0.70195		
40	38	5.08000	0.19685	0.03482	0.01110	28.72179	Six	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	40	5.00000	0.20000	1.13078	0.56539	0.88435		
228	226	5.08000	0.19685	0.02611	0.00833	38.29572	Two	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	30	5.00000	0.20000	1.50771	0.75385	0.66326		
119	117	5.15625	0.19394	0.03144	0.01003	31.80316	Five	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	32	4.92606	0.20300	1.25209	0.62605	0.79866		
191	189	5.15625	0.19394	0.03144	0.01003	31.80316	Five	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	32	4.92606	0.20300	1.25209	0.62605	0.79866		
49	47	5.15938	0.19382	0.03714	0.01184	26.92668	Seven	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	40	4.92308	0.20313	1.06011	0.53005	0.94330		
55	53	5.19685	0.19242	0.03120	0.00995	32.05358	Five	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	40	4.88758	0.20460	1.26195	0.63098	0.79242		
159	157	5.19685	0.19242	0.03120	0.00995	32.05358	Five	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	32	4.88758	0.20460	1.26195	0.63098	0.79242		
263	261	5.19685	0.19242	0.03120	0.00995	32.05358	Five	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	30	4.88758	0.20460	1.26195	0.63098	0.79242		
17	15	5.20000	0.19231	0.03685	0.01175	27.13870	Seven	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	40	4.88462	0.20472	1.06845	0.53423	0.93593		
89	87	5.20000	0.19231	0.03685	0.01175	27.13870	Seven	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	40	4.88462	0.20472	1.06845	0.53423	0.93593		
26	24	5.25000	0.19048	0.03930	0.01254	25.44253	Eight	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	40	4.83810	0.20669	1.00167	0.50084	0.99833		
98	96	5.25000	0.19048	0.03930	0.01254	25.44253	Eight	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	40	4.83810	0.20669	1.00167	0.50084	0.99833		
66	64	5.29134	0.18899	0.03900	0.01244	25.64287	Eight	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	40	4.80030	0.20832	1.00956	0.50478	0.99053		
30	28	5.29167	0.18898	0.02785	0.00888	35.90224	Four	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	40	4.80000	0.20833	1.41347	0.70674	0.70748		
123	121	5.29167	0.18898	0.02228	0.00711	44.87780	One	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	32	4.80000	0.20833	1.76684	0.88342	0.56598		
134	132	5.29167	0.18898	0.02785	0.00888	35.90224	Four	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	32	4.80000	0.20833	1.41347	0.70674	0.70748		
238	236	5.29167	0.18898	0.02785	0.00888	35.90224	Four	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	30	4.80000	0.20833	1.41347	0.70674	0.70748		
148	146	5.31496	0.18815	0.02496	0.00796	40.06698	Two	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	32	4.77896	0.20925	1.57744	0.78872	0.63394		
168	166	5.31496	0.18815	0.03328	0.01061	30.05023	Six	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	32	4.77896	0.20925	1.18308	0.59154	0.84525		
195	193	5.33333	0.18750	0.02211	0.00705	45.23117	One	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	30	4.76250	0.20997	1.78075	0.89038	0.56156		
206	204	5.33333	0.18750	0.02764	0.00881	36.18493	Four	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	30	4.76250	0.20997	1.42460	0.71230	0.70195		
267	265	5.33333	0.18750	0.02211	0.00705	45.23117	One	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	30	4.76250	0.20997	1.78075	0.89038	0.56156		
278	276	5.33333	0.18750	0.02764	0.00881	36.18493	Four	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	30	4.76250	0.20997	1.42460	0.71230	0.70195		
229	227	5.36222	0.18649	0.02611	0.00833	38.29572	Three	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	30	4.73684	0.21111	1.50771	0.75385	0.66326		

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC:		uwPM1340GT						
2		TPI	Z-IPT	Rate	FEED Rate	XFEED	FEED_TPI	ne2Eig	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERns	Pmm-X	mmPTrns
143	141	5.45703	0.18325	0.02971	0.00948	33.65835		Five	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	32	4.65455	0.21484	1.32513	0.66257	0.75464	
7	5	5.50000	0.18182	0.02948	0.00940	33.92338		Five	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	40	4.61818	0.21654	1.33557	0.66778	0.74875	
79	77	5.50000	0.18182	0.02948	0.00940	33.92338		Five	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	40	4.61818	0.21654	1.33557	0.66778	0.74875	
111	109	5.50000	0.18182	0.02948	0.00940	33.92338		Five	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	32	4.61818	0.21654	1.33557	0.66778	0.74875	
183	181	5.50000	0.18182	0.02948	0.00940	33.92338		Five	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	32	4.61818	0.21654	1.33557	0.66778	0.74875	
215	213	5.50000	0.18182	0.02948	0.00940	33.92338		Five	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	30	4.61818	0.21654	1.33557	0.66778	0.74875	
287	285	5.50000	0.18182	0.02948	0.00940	33.92338		Five	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	30	4.61818	0.21654	1.33557	0.66778	0.74875	
41	39	5.50333	0.18171	0.03482	0.01110	28.72179		Seven	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	40	4.61538	0.21667	1.13078	0.56539	0.88435	
255	253	5.54331	0.18040	0.02925	0.00933	34.19049		Five	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	30	4.58210	0.21824	1.34608	0.67304	0.74290	
50	48	5.55625	0.17998	0.03714	0.01184	26.92668		Eight	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	40	4.57143	0.21875	1.06011	0.53005	0.94330	
18	16	5.60000	0.17857	0.03685	0.01175	27.13870		Eight	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	40	4.53571	0.22047	1.06845	0.53423	0.93593	
90	88	5.60000	0.17857	0.03685	0.01175	27.13870		Eight	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	40	4.53571	0.22047	1.06845	0.53423	0.93593	
149	147	5.61024	0.17825	0.02496	0.00796	40.06698		Three	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	32	4.52744	0.22088	1.57744	0.78872	0.63394	
100	98	5.62500	0.17778	0.02358	0.00752	42.40422		Two	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	32	4.51556	0.22146	1.66946	0.83473	0.59900	
120	118	5.62500	0.17778	0.03144	0.01003	31.80316		Six	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	32	4.51556	0.22146	1.25209	0.62605	0.79866	
172	170	5.62500	0.17778	0.02358	0.00752	42.40422		Two	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	32	4.51556	0.22146	1.66946	0.83473	0.59900	
192	190	5.62500	0.17778	0.03144	0.01003	31.80316		Six	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	32	4.51556	0.22146	1.25209	0.62605	0.79866	
219	217	5.64444	0.17717	0.02089	0.00666	47.86965		One	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	30	4.50000	0.22222	1.88463	0.94232	0.53061	
230	228	5.64444	0.17717	0.02611	0.00833	38.29572		Four	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	30	4.50000	0.22222	1.50771	0.75385	0.66326	
56	54	5.66929	0.17639	0.03120	0.00995	32.05358		Six	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	40	4.48028	0.22320	1.26195	0.63098	0.79242	
160	158	5.66929	0.17639	0.03120	0.00995	32.05358		Six	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	32	4.48028	0.22320	1.26195	0.63098	0.79242	
244	242	5.66929	0.17639	0.02340	0.00746	42.73811		Two	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	30	4.48028	0.22320	1.68260	0.84130	0.59432	
264	262	5.66929	0.17639	0.03120	0.00995	32.05358		Six	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	30	4.48028	0.22320	1.26195	0.63098	0.79242	
355	353	5.66929	0.17639	0.02080	0.00663	48.08037		One	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	40	4.48028	0.22320	1.89293	0.94646	0.52828	
169	167	5.75787	0.17368	0.03328	0.01061	30.05023		Seven	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	32	4.41135	0.22669	1.18308	0.59154	0.84525	
31	29	5.82083	0.17180	0.02785	0.00888	35.90224		Five	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	40	4.36364	0.22917	1.41347	0.70674	0.70748	
135	133	5.82083	0.17180	0.02785	0.00888	35.90224		Five	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	32	4.36364	0.22917	1.41347	0.70674	0.70748	
239	237	5.82083	0.17180	0.02785	0.00888	35.90224		Five	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	30	4.36364	0.22917	1.41347	0.70674	0.70748	
207	205	5.86667	0.17045	0.02764	0.00881	36.18493		Five	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	30	4.32955	0.23097	1.42460	0.71230	0.70195	
279	277	5.86667	0.17045	0.02764	0.00881	36.18493		Five	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	30	4.32955	0.23097	1.42460	0.71230	0.70195	
150	148	5.90551	0.16933	0.02496	0.00796	40.06698		Four	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	32	4.30107	0.23250	1.57744	0.78872	0.63394	
42	40	5.92667	0.16873	0.03482	0.01110	28.72179		Eight	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	40	4.28571	0.23333	1.13078	0.56539	0.88435	
101	99	5.93750	0.16842	0.02358	0.00752	42.40422		Three	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	32	4.27789	0.23376	1.66946	0.83473	0.59900	
173	171	5.93750	0.16842	0.02358	0.00752	42.40422		Three	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	32	4.27789	0.23376	1.66946	0.83473	0.59900	
124	122	5.95313	0.16798	0.02228	0.00711	44.87780		Two	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	32	4.26667	0.23438	1.76684	0.88342	0.56598	
144	142	5.95313	0.16798	0.02971	0.00948	33.65835		Six	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	32	4.26667	0.23438	1.32513	0.66257	0.75464	
245	243	5.98425	0.16711	0.02340	0.00746	42.73811		Three	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	30	4.24447	0.23560	1.68260	0.84130	0.59432	
8	6	6.00000	0.16667	0.02948	0.00940	33.92338		Six	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	40	4.23333	0.23622	1.33557	0.66778	0.74875	
80	78	6.00000	0.16667	0.02948	0.00940	33.92338		Six	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	40	4.23333	0.23622	1.33557	0.66778	0.74875	
112	110	6.00000	0.16667	0.02948	0.00940	33.92338		Six	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	32	4.23333	0.23622	1.33557	0.66778	0.74875	
184	182	6.00000	0.16667	0.02948	0.00940	33.92338		Six	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	32	4.23333	0.23622	1.33557	0.66778	0.74875	
196	194	6.00000	0.16667	0.02211	0.00705	45.23117		Two	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	30	4.23333	0.23622	1.78075	0.89038	0.56156	
216	214	6.00000	0.16667	0.02948	0.00940	33.92338		Six	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	30	4.23333	0.23622	1.33557	0.66778	0.74875	
268	266	6.00000	0.16667	0.02211	0.00705	45.23117		Two	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	30	4.23333	0.23622	1.78075	0.89038	0.56156	
288	286	6.00000	0.16667	0.02948	0.00940	33.92338		Six	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	30	4.23333	0.23622	1.33557	0.66778	0.74875	
307	305	6.00000	0.16667	0.01965	0.00627	50.88506		One	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	40	4.23333	0.23622	2.00335	1.00167	0.49916	
379	377	6.00000	0.16667	0.01965	0.00627	50.88506		One	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	40	4.23333	0.23622	2.00335	1.00167	0.49916	
256	254	6.04724	0.16536	0.02925	0.00933	34.19049		Six	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	30	4.20026	0.23808	1.34608	0.67304	0.74290	
347	345	6.04724	0.16536	0.01950	0.00622	51.28573		One	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	40	4.20026	0.23808	2.01912	1.00956	0.49526	
121	119	6.09375	0.16410	0.03144	0.01003	31.80316		Seven	NA	NA	NA	Lscrew	A	30	127	1	1	1									

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC: uwPM1340GT									
2		TPI	Z-IPT	Rate	FEED	Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERns	Pmm-X	mmPTrns
57	55	6.14173	0.16282	0.03120	0.00995	32.05358		Seven	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	40	4.13564	0.24180	1.26195	0.63098	0.79242		
161	159	6.14173	0.16282	0.03120	0.00995	32.05358		Seven	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	32	4.13564	0.24180	1.26195	0.63098	0.79242		
265	263	6.14173	0.16282	0.03120	0.00995	32.05358		Seven	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	30	4.13564	0.24180	1.26195	0.63098	0.79242		
170	168	6.20079	0.16127	0.03328	0.01061	30.05023		Eight	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	32	4.09625	0.24413	1.18308	0.59154	0.84525		
231	229	6.20889	0.16106	0.02611	0.00833	38.29572		Five	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	30	4.09091	0.24444	1.50771	0.75385	0.66326		
102	100	6.25000	0.16000	0.02358	0.00752	42.40422		Four	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	32	4.06400	0.24606	1.66946	0.83473	0.59900		
174	172	6.25000	0.16000	0.02358	0.00752	42.40422		Four	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	32	4.06400	0.24606	1.66946	0.83473	0.59900		
125	123	6.28385	0.15914	0.02228	0.00711	44.87780		Three	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	32	4.04211	0.24740	1.76684	0.88342	0.56598		
246	244	6.29921	0.15875	0.02340	0.00746	42.73811		Four	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	30	4.03225	0.24800	1.68260	0.84130	0.59432		
197	195	6.33333	0.15789	0.02211	0.00705	45.23117		Three	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	30	4.01053	0.24934	1.78075	0.89038	0.56156		
269	267	6.33333	0.15789	0.02211	0.00705	45.23117		Three	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	30	4.01053	0.24934	1.78075	0.89038	0.56156		
32	30	6.35000	0.15748	0.02785	0.00888	35.90224		Six	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	40	4.00000	0.25000	1.41347	0.70674	0.70748		
136	134	6.35000	0.15748	0.02785	0.00888	35.90224		Six	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	32	4.00000	0.25000	1.41347	0.70674	0.70748		
220	218	6.35000	0.15748	0.02089	0.00666	47.86965		Two	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	30	4.00000	0.25000	1.88463	0.94232	0.53061		
240	238	6.35000	0.15748	0.02785	0.00888	35.90224		Six	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	30	4.00000	0.25000	1.41347	0.70674	0.70748		
331	329	6.35000	0.15748	0.01857	0.00592	53.85336		One	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	40	4.00000	0.25000	2.12021	1.06011	0.47165		
356	354	6.37795	0.15679	0.02080	0.00663	48.08037		Two	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	40	3.98247	0.25110	1.89293	0.94646	0.52828		
208	206	6.40000	0.15625	0.02764	0.00881	36.18493		Six	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	30	3.96875	0.25197	1.42460	0.71230	0.70195		
280	278	6.40000	0.15625	0.02764	0.00881	36.18493		Six	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	30	3.96875	0.25197	1.42460	0.71230	0.70195		
299	297	6.40000	0.15625	0.01842	0.00588	54.27740		One	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	40	3.96875	0.25197	2.13691	1.06845	0.46797		
371	369	6.40000	0.15625	0.01842	0.00588	54.27740		One	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	40	3.96875	0.25197	2.13691	1.06845	0.46797		
145	143	6.44922	0.15506	0.02971	0.00948	33.65835		Seven	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	32	3.93846	0.25391	1.32513	0.66257	0.75464		
151	149	6.49606	0.15394	0.02496	0.00796	40.06698		Five	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	32	3.91006	0.25575	1.57744	0.78872	0.63394		
9	7	6.50000	0.15385	0.02948	0.00940	33.92338		Seven	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	40	3.90769	0.25591	1.33557	0.66778	0.74875		
81	79	6.50000	0.15385	0.02948	0.00940	33.92338		Seven	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	40	3.90769	0.25591	1.33557	0.66778	0.74875		
113	111	6.50000	0.15385	0.02948	0.00940	33.92338		Seven	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	32	3.90769	0.25591	1.33557	0.66778	0.74875		
185	183	6.50000	0.15385	0.02948	0.00940	33.92338		Seven	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	32	3.90769	0.25591	1.33557	0.66778	0.74875		
217	215	6.50000	0.15385	0.02948	0.00940	33.92338		Seven	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	30	3.90769	0.25591	1.33557	0.66778	0.74875		
289	287	6.50000	0.15385	0.02948	0.00940	33.92338		Seven	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	30	3.90769	0.25591	1.33557	0.66778	0.74875		
257	255	6.55118	0.15264	0.02925	0.00933	34.19049		Seven	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	30	3.87716	0.25792	1.34608	0.67304	0.74290		
122	120	6.56250	0.15238	0.03144	0.01003	31.80316		Eight	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	32	3.87048	0.25837	1.25209	0.62605	0.79866		
194	192	6.56250	0.15238	0.03144	0.01003	31.80316		Eight	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	32	3.87048	0.25837	1.25209	0.62605	0.79866		
58	56	6.61417	0.15119	0.03120	0.00995	32.05358		Eight	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	40	3.84024	0.26040	1.26195	0.63098	0.79242		
162	160	6.61417	0.15119	0.03120	0.00995	32.05358		Eight	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	32	3.84024	0.26040	1.26195	0.63098	0.79242		
266	264	6.61417	0.15119	0.03120	0.00995	32.05358		Eight	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	120	30	3.84024	0.26040	1.26195	0.63098	0.79242		
126	124	6.61458	0.15118	0.02228	0.00711	44.87780		Four	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	32	3.84000	0.26042	1.76684	0.88342	0.56598		
198	196	6.66667	0.15000	0.02211	0.00705	45.23117		Four	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	30	3.81000	0.26247	1.78075	0.89038	0.56156		
270	268	6.66667	0.15000	0.02211	0.00705	45.23117		Four	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	30	3.81000	0.26247	1.78075	0.89038	0.56156		
221	219	6.70278	0.14919	0.02089	0.00666	47.86965		Three	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	30	3.78947	0.26389	1.88463	0.94232	0.53061		
357	355	6.73228	0.14854	0.02080	0.00663	48.08037		Three	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	40	3.77287	0.26505	1.89293	0.94646	0.52828		
308	306	6.75000	0.14815	0.01965	0.00627	50.88506		Two	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	40	3.76296	0.26575	2.00335	1.00167	0.49916		
380	378	6.75000	0.14815	0.01965	0.00627	50.88506		Two	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	40	3.76296	0.26575	2.00335	1.00167	0.49916		
232	230	6.77333	0.14764	0.02611	0.00833	38.29572		Six	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	30	3.75000	0.26667	1.50771	0.75385	0.66326		
323	321	6.77333	0.14764	0.01741	0.00555	57.44358		One	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	40	3.75000	0.26667	2.26156	1.13078	0.44217		
348	346	6.80315	0.14699	0.01950	0.00622	51.28573		Two	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	40	3.73356	0.26784	2.01912	1.00956	0.49526		
103	101	6.87500	0.14545	0.02358	0.00752	42.40422		Five	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	32	3.69455	0.27067	1.66946	0.83473	0.59900		
175	173	6.87500	0.14545	0.02358	0.00752	42.40422		Five	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	32	3.69455	0.27067	1.66946	0.83473	0.59900		
33	31	6.87917	0.14537	0.02785	0.00888	35.90224		Seven	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	40	3.69231	0.27083	1.41347	0.70674	0.70748		
137	135	6.87917	0.14537	0.02785	0.00888	35.90224		Seven	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	32	3.69231	0.27083	1.41347	0.70674	0.70748		
241	239	6.87917	0.14537	0.02785	0.00888	35.90224		Seven	NA	NA	NA	Lscrew	A	30	120													

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:															METRIC: uwPM1340GT								
2		TPI	Z-IPT	Rate	FEED	Rate	FEED	TPI	ne2Eig	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERs	Pmm-X	mmPTrns
209	207	6.93333	0.14423	0.02764	0.00881	36.18493	Seven	NA	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	30	3.66346	0.27297	1.42460	0.71230	0.70195		
281	279	6.93333	0.14423	0.02764	0.00881	36.18493	Seven	NA	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	30	3.66346	0.27297	1.42460	0.71230	0.70195		
146	144	6.94531	0.14398	0.02971	0.00948	33.65835	Eight	NA	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	32	3.65714	0.27344	1.32513	0.66257	0.75464		
10	8	7.00000	0.14286	0.02948	0.00940	33.92338	Eight	NA	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	40	3.62857	0.27559	1.33557	0.66778	0.74875		
82	80	7.00000	0.14286	0.02948	0.00940	33.92338	Eight	NA	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	40	3.62857	0.27559	1.33557	0.66778	0.74875		
114	112	7.00000	0.14286	0.02948	0.00940	33.92338	Eight	NA	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	32	3.62857	0.27559	1.33557	0.66778	0.74875		
186	184	7.00000	0.14286	0.02948	0.00940	33.92338	Eight	NA	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	32	3.62857	0.27559	1.33557	0.66778	0.74875		
218	216	7.00000	0.14286	0.02948	0.00940	33.92338	Eight	NA	NA	NA	NA	Lscrew	A	30	127	1	1	1	1	127	30	3.62857	0.27559	1.33557	0.66778	0.74875		
290	288	7.00000	0.14286	0.02948	0.00940	33.92338	Eight	NA	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	120	30	3.62857	0.27559	1.33557	0.66778	0.74875		
258	256	7.05512	0.14174	0.02925	0.00933	34.19049	Eight	NA	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	120	30	3.60022	0.27776	1.34608	0.67304	0.74290		
222	220	7.05556	0.14173	0.02089	0.00666	47.86965	Four	NA	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	30	3.60000	0.27778	1.88463	0.94232	0.53061		
152	150	7.08661	0.14111	0.02496	0.00796	40.06698	Six	NA	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	32	3.58422	0.27900	1.57744	0.78872	0.63394		
358	356	7.08661	0.14111	0.02080	0.00663	48.08037	Four	NA	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	40	3.58422	0.27900	1.89293	0.94646	0.52828		
451	449	7.08661	0.14111	0.01664	0.00531	60.10047	One	NA	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	32	3.58422	0.27900	2.36616	1.18308	0.42263		
309	307	7.12500	0.14035	0.01965	0.00627	50.88506	Three	NA	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	40	3.56491	0.28051	2.00335	1.00167	0.49916		
381	379	7.12500	0.14035	0.01965	0.00627	50.88506	Three	NA	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	40	3.56491	0.28051	2.00335	1.00167	0.49916		
332	330	7.14375	0.13998	0.01857	0.00592	53.85336	Two	NA	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	40	3.55556	0.28125	2.12021	1.06011	0.47165		
349	347	7.18110	0.13925	0.01950	0.00622	51.28573	Three	NA	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	40	3.53706	0.28272	2.01912	1.00956	0.49526		
300	298	7.20000	0.13889	0.01842	0.00588	54.27740	Two	NA	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	40	3.52778	0.28346	2.13691	1.06845	0.46797		
372	370	7.20000	0.13889	0.01842	0.00588	54.27740	Two	NA	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	40	3.52778	0.28346	2.13691	1.06845	0.46797		
127	125	7.27604	0.13744	0.02228	0.00711	44.87780	Five	NA	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	32	3.49091	0.28646	1.76684	0.88342	0.56598		
199	197	7.33333	0.13636	0.02211	0.00705	45.23117	Five	NA	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	30	3.46364	0.28871	1.78075	0.89038	0.56156		
271	269	7.33333	0.13636	0.02211	0.00705	45.23117	Five	NA	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	30	3.46364	0.28871	1.78075	0.89038	0.56156		
233	231	7.33778	0.13628	0.02611	0.00833	38.29572	Seven	NA	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	30	3.46154	0.28889	1.50771	0.75385	0.66326		
34	32	7.40833	0.13498	0.02785	0.00888	35.90224	Eight	NA	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	40	3.42857	0.29167	1.41347	0.70674	0.70748		
138	136	7.40833	0.13498	0.02785	0.00888	35.90224	Eight	NA	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	32	3.42857	0.29167	1.41347	0.70674	0.70748		
242	240	7.40833	0.13498	0.02785	0.00888	35.90224	Eight	NA	NA	NA	NA	Lscrew	A	30	120	1	1	1	1	127	30	3.42857	0.29167	1.41347	0.70674	0.70748		
210	208	7.46667	0.13393	0.02764	0.00881	36.18493	Eight	NA	NA	NA	NA	Lscrew	A	32	127	1	1	1	1	127	30	3.40179	0.29396	1.42460	0.71230	0.70195		
282	280	7.46667	0.13393	0.02764	0.00881	36.18493	Eight	NA	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	120	30	3.40179	0.29396	1.42460	0.71230	0.70195		
104	102	7.50000	0.13333	0.02358	0.00752	42.40422	Six	NA	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	32	3.38667	0.29528	1.66946	0.83473	0.59900		
176	174	7.50000	0.13333	0.02358	0.00752	42.40422	Six	NA	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	32	3.38667	0.29528	1.66946	0.83473	0.59900		
310	308	7.50000	0.13333	0.01965	0.00627	50.88506	Four	NA	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	40	3.38667	0.29528	2.00335	1.00167	0.49916		
382	380	7.50000	0.13333	0.01965	0.00627	50.88506	Four	NA	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	40	3.38667	0.29528	2.00335	1.00167	0.49916		
403	401	7.50000	0.13333	0.01572	0.00501	63.60633	One	NA	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	32	3.38667	0.29528	2.50419	1.25209	0.39933		
475	473	7.50000	0.13333	0.01572	0.00501	63.60633	One	NA	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	32	3.38667	0.29528	2.50419	1.25209	0.39933		
333	331	7.54063	0.13262	0.01857	0.00592	53.85336	Three	NA	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	40	3.36842	0.29688	2.12021	1.06011	0.47165		
248	246	7.55906	0.13229	0.02340	0.00746	42.73811	Six	NA	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	30	3.36021	0.29760	1.68260	0.84130	0.59432		
339	337	7.55906	0.13229	0.01560	0.00498	64.10717	One	NA	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	40	3.36021	0.29760	2.52390	1.26195	0.39621		
350	348	7.55906	0.13229	0.01950	0.00622	51.28573	Four	NA	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	40	3.36021	0.29760	2.01912	1.00956	0.49526		
443	441	7.55906	0.13229	0.01560	0.00498	64.10717	One	NA	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	32	3.36021	0.29760	2.52390	1.26195	0.39621		
547	545	7.55906	0.13229	0.01560	0.00498	64.10717	One	NA	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	30	3.36021	0.29760	2.52390	1.26195	0.39621		
301	299	7.60000	0.13158	0.01842	0.00588	54.27740	Three	NA	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	40	3.34211	0.29921	2.13691	1.06845	0.46797		
373	371	7.60000	0.13158	0.01842	0.00588	54.27740	Three	NA	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	40	3.34211	0.29921	2.13691	1.06845	0.46797		
324	322	7.62000	0.13123	0.01741	0.00555	57.44358	Two	NA	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	40	3.33333	0.30000	2.26156	1.13078	0.44217		
153	151	7.67717	0.13026	0.02496	0.00796	40.06698	Seven	NA	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	32	3.30851	0.30225	1.57744	0.78872	0.63394		
223	221	7.76111	0.12885	0.02089	0.00666	47.86965	Five	NA	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	30	3.27273	0.30556	1.88463	0.94232	0.53061		
359	357	7.79528	0.12828	0.02080	0.00663	48.08037	Five	NA	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	40	3.25838	0.30690	1.89293	0.94646	0.52828		
234	232	7.90222	0.12655	0.02611	0.00833	38.29572	Eight	NA	NA	NA	NA	Lscrew	A	32	120	1	1	1	1	127	30	3.21429	0.31111	1.50771	0.75385	0.66326		
128	126	7.93750	0.12598	0.02228	0.00711	44.87780	Six	NA	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	32	3.20000	0.31250	1.76684	0.88342	0.56598		
334	332	7.93750	0.																									

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC:		uwPM1340GT					
2		TPI	Z-IPT	Rate	FEED Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	hFEErnsPmm-X	mmPTrns
452	450	7.97244	0.12543	0.01664	0.00531	60.10047		Two	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	32	3.18598	0.31388	2.36616	1.18308	0.42263
200	198	8.00000	0.12500	0.02211	0.00705	45.23117		Six	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	30	3.17500	0.31496	1.78075	0.89038	0.56156
272	270	8.00000	0.12500	0.02211	0.00705	45.23117		Six	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	30	3.17500	0.31496	1.78075	0.89038	0.56156
291	289	8.00000	0.12500	0.01474	0.00470	67.84675		One	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	40	3.17500	0.31496	2.67113	1.33557	0.37437
302	300	8.00000	0.12500	0.01842	0.00588	54.27740		Four	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	40	3.17500	0.31496	2.13691	1.06845	0.46797
363	361	8.00000	0.12500	0.01474	0.00470	67.84675		One	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	40	3.17500	0.31496	2.67113	1.33557	0.37437
374	372	8.00000	0.12500	0.01842	0.00588	54.27740		Four	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	40	3.17500	0.31496	2.13691	1.06845	0.46797
395	393	8.00000	0.12500	0.01474	0.00470	67.84675		One	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	32	3.17500	0.31496	2.67113	1.33557	0.37437
467	465	8.00000	0.12500	0.01474	0.00470	67.84675		One	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	32	3.17500	0.31496	2.67113	1.33557	0.37437
499	497	8.00000	0.12500	0.01474	0.00470	67.84675		One	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	30	3.17500	0.31496	2.67113	1.33557	0.37437
571	569	8.00000	0.12500	0.01474	0.00470	67.84675		One	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	30	3.17500	0.31496	2.67113	1.33557	0.37437
325	323	8.04333	0.12433	0.01741	0.00555	57.44358		Three	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	40	3.15789	0.31667	2.26156	1.13078	0.44217
539	537	8.06299	0.12402	0.01462	0.00466	68.38098		One	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	30	3.15020	0.31744	2.69216	1.34608	0.37145
105	103	8.12500	0.12308	0.02358	0.00752	42.40422		Seven	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	32	3.12615	0.31988	1.66946	0.83473	0.59900
177	175	8.12500	0.12308	0.02358	0.00752	42.40422		Seven	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	32	3.12615	0.31988	1.66946	0.83473	0.59900
249	247	8.18898	0.12212	0.02340	0.00746	42.73811		Seven	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	30	3.10173	0.32240	1.68260	0.84130	0.59432
311	309	8.25000	0.12121	0.01965	0.00627	50.88506		Five	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	40	3.07879	0.32480	2.00335	1.00167	0.49916
383	381	8.25000	0.12121	0.01965	0.00627	50.88506		Five	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	40	3.07879	0.32480	2.00335	1.00167	0.49916
154	152	8.26772	0.12095	0.02496	0.00796	40.06698		Eight	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	32	3.07219	0.32550	1.57744	0.78872	0.63394
351	349	8.31496	0.12027	0.01950	0.00622	51.28573		Five	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	40	3.05473	0.32736	2.01912	1.00956	0.49526
453	451	8.41535	0.11883	0.01664	0.00531	60.10047		Three	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	32	3.01829	0.33131	2.36616	1.18308	0.42263
404	402	8.43750	0.11852	0.01572	0.00501	63.60633		Two	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	32	3.01037	0.33219	2.50419	1.25209	0.39933
476	474	8.43750	0.11852	0.01572	0.00501	63.60633		Two	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	32	3.01037	0.33219	2.50419	1.25209	0.39933
224	222	8.46667	0.11811	0.02089	0.00666	47.86965		Six	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	30	3.00000	0.33333	1.88463	0.94232	0.53061
315	313	8.46667	0.11811	0.01393	0.00444	71.80448		One	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	40	3.00000	0.33333	2.82695	1.41347	0.35374
326	324	8.46667	0.11811	0.01741	0.00555	57.44358		Four	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	40	3.00000	0.33333	2.26156	1.13078	0.44217
419	417	8.46667	0.11811	0.01393	0.00444	71.80448		One	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	32	3.00000	0.33333	2.82695	1.41347	0.35374
523	521	8.46667	0.11811	0.01393	0.00444	71.80448		One	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	30	3.00000	0.33333	2.82695	1.41347	0.35374
340	338	8.50394	0.11759	0.01560	0.00498	64.10717		Two	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	40	2.98685	0.33480	2.52390	1.26195	0.39621
360	358	8.50394	0.11759	0.02080	0.00663	48.08037		Six	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	40	2.98685	0.33480	1.89293	0.94646	0.52828
444	442	8.50394	0.11759	0.01560	0.00498	64.10717		Two	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	32	2.98685	0.33480	2.52390	1.26195	0.39621
548	546	8.50394	0.11759	0.01560	0.00498	64.10717		Two	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	30	2.98685	0.33480	2.52390	1.26195	0.39621
491	489	8.53333	0.11719	0.01382	0.00441	72.36987		One	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	30	2.97656	0.33596	2.84921	1.42460	0.35097
563	561	8.53333	0.11719	0.01382	0.00441	72.36987		One	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	30	2.97656	0.33596	2.84921	1.42460	0.35097
129	127	8.59896	0.11629	0.02228	0.00711	44.87780		Seven	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	32	2.95385	0.33854	1.76684	0.88342	0.56598
201	199	8.66667	0.11538	0.02211	0.00705	45.23117		Seven	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	30	2.93077	0.34121	1.78075	0.89038	0.56156
273	271	8.66667	0.11538	0.02211	0.00705	45.23117		Seven	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	30	2.93077	0.34121	1.78075	0.89038	0.56156
335	333	8.73125	0.11453	0.01857	0.00592	53.85336		Five	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	40	2.90909	0.34375	2.12021	1.06011	0.47165
106	104	8.75000	0.11429	0.02358	0.00752	42.40422		Eight	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	32	2.90286	0.34449	1.66946	0.83473	0.59900
178	176	8.75000	0.11429	0.02358	0.00752	42.40422		Eight	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	32	2.90286	0.34449	1.66946	0.83473	0.59900
303	301	8.80000	0.11364	0.01842	0.00588	54.27740		Five	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	40	2.88636	0.34646	2.13691	1.06845	0.46797
375	373	8.80000	0.11364	0.01842	0.00588	54.27740		Five	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	40	2.88636	0.34646	2.13691	1.06845	0.46797
250	248	8.81890	0.11339	0.02340	0.00746	42.73811		Eight	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	120	30	2.88018	0.34720	1.68260	0.84130	0.59432
454	452	8.85827	0.11289	0.01664	0.00531	60.10047		Four	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	32	2.86738	0.34875	2.36616	1.18308	0.42263
405	403	8.90625	0.11228	0.01572	0.00501	63.60633		Three	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	32	2.85193	0.35064	2.50419	1.25209	0.39933
477	475	8.90625	0.11228	0.01572	0.00501	63.60633		Three	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	32	2.85193	0.35064	2.50419	1.25209	0.39933
428	426	8.92969	0.11199	0.01486	0.00474	67.31670		Two	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	32	2.84444	0.35156	2.65026	1.32513	0.37732
341	339	8.97638	0.11140	0.01560	0.00498	64.10717		Three	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	40	2.82965	0.35340	2.52390	1.26195	0.39621
445	443	8.97638	0.11140	0.01560	0.00498	64.10717		Three	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	32	2.82965	0.35340	2.52390	1.26195	0.39621
549	547	8.97638	0.11140	0.01560	0.00498	64.10717		Three	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	30	2.82965	0.35340	2.52390	1.26195	0.39621
292	290	9.00000	0.11111	0.01474	0.00470	67.84675																				

1	1620	ENGLISH	Previs: C	uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:															METRIC:	uwPM1340GT						
2		TPI	Z-IPT Rate	FEED Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERns	Pmm-X	mmPTrns
312	310	9.00000	0.11111	0.01965	0.00627	50.88506	Six	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	40	2.82222	0.35433	2.00335	1.00167	0.49916	
364	362	9.00000	0.11111	0.01474	0.00470	67.84675	Two	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	40	2.82222	0.35433	2.67113	1.33557	0.37437	
384	382	9.00000	0.11111	0.01965	0.00627	50.88506	Six	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	40	2.82222	0.35433	2.00335	1.00167	0.49916	
396	394	9.00000	0.11111	0.01474	0.00470	67.84675	Two	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	32	2.82222	0.35433	2.67113	1.33557	0.37437	
468	466	9.00000	0.11111	0.01474	0.00470	67.84675	Two	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	32	2.82222	0.35433	2.67113	1.33557	0.37437	
500	498	9.00000	0.11111	0.01474	0.00470	67.84675	Two	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	30	2.82222	0.35433	2.67113	1.33557	0.37437	
572	570	9.00000	0.11111	0.01474	0.00470	67.84675	Two	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	30	2.82222	0.35433	2.67113	1.33557	0.37437	
515	513	9.03111	0.11073	0.01306	0.00416	76.59144	One	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	30	2.81250	0.35556	3.01541	1.50771	0.33163	
352	350	9.07087	0.11024	0.01950	0.00622	51.28573	Six	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	40	2.80017	0.35712	2.01912	1.00956	0.49526	
540	538	9.07087	0.11024	0.01462	0.00466	68.38098	Two	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	30	2.80017	0.35712	2.69216	1.34608	0.37145	
225	223	9.17222	0.10902	0.02089	0.00666	47.86965	Seven	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	30	2.76923	0.36111	1.88463	0.94232	0.53061	
361	359	9.21260	0.10855	0.02080	0.00663	48.08037	Seven	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	40	2.75709	0.36270	1.89293	0.94646	0.52828	
130	128	9.26042	0.10799	0.02228	0.00711	44.87780	Eight	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	32	2.74286	0.36458	1.76684	0.88342	0.56598	
327	325	9.31333	0.10737	0.01741	0.00555	57.44358	Five	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	40	2.72727	0.36667	2.26156	1.13078	0.44217	
202	200	9.33333	0.10714	0.02211	0.00705	45.23117	Eight	NA	NA	NA	Lscrew	A	40	127	1	1	1	1	127	30	2.72143	0.36745	1.78075	0.89038	0.56156	
274	272	9.33333	0.10714	0.02211	0.00705	45.23117	Eight	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	120	30	2.72143	0.36745	1.78075	0.89038	0.56156	
406	404	9.37500	0.10667	0.01572	0.00501	63.60633	Four	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	32	2.70933	0.36909	2.50419	1.25209	0.39933	
478	476	9.37500	0.10667	0.01572	0.00501	63.60633	Four	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	32	2.70933	0.36909	2.50419	1.25209	0.39933	
429	427	9.42578	0.10609	0.01486	0.00474	67.31670	Three	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	32	2.69474	0.37109	2.65026	1.32513	0.37732	
342	340	9.44882	0.10583	0.01560	0.00498	64.10717	Four	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	40	2.68817	0.37200	2.52390	1.26195	0.39621	
435	433	9.44882	0.10583	0.01248	0.00398	80.13396	One	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	32	2.68817	0.37200	3.15488	1.57744	0.31697	
446	444	9.44882	0.10583	0.01560	0.00498	64.10717	Four	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	32	2.68817	0.37200	2.52390	1.26195	0.39621	
550	548	9.44882	0.10583	0.01560	0.00498	64.10717	Four	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	30	2.68817	0.37200	2.52390	1.26195	0.39621	
293	291	9.50000	0.10526	0.01474	0.00470	67.84675	Three	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	40	2.67368	0.37402	2.67113	1.33557	0.37437	
365	363	9.50000	0.10526	0.01474	0.00470	67.84675	Three	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	40	2.67368	0.37402	2.67113	1.33557	0.37437	
397	395	9.50000	0.10526	0.01474	0.00470	67.84675	Three	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	32	2.67368	0.37402	2.67113	1.33557	0.37437	
469	467	9.50000	0.10526	0.01474	0.00470	67.84675	Three	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	32	2.67368	0.37402	2.67113	1.33557	0.37437	
501	499	9.50000	0.10526	0.01474	0.00470	67.84675	Three	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	30	2.67368	0.37402	2.67113	1.33557	0.37437	
573	571	9.50000	0.10526	0.01474	0.00470	67.84675	Three	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	30	2.67368	0.37402	2.67113	1.33557	0.37437	
316	314	9.52500	0.10499	0.01393	0.00444	71.80448	Two	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	40	2.66667	0.37500	2.82695	1.41347	0.35374	
336	334	9.52500	0.10499	0.01857	0.00592	53.85336	Six	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	40	2.66667	0.37500	2.12021	1.06011	0.47165	
420	418	9.52500	0.10499	0.01393	0.00444	71.80448	Two	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	32	2.66667	0.37500	2.82695	1.41347	0.35374	
524	522	9.52500	0.10499	0.01393	0.00444	71.80448	Two	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	30	2.66667	0.37500	2.82695	1.41347	0.35374	
541	539	9.57480	0.10444	0.01462	0.00466	68.38098	Three	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	30	2.65280	0.37696	2.69216	1.34608	0.37145	
304	302	9.60000	0.10417	0.01842	0.00588	54.27740	Six	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	40	2.64583	0.37795	2.13691	1.06845	0.46797	
376	374	9.60000	0.10417	0.01842	0.00588	54.27740	Six	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	40	2.64583	0.37795	2.13691	1.06845	0.46797	
492	490	9.60000	0.10417	0.01382	0.00441	72.36987	Two	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	30	2.64583	0.37795	2.84921	1.42460	0.35097	
564	562	9.60000	0.10417	0.01382	0.00441	72.36987	Two	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	30	2.64583	0.37795	2.84921	1.42460	0.35097	
455	453	9.74409	0.10263	0.01664	0.00531	60.10047	Five	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	32	2.60671	0.38363	2.36616	1.18308	0.42263	
313	311	9.75000	0.10256	0.01965	0.00627	50.88506	Seven	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	40	2.60513	0.38386	2.00335	1.00167	0.49916	
385	383	9.75000	0.10256	0.01965	0.00627	50.88506	Seven	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	40	2.60513	0.38386	2.00335	1.00167	0.49916	
353	351	9.82677	0.10176	0.01950	0.00622	51.28573	Seven	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	40	2.58478	0.38688	2.01912	1.00956	0.49526	
226	224	9.87778	0.10124	0.02089	0.00666	47.86965	Eight	NA	NA	NA	Lscrew	A	40	120	1	1	1	1	127	30	2.57143	0.38889	1.88463	0.94232	0.53061	
362	360	9.92126	0.10079	0.02080	0.00663	48.08037	Eight	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	40	2.56016	0.39060	1.89293	0.94646	0.52828	
430	428	9.92188	0.10079	0.01486	0.00474	67.31670	Four	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	32	2.56000	0.39063	2.65026	1.32513	0.37732	
294	292	10.00000	0.10000	0.01474	0.00470	67.84675	Four	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	40	2.54000	0.39370	2.67113	1.33557	0.37437	
366	364	10.00000	0.10000	0.01474	0.00470	67.84675	Four	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	40	2.54000	0.39370	2.67113	1.33557	0.37437	
387	385	10.00000	0.10000	0.01179	0.00376	84.80844	One	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	32	2.54000	0.39370	3.33891	1.66946	0.29950	
398	396	10.00000	0.10000	0.01474	0.00470	67.84675	Four	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	32	2.54000	0.39370	2.67113	1.33557	0.37437	
459	457	10.00000	0.10000	0.01179	0.00376	84.80844	One	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	32	2.54000	0.39370	3.33891	1.66946	0.29950	
470	468	10.00000	0.10000	0.01474	0.00470	67.84675	Four	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	32	2.54000	0.39370	2.67113	1.33557	0.37437	

1	1620	ENGLISH	Previs: C				uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:												METRIC: uwPM1340GT						
2		TPI	Z-IPT Rate	FEED Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERnsPmm-X	mmPTTrns
502	500	10.00000	0.10000	0.01474	0.00470	67.84675	Four	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	30	2.54000	0.39370	2.67113	1.33557	0.37437
574	572	10.00000	0.10000	0.01474	0.00470	67.84675	Four	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	30	2.54000	0.39370	2.67113	1.33557	0.37437
317	315	10.05417	0.09946	0.01393	0.00444	71.80448	Three	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	40	2.52632	0.39583	2.82695	1.41347	0.35374
421	419	10.05417	0.09946	0.01393	0.00444	71.80448	Three	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	32	2.52632	0.39583	2.82695	1.41347	0.35374
525	523	10.05417	0.09946	0.01393	0.00444	71.80448	Three	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	30	2.52632	0.39583	2.82695	1.41347	0.35374
531	529	10.07874	0.09922	0.01170	0.00373	85.47622	One	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	30	2.52016	0.39680	3.36521	1.68260	0.29716
542	540	10.07874	0.09922	0.01462	0.00466	68.38098	Four	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	30	2.52016	0.39680	2.69216	1.34608	0.37145
493	491	10.13333	0.09868	0.01382	0.00441	72.36987	Three	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	30	2.50658	0.39895	2.84921	1.42460	0.35097
565	563	10.13333	0.09868	0.01382	0.00441	72.36987	Three	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	30	2.50658	0.39895	2.84921	1.42460	0.35097
328	326	10.16000	0.09843	0.01741	0.00555	57.44358	Six	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	40	2.50000	0.40000	2.26156	1.13078	0.44217
516	514	10.16000	0.09843	0.01306	0.00416	76.59144	Two	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	30	2.50000	0.40000	3.01541	1.50771	0.33163
407	405	10.31250	0.09697	0.01572	0.00501	63.60633	Five	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	32	2.46303	0.40600	2.50419	1.25209	0.39933
479	477	10.31250	0.09697	0.01572	0.00501	63.60633	Five	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	32	2.46303	0.40600	2.50419	1.25209	0.39933
337	335	10.31875	0.09691	0.01857	0.00592	53.85336	Seven	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	40	2.46154	0.40625	2.12021	1.06011	0.47165
343	341	10.39370	0.09621	0.01560	0.00498	64.10717	Five	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	40	2.44379	0.40920	2.52390	1.26195	0.39621
447	445	10.39370	0.09621	0.01560	0.00498	64.10717	Five	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	32	2.44379	0.40920	2.52390	1.26195	0.39621
551	549	10.39370	0.09621	0.01560	0.00498	64.10717	Five	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	30	2.44379	0.40920	2.52390	1.26195	0.39621
305	303	10.40000	0.09615	0.01842	0.00588	54.27740	Seven	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	40	2.44231	0.40945	2.13691	1.06845	0.46797
377	375	10.40000	0.09615	0.01842	0.00588	54.27740	Seven	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	40	2.44231	0.40945	2.13691	1.06845	0.46797
314	312	10.50000	0.09524	0.01965	0.00627	50.88506	Eight	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	40	2.41905	0.41339	2.00335	1.00167	0.49916
386	384	10.50000	0.09524	0.01965	0.00627	50.88506	Eight	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	40	2.41905	0.41339	2.00335	1.00167	0.49916
354	352	10.58268	0.09449	0.01950	0.00622	51.28573	Eight	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	40	2.40015	0.41664	2.01912	1.00956	0.49526
318	316	10.58333	0.09449	0.01393	0.00444	71.80448	Four	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	40	2.40000	0.41667	2.82695	1.41347	0.35374
411	409	10.58333	0.09449	0.01114	0.00355	89.75560	One	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	32	2.40000	0.41667	3.53368	1.76684	0.28299
422	420	10.58333	0.09449	0.01393	0.00444	71.80448	Four	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	32	2.40000	0.41667	2.82695	1.41347	0.35374
526	524	10.58333	0.09449	0.01393	0.00444	71.80448	Four	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	30	2.40000	0.41667	2.82695	1.41347	0.35374
436	434	10.62992	0.09407	0.01248	0.00398	80.13396	Two	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	32	2.38948	0.41850	3.15488	1.57744	0.31697
456	454	10.62992	0.09407	0.01664	0.00531	60.10047	Six	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	32	2.38948	0.41850	2.36616	1.18308	0.42263
483	481	10.66667	0.09375	0.01105	0.00353	90.46233	One	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	30	2.38125	0.41995	3.56151	1.78075	0.28078
494	492	10.66667	0.09375	0.01382	0.00441	72.36987	Four	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	30	2.38125	0.41995	2.84921	1.42460	0.35097
555	553	10.66667	0.09375	0.01105	0.00353	90.46233	One	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	30	2.38125	0.41995	3.56151	1.78075	0.28078
566	564	10.66667	0.09375	0.01382	0.00441	72.36987	Four	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	30	2.38125	0.41995	2.84921	1.42460	0.35097
517	515	10.72444	0.09324	0.01306	0.00416	76.59144	Three	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	30	2.36842	0.42222	3.01541	1.50771	0.33163
431	429	10.91406	0.09162	0.01486	0.00474	67.31670	Five	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	32	2.32727	0.42969	2.65026	1.32513	0.37732
295	293	11.00000	0.09091	0.01474	0.00470	67.84675	Five	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	40	2.30909	0.43307	2.67113	1.33557	0.37437
367	365	11.00000	0.09091	0.01474	0.00470	67.84675	Five	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	40	2.30909	0.43307	2.67113	1.33557	0.37437
399	397	11.00000	0.09091	0.01474	0.00470	67.84675	Five	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	32	2.30909	0.43307	2.67113	1.33557	0.37437
471	469	11.00000	0.09091	0.01474	0.00470	67.84675	Five	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	32	2.30909	0.43307	2.67113	1.33557	0.37437
503	501	11.00000	0.09091	0.01474	0.00470	67.84675	Five	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	30	2.30909	0.43307	2.67113	1.33557	0.37437
575	573	11.00000	0.09091	0.01474	0.00470	67.84675	Five	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	30	2.30909	0.43307	2.67113	1.33557	0.37437
329	327	11.00667	0.09085	0.01741	0.00555	57.44358	Seven	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	40	2.30769	0.43333	2.26156	1.13078	0.44217
543	541	11.08661	0.09020	0.01462	0.00466	68.38098	Five	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	30	2.29105	0.43648	2.69216	1.34608	0.37145
338	336	11.11250	0.08999	0.01857	0.00592	53.85336	Eight	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	40	2.28571	0.43750	2.12021	1.06011	0.47165
306	304	11.20000	0.08929	0.01842	0.00588	54.27740	Eight	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	40	2.26786	0.44094	2.13691	1.06845	0.46797
378	376	11.20000	0.08929	0.01842	0.00588	54.27740	Eight	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	40	2.26786	0.44094	2.13691	1.06845	0.46797
437	435	11.22047	0.08912	0.01248	0.00398	80.13396	Three	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	32	2.26372	0.44175	3.15488	1.57744	0.31697
388	386	11.25000	0.08889	0.01179	0.00376	84.80844	Two	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	32	2.25778	0.44291	3.33891	1.66946	0.29950
408	406	11.25000	0.08889	0.01572	0.00501	63.60633	Six	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	32	2.25778	0.44291	2.50419	1.25209	0.39933
460	458	11.25000	0.08889	0.01179	0.00376	84.80844	Two	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	32	2.25778	0.44291	3.33891	1.66946	0.29950
480	478	11.25000	0.08889	0.01572	0.00501	63.60633	Six	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	32	2.25778	0.44291	2.50419	1.25209	0.39933
507	505	11.28889	0.08858	0.01045	0.00333	95.73930	One	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	30	2.25000	0.44444	3.76926	1.88463	0.26530

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC: uwPM1340GT								
2		TPI	Z-IPT	Rate	FEED Rate	XFEED	FEED_TPI	ne2Eig	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERs	Pmm-X	mmPTTrns
518	516	11.28889	0.08858	0.01306	0.00416	76.59144	Four	NA	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	30	2.25000	0.44444	3.01541	1.50771	0.33163	
344	342	11.33858	0.08819	0.01560	0.00498	64.10717	Six	NA	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	40	2.24014	0.44640	2.52390	1.26195	0.39621	
448	446	11.33858	0.08819	0.01560	0.00498	64.10717	Six	NA	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	32	2.24014	0.44640	2.52390	1.26195	0.39621	
532	530	11.33858	0.08819	0.01170	0.00373	85.47622	Two	NA	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	30	2.24014	0.44640	3.36521	1.68260	0.29716	
552	550	11.33858	0.08819	0.01560	0.00498	64.10717	Six	NA	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	30	2.24014	0.44640	2.52390	1.26195	0.39621	
643	641	11.33858	0.08819	0.01040	0.00332	96.16075	One	NA	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	120	40	2.24014	0.44640	3.78586	1.89293	0.26414	
457	455	11.51575	0.08684	0.01664	0.00531	60.10047	Seven	NA	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	32	2.20568	0.45338	2.36616	1.18308	0.42263	
319	317	11.64167	0.08590	0.01393	0.00444	71.80448	Five	NA	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	40	2.18182	0.45833	2.82695	1.41347	0.35374	
423	421	11.64167	0.08590	0.01393	0.00444	71.80448	Five	NA	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	32	2.18182	0.45833	2.82695	1.41347	0.35374	
527	525	11.64167	0.08590	0.01393	0.00444	71.80448	Five	NA	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	30	2.18182	0.45833	2.82695	1.41347	0.35374	
495	493	11.73333	0.08523	0.01382	0.00441	72.36987	Five	NA	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	30	2.16477	0.46194	2.84921	1.42460	0.35097	
567	565	11.73333	0.08523	0.01382	0.00441	72.36987	Five	NA	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	30	2.16477	0.46194	2.84921	1.42460	0.35097	
438	436	11.81102	0.08467	0.01248	0.00398	80.13396	Four	NA	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	32	2.15053	0.46500	3.15488	1.57744	0.31697	
330	328	11.85333	0.08436	0.01741	0.00555	57.44358	Eight	NA	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	40	2.14286	0.46667	2.26156	1.13078	0.44217	
389	387	11.87500	0.08421	0.01179	0.00376	84.80844	Three	NA	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	32	2.13895	0.46752	3.33891	1.66946	0.29950	
461	459	11.87500	0.08421	0.01179	0.00376	84.80844	Three	NA	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	32	2.13895	0.46752	3.33891	1.66946	0.29950	
412	410	11.90625	0.08399	0.01114	0.00355	89.75560	Two	NA	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	32	2.13333	0.46875	3.53368	1.76684	0.28299	
432	430	11.90625	0.08399	0.01486	0.00474	67.31670	Six	NA	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	32	2.13333	0.46875	2.65026	1.32513	0.37732	
533	531	11.96850	0.08355	0.01170	0.00373	85.47622	Three	NA	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	30	2.12224	0.47120	3.36521	1.68260	0.29716	
296	294	12.00000	0.08333	0.01474	0.00470	67.84675	Six	NA	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	40	2.11667	0.47244	2.67113	1.33557	0.37437	
368	366	12.00000	0.08333	0.01474	0.00470	67.84675	Six	NA	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	40	2.11667	0.47244	2.67113	1.33557	0.37437	
400	398	12.00000	0.08333	0.01474	0.00470	67.84675	Six	NA	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	32	2.11667	0.47244	2.67113	1.33557	0.37437	
472	470	12.00000	0.08333	0.01474	0.00470	67.84675	Six	NA	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	32	2.11667	0.47244	2.67113	1.33557	0.37437	
484	482	12.00000	0.08333	0.01105	0.00353	90.46233	Two	NA	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	30	2.11667	0.47244	3.56151	1.78075	0.28078	
504	502	12.00000	0.08333	0.01474	0.00470	67.84675	Six	NA	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	30	2.11667	0.47244	2.67113	1.33557	0.37437	
556	554	12.00000	0.08333	0.01105	0.00353	90.46233	Two	NA	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	30	2.11667	0.47244	3.56151	1.78075	0.28078	
576	574	12.00000	0.08333	0.01474	0.00470	67.84675	Six	NA	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	30	2.11667	0.47244	2.67113	1.33557	0.37437	
595	593	12.00000	0.08333	0.00983	0.00313	101.77013	One	NA	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	127	40	2.11667	0.47244	4.00670	2.00335	0.24958	
667	665	12.00000	0.08333	0.00983	0.00313	101.77013	One	NA	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	120	40	2.11667	0.47244	4.00670	2.00335	0.24958	
544	542	12.09449	0.08268	0.01462	0.00466	68.38098	Six	NA	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	30	2.10013	0.47616	2.69216	1.34608	0.37145	
635	633	12.09449	0.08268	0.00975	0.00311	102.57147	One	NA	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	120	40	2.10013	0.47616	4.03825	2.01912	0.24763	
409	407	12.18750	0.08205	0.01572	0.00501	63.60633	Seven	NA	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	32	2.08410	0.47982	2.50419	1.25209	0.39933	
481	479	12.18750	0.08205	0.01572	0.00501	63.60633	Seven	NA	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	32	2.08410	0.47982	2.50419	1.25209	0.39933	
345	343	12.28346	0.08141	0.01560	0.00498	64.10717	Seven	NA	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	40	2.06782	0.48360	2.52390	1.26195	0.39621	
449	447	12.28346	0.08141	0.01560	0.00498	64.10717	Seven	NA	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	32	2.06782	0.48360	2.52390	1.26195	0.39621	
553	551	12.28346	0.08141	0.01560	0.00498	64.10717	Seven	NA	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	30	2.06782	0.48360	2.52390	1.26195	0.39621	
458	456	12.40157	0.08063	0.01664	0.00531	60.10047	Eight	NA	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	32	2.04813	0.48825	2.36616	1.18308	0.42263	
519	517	12.41778	0.08053	0.01306	0.00416	76.59144	Five	NA	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	30	2.04545	0.48889	3.01541	1.50771	0.33163	
390	388	12.50000	0.08000	0.01179	0.00376	84.80844	Four	NA	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	32	2.03200	0.49213	3.33891	1.66946	0.29950	
462	460	12.50000	0.08000	0.01179	0.00376	84.80844	Four	NA	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	32	2.03200	0.49213	3.33891	1.66946	0.29950	
413	411	12.56771	0.07957	0.01114	0.00355	89.75560	Three	NA	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	32	2.02105	0.49479	3.53368	1.76684	0.28299	
534	532	12.59843	0.07938	0.01170	0.00373	85.47622	Four	NA	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	30	2.01613	0.49600	3.36521	1.68260	0.29716	
485	483	12.66667	0.07895	0.01105	0.00353	90.46233	Three	NA	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	30	2.00526	0.49869	3.56151	1.78075	0.28078	
557	555	12.66667	0.07895	0.01105	0.00353	90.46233	Three	NA	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	30	2.00526	0.49869	3.56151	1.78075	0.28078	
320	318	12.70000	0.07874	0.01393	0.00444	71.80448	Six	NA	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	40	2.00000	0.50000	2.82695	1.41347	0.35374	
424	422	12.70000	0.07874	0.01393	0.00444	71.80448	Six	NA	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	32	2.00000	0.50000	2.82695	1.41347	0.35374	
508	506	12.70000	0.07874	0.01045	0.00333	95.73930	Two	NA	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	30	2.00000	0.50000	3.76926	1.88463	0.26530	
528	526	12.70000	0.07874	0.01393	0.00444	71.80448	Six	NA	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	30	2.00000	0.50000	2.82695	1.41347	0.35374	
619	617	12.70000	0.07874	0.00928	0.00296	107.70672	One	NA	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	127	40	2.00000	0.50000	4.24042	2.12021	0.23583	
644	642	12.75591	0.07840	0.01040	0.00332	96.16075	Two	NA	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	120	40	1.					

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC: uwPM1340GT								
2		TPI	Z-IPT	Rate	FEED Rate	XFEED	FEED_TPI	ne2Eig	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERs	Pmm-X	mmPTrns
568	566	12.80000	0.07813	0.01382	0.00441	72.36987		Six	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	30	1.98438	0.50394	2.84921	1.42460	0.35097	
587	585	12.80000	0.07813	0.00921	0.00294	108.55480		One	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	127	40	1.98438	0.50394	4.27381	2.13691	0.23398	
659	657	12.80000	0.07813	0.00921	0.00294	108.55480		One	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	120	40	1.98438	0.50394	4.27381	2.13691	0.23398	
433	431	12.89844	0.07753	0.01486	0.00474	67.31670		Seven	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	32	1.96923	0.50781	2.65026	1.32513	0.37732	
439	437	12.99213	0.07697	0.01248	0.00398	80.13396		Five	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	32	1.95503	0.51150	3.15488	1.57744	0.31697	
297	295	13.00000	0.07692	0.01474	0.00470	67.84675		Seven	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	40	1.95385	0.51181	2.67113	1.33557	0.37437	
369	367	13.00000	0.07692	0.01474	0.00470	67.84675		Seven	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	40	1.95385	0.51181	2.67113	1.33557	0.37437	
401	399	13.00000	0.07692	0.01474	0.00470	67.84675		Seven	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	32	1.95385	0.51181	2.67113	1.33557	0.37437	
473	471	13.00000	0.07692	0.01474	0.00470	67.84675		Seven	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	32	1.95385	0.51181	2.67113	1.33557	0.37437	
505	503	13.00000	0.07692	0.01474	0.00470	67.84675		Seven	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	30	1.95385	0.51181	2.67113	1.33557	0.37437	
577	575	13.00000	0.07692	0.01474	0.00470	67.84675		Seven	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	30	1.95385	0.51181	2.67113	1.33557	0.37437	
545	543	13.10236	0.07632	0.01462	0.00466	68.38098		Seven	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	30	1.93858	0.51584	2.69216	1.34608	0.37145	
410	408	13.12500	0.07619	0.01572	0.00501	63.60633		Eight	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	32	1.93524	0.51673	2.50419	1.25209	0.39933	
482	480	13.12500	0.07619	0.01572	0.00501	63.60633		Eight	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	32	1.93524	0.51673	2.50419	1.25209	0.39933	
346	344	13.22835	0.07560	0.01560	0.00498	64.10717		Eight	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	40	1.92012	0.52080	2.52390	1.26195	0.39621	
450	448	13.22835	0.07560	0.01560	0.00498	64.10717		Eight	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	32	1.92012	0.52080	2.52390	1.26195	0.39621	
554	552	13.22835	0.07560	0.01560	0.00498	64.10717		Eight	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	120	30	1.92012	0.52080	2.52390	1.26195	0.39621	
414	412	13.22917	0.07559	0.01114	0.00355	89.75560		Four	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	32	1.92000	0.52083	3.53368	1.76684	0.28299	
486	484	13.33333	0.07500	0.01105	0.00353	90.46233		Four	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	30	1.90500	0.52493	3.56151	1.78075	0.28078	
558	556	13.33333	0.07500	0.01105	0.00353	90.46233		Four	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	30	1.90500	0.52493	3.56151	1.78075	0.28078	
509	507	13.40556	0.07460	0.01045	0.00333	95.73930		Three	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	30	1.89474	0.52778	3.76926	1.88463	0.26530	
645	643	13.46457	0.07427	0.01040	0.00332	96.16075		Three	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	120	40	1.88643	0.53010	3.78586	1.89293	0.26414	
596	594	13.50000	0.07407	0.00983	0.00313	101.77013		Two	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	127	40	1.88148	0.53150	4.00670	2.00335	0.24958	
668	666	13.50000	0.07407	0.00983	0.00313	101.77013		Two	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	120	40	1.88148	0.53150	4.00670	2.00335	0.24958	
520	518	13.54667	0.07382	0.01306	0.00416	76.59144		Six	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	30	1.87500	0.53333	3.01541	1.50771	0.33163	
611	609	13.54667	0.07382	0.00870	0.00278	114.88716		One	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	127	40	1.87500	0.53333	4.52312	2.26156	0.22109	
636	634	13.60630	0.07350	0.00975	0.00311	102.57147		Two	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	120	40	1.86678	0.53568	4.03825	2.01912	0.24763	
391	389	13.75000	0.07273	0.01179	0.00376	84.80844		Five	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	32	1.84727	0.54134	3.33891	1.66946	0.29950	
463	461	13.75000	0.07273	0.01179	0.00376	84.80844		Five	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	32	1.84727	0.54134	3.33891	1.66946	0.29950	
321	319	13.75833	0.07268	0.01393	0.00444	71.80448		Seven	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	40	1.84615	0.54167	2.82695	1.41347	0.35374	
425	423	13.75833	0.07268	0.01393	0.00444	71.80448		Seven	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	32	1.84615	0.54167	2.82695	1.41347	0.35374	
529	527	13.75833	0.07268	0.01393	0.00444	71.80448		Seven	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	30	1.84615	0.54167	2.82695	1.41347	0.35374	
535	533	13.85827	0.07216	0.01170	0.00373	85.47622		Five	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	30	1.83284	0.54560	3.36521	1.68260	0.29716	
497	495	13.86667	0.07212	0.01382	0.00441	72.36987		Seven	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	30	1.83173	0.54593	2.84921	1.42460	0.35097	
569	567	13.86667	0.07212	0.01382	0.00441	72.36987		Seven	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	30	1.83173	0.54593	2.84921	1.42460	0.35097	
434	432	13.89063	0.07199	0.01486	0.00474	67.31670		Eight	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	32	1.82857	0.54688	2.65026	1.32513	0.37732	
298	296	14.00000	0.07143	0.01474	0.00470	67.84675		Eight	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	40	1.81429	0.55118	2.67113	1.33557	0.37437	
370	368	14.00000	0.07143	0.01474	0.00470	67.84675		Eight	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	40	1.81429	0.55118	2.67113	1.33557	0.37437	
402	400	14.00000	0.07143	0.01474	0.00470	67.84675		Eight	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	32	1.81429	0.55118	2.67113	1.33557	0.37437	
474	472	14.00000	0.07143	0.01474	0.00470	67.84675		Eight	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	32	1.81429	0.55118	2.67113	1.33557	0.37437	
506	504	14.00000	0.07143	0.01474	0.00470	67.84675		Eight	NA	NA	NA	Lscrew	B	30	127	1	1	1	1	127	30	1.81429	0.55118	2.67113	1.33557	0.37437	
578	576	14.00000	0.07143	0.01474	0.00470	67.84675		Eight	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	120	30	1.81429	0.55118	2.67113	1.33557	0.37437	
546	544	14.11024	0.07087	0.01462	0.00466	68.38098		Eight	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	120	30	1.80011	0.55552	2.69216	1.34608	0.37145	
510	508	14.11111	0.07087	0.01045	0.00333	95.73930		Four	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	30	1.80000	0.55556	3.76926	1.88463	0.26530	
440	438	14.17323	0.07056	0.01248	0.00398	80.13396		Six	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	32	1.79211	0.55800	3.15488	1.57744	0.31697	
646	644	14.17323	0.07056	0.01040	0.00332	96.16075		Four	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	120	40	1.79211	0.55800	3.78586	1.89293	0.26414	
739	737	14.17323	0.07056	0.00832	0.00265	120.20094		One	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	120	32	1.79211	0.55800	4.73232	2.36616	0.21131	
597	595	14.25000	0.07018	0.00983	0.00313	101.77013		Three	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	127	40	1.78246	0.56102	4.00670	2.00335	0.24958	
669	667	14.25000	0.07018	0.00983	0.00313	101.77013		Three	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	120	40	1.78246	0.56102	4.00670	2.00335	0.24958	
620	618	14.28750	0.06999	0.00928	0.00296	107.70672		Two	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	127	40	1.77778	0.56250	4.24042	2.12021	0.23583	
637	635	14.36220	0.																								

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:													METRIC:		uwPM1340GT					
2		TPI	Z-IPT Rate	FEED Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERnsPmm-X	mmPTTrns
588	586	14.40000	0.06944	0.00921	0.00294	108.55480	Two	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	127	40	1.76389	0.56693	4.27381	2.13691	0.23398
660	658	14.40000	0.06944	0.00921	0.00294	108.55480	Two	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	120	40	1.76389	0.56693	4.27381	2.13691	0.23398
415	413	14.55208	0.06872	0.01114	0.00355	89.75560	Five	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	32	1.74545	0.57292	3.53368	1.76684	0.28299
487	485	14.66667	0.06818	0.01105	0.00353	90.46233	Five	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	30	1.73182	0.57743	3.56151	1.78075	0.28078
559	557	14.66667	0.06818	0.01105	0.00353	90.46233	Five	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	30	1.73182	0.57743	3.56151	1.78075	0.28078
521	519	14.67556	0.06814	0.01306	0.00416	76.59144	Seven	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	30	1.73077	0.57778	3.01541	1.50771	0.33163
322	320	14.81667	0.06749	0.01393	0.00444	71.80448	Eight	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	40	1.71429	0.58333	2.82695	1.41347	0.35374
426	424	14.81667	0.06749	0.01393	0.00444	71.80448	Eight	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	32	1.71429	0.58333	2.82695	1.41347	0.35374
530	528	14.81667	0.06749	0.01393	0.00444	71.80448	Eight	NA	NA	NA	Lscrew	B	30	120	1	1	1	1	127	30	1.71429	0.58333	2.82695	1.41347	0.35374
498	496	14.93333	0.06696	0.01382	0.00441	72.36987	Eight	NA	NA	NA	Lscrew	B	32	127	1	1	1	1	127	30	1.70089	0.58793	2.84921	1.42460	0.35097
570	568	14.93333	0.06696	0.01382	0.00441	72.36987	Eight	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	120	30	1.70089	0.58793	2.84921	1.42460	0.35097
392	390	15.00000	0.06667	0.01179	0.00376	84.80844	Six	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	32	1.69333	0.59055	3.33891	1.66946	0.29950
464	462	15.00000	0.06667	0.01179	0.00376	84.80844	Six	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	32	1.69333	0.59055	3.33891	1.66946	0.29950
598	596	15.00000	0.06667	0.00983	0.00313	101.77013	Four	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	127	40	1.69333	0.59055	4.00670	2.00335	0.24958
670	668	15.00000	0.06667	0.00983	0.00313	101.77013	Four	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	120	40	1.69333	0.59055	4.00670	2.00335	0.24958
691	689	15.00000	0.06667	0.00786	0.00251	127.21266	One	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	127	32	1.69333	0.59055	5.00837	2.50419	0.19967
763	761	15.00000	0.06667	0.00786	0.00251	127.21266	One	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	120	32	1.69333	0.59055	5.00837	2.50419	0.19967
621	619	15.08125	0.06631	0.00928	0.00296	107.70672	Three	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	127	40	1.68421	0.59375	4.24042	2.12021	0.23583
536	534	15.11811	0.06615	0.01170	0.00373	85.47622	Six	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	30	1.68010	0.59520	3.36521	1.68260	0.29716
627	625	15.11811	0.06615	0.00780	0.00249	128.21433	One	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	120	40	1.68010	0.59520	5.04781	2.52390	0.19811
638	636	15.11811	0.06615	0.00975	0.00311	102.57147	Four	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	120	40	1.68010	0.59520	4.03825	2.01912	0.24763
731	729	15.11811	0.06615	0.00780	0.00249	128.21433	One	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	120	32	1.68010	0.59520	5.04781	2.52390	0.19811
835	833	15.11811	0.06615	0.00780	0.00249	128.21433	One	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	120	30	1.68010	0.59520	5.04781	2.52390	0.19811
589	587	15.20000	0.06579	0.00921	0.00294	108.55480	Three	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	127	40	1.67105	0.59843	4.27381	2.13691	0.23398
661	659	15.20000	0.06579	0.00921	0.00294	108.55480	Three	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	120	40	1.67105	0.59843	4.27381	2.13691	0.23398
612	610	15.24000	0.06562	0.00870	0.00278	114.88716	Two	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	127	40	1.66667	0.60000	4.52312	2.26156	0.22109
441	439	15.35433	0.06513	0.01248	0.00398	80.13396	Seven	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	32	1.65426	0.60450	3.15488	1.57744	0.31697
511	509	15.52222	0.06442	0.01045	0.00333	95.73930	Five	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	30	1.63636	0.61111	3.76926	1.88463	0.26530
647	645	15.59055	0.06414	0.01040	0.00332	96.16075	Five	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	120	40	1.62919	0.61380	3.78586	1.89293	0.26414
522	520	15.80444	0.06327	0.01306	0.00416	76.59144	Eight	NA	NA	NA	Lscrew	B	32	120	1	1	1	1	127	30	1.60714	0.62222	3.01541	1.50771	0.33163
416	414	15.87500	0.06299	0.01114	0.00355	89.75560	Six	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	32	1.60000	0.62500	3.53368	1.76684	0.28299
622	620	15.87500	0.06299	0.00928	0.00296	107.70672	Four	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	127	40	1.60000	0.62500	4.24042	2.12021	0.23583
715	713	15.87500	0.06299	0.00743	0.00237	134.63340	One	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	127	32	1.60000	0.62500	5.30053	2.65026	0.18866
740	738	15.94488	0.06272	0.00832	0.00265	120.20094	Two	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	120	32	1.59299	0.62775	4.73232	2.36616	0.21131
488	486	16.00000	0.06250	0.01105	0.00353	90.46233	Six	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	30	1.58750	0.62992	3.56151	1.78075	0.28078
560	558	16.00000	0.06250	0.01105	0.00353	90.46233	Six	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	30	1.58750	0.62992	3.56151	1.78075	0.28078
579	577	16.00000	0.06250	0.00737	0.00235	135.69350	One	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	127	40	1.58750	0.62992	5.34226	2.67113	0.18719
590	588	16.00000	0.06250	0.00921	0.00294	108.55480	Four	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	127	40	1.58750	0.62992	4.27381	2.13691	0.23398
651	649	16.00000	0.06250	0.00737	0.00235	135.69350	One	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	120	40	1.58750	0.62992	5.34226	2.67113	0.18719
662	660	16.00000	0.06250	0.00921	0.00294	108.55480	Four	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	120	40	1.58750	0.62992	4.27381	2.13691	0.23398
683	681	16.00000	0.06250	0.00737	0.00235	135.69350	One	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	127	32	1.58750	0.62992	5.34226	2.67113	0.18719
755	753	16.00000	0.06250	0.00737	0.00235	135.69350	One	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	120	32	1.58750	0.62992	5.34226	2.67113	0.18719
787	785	16.00000	0.06250	0.00737	0.00235	135.69350	One	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	127	30	1.58750	0.62992	5.34226	2.67113	0.18719
859	857	16.00000	0.06250	0.00737	0.00235	135.69350	One	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	120	30	1.58750	0.62992	5.34226	2.67113	0.18719
613	611	16.08667	0.06216	0.00870	0.00278	114.88716	Three	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	127	40	1.57895	0.63333	4.52312	2.26156	0.22109
827	825	16.12598	0.06201	0.00731	0.00233	136.76195	One	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	120	30	1.57510	0.63488	5.38433	2.69216	0.18572
393	391	16.25000	0.06154	0.01179	0.00376	84.80844	Seven	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	32	1.56308	0.63976	3.33891	1.66946	0.29950
465	463	16.25000	0.06154	0.01179	0.00376	84.80844	Seven	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	32	1.56308	0.63976	3.33891	1.66946	0.29950
537	535	16.37795	0.06106	0.01170	0.00373	85.47622	Seven	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	30	1.55087	0.64480	3.36521	1.68260	0.29716
599	597	16.50000	0.06061	0.00983	0.00313	101.77013	Five	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	127	40	1.53939	0.64961	4.00670	2.00335	0.24958
671	669	16.50000	0.06061	0.00983	0.00313	101.77013	Five	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	120	40	1.53939	0.64961	4.00670	2.0	

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC: uwPM1340GT								
2		TPI	Z-IPT	Rate	FEED Rate	XFEED	FEED_TPI	ne2Eig	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERs	Pmm-X	mmPTrns
442	440	16.53543	0.06048	0.01248	0.00398	80.13396		Eight	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	32	1.53610	0.65100	3.15488	1.57744	0.31697	
639	637	16.62992	0.06013	0.00975	0.00311	102.57147		Five	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	120	40	1.52737	0.65472	4.03825	2.01912	0.24763	
741	739	16.83071	0.05942	0.00832	0.00265	120.20094		Three	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	120	32	1.50915	0.66263	4.73232	2.36616	0.21131	
692	690	16.87500	0.05926	0.00786	0.00251	127.21266		Two	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	127	32	1.50519	0.66437	5.00837	2.50419	0.19967	
764	762	16.87500	0.05926	0.00786	0.00251	127.21266		Two	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	120	32	1.50519	0.66437	5.00837	2.50419	0.19967	
512	510	16.93333	0.05906	0.01045	0.00333	95.73930		Six	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	30	1.50000	0.66667	3.76926	1.88463	0.26530	
603	601	16.93333	0.05906	0.00696	0.00222	143.60896		One	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	40	1.50000	0.66667	5.65390	2.82695	0.17687	
614	612	16.93333	0.05906	0.00870	0.00278	114.88716		Four	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	127	40	1.50000	0.66667	4.52312	2.26156	0.22109	
707	705	16.93333	0.05906	0.00696	0.00222	143.60896		One	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	127	32	1.50000	0.66667	5.65390	2.82695	0.17687	
811	809	16.93333	0.05906	0.00696	0.00222	143.60896		One	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	127	30	1.50000	0.66667	5.65390	2.82695	0.17687	
628	626	17.00787	0.05880	0.00780	0.00249	128.21433		Two	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	120	40	1.49343	0.66960	5.04781	2.52390	0.19811	
648	646	17.00787	0.05880	0.01040	0.00332	96.16075		Six	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	120	40	1.49343	0.66960	3.78586	1.89293	0.26414	
732	730	17.00787	0.05880	0.00780	0.00249	128.21433		Two	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	120	32	1.49343	0.66960	5.04781	2.52390	0.19811	
836	834	17.00787	0.05880	0.00780	0.00249	128.21433		Two	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	120	30	1.49343	0.66960	5.04781	2.52390	0.19811	
779	777	17.06667	0.05859	0.00691	0.00220	144.73973		One	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	127	30	1.48828	0.67192	5.69841	2.84921	0.17549	
851	849	17.06667	0.05859	0.00691	0.00220	144.73973		One	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	120	30	1.48828	0.67192	5.69841	2.84921	0.17549	
417	415	17.19792	0.05815	0.01114	0.00355	89.75560		Seven	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	32	1.47692	0.67708	3.53368	1.76684	0.28299	
489	487	17.33333	0.05769	0.01105	0.00353	90.46233		Seven	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	30	1.46538	0.68241	3.56151	1.78075	0.28078	
561	559	17.33333	0.05769	0.01105	0.00353	90.46233		Seven	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	30	1.46538	0.68241	3.56151	1.78075	0.28078	
623	621	17.46250	0.05727	0.00928	0.00296	107.70672		Five	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	127	40	1.45455	0.68750	4.24042	2.12021	0.23583	
394	392	17.50000	0.05714	0.01179	0.00376	84.80844		Eight	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	32	1.45143	0.68898	3.33891	1.66946	0.29950	
466	464	17.50000	0.05714	0.01179	0.00376	84.80844		Eight	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	32	1.45143	0.68898	3.33891	1.66946	0.29950	
591	589	17.60000	0.05682	0.00921	0.00294	108.55480		Five	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	127	40	1.44318	0.69291	4.27381	2.13691	0.23398	
663	661	17.60000	0.05682	0.00921	0.00294	108.55480		Five	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	120	40	1.44318	0.69291	4.27381	2.13691	0.23398	
538	536	17.63780	0.05670	0.01170	0.00373	85.47622		Eight	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	120	30	1.44009	0.69440	3.36521	1.68260	0.29716	
742	740	17.71654	0.05644	0.00832	0.00265	120.20094		Four	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	120	32	1.43369	0.69750	4.73232	2.36616	0.21131	
693	691	17.81250	0.05614	0.00786	0.00251	127.21266		Three	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	127	32	1.42596	0.70128	5.00837	2.50419	0.19967	
765	763	17.81250	0.05614	0.00786	0.00251	127.21266		Three	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	120	32	1.42596	0.70128	5.00837	2.50419	0.19967	
716	714	17.85938	0.05599	0.00743	0.00237	134.63340		Two	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	127	32	1.42222	0.70313	5.30053	2.65026	0.18866	
629	627	17.95276	0.05570	0.00780	0.00249	128.21433		Three	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	120	40	1.41482	0.70680	5.04781	2.52390	0.19811	
733	731	17.95276	0.05570	0.00780	0.00249	128.21433		Three	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	120	32	1.41482	0.70680	5.04781	2.52390	0.19811	
837	835	17.95276	0.05570	0.00780	0.00249	128.21433		Three	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	120	30	1.41482	0.70680	5.04781	2.52390	0.19811	
580	578	18.00000	0.05556	0.00737	0.00235	135.69350		Two	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	127	40	1.41111	0.70866	5.34226	2.67113	0.18719	
600	598	18.00000	0.05556	0.00983	0.00313	101.77013		Six	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	127	40	1.41111	0.70866	4.00670	2.00335	0.24958	
652	650	18.00000	0.05556	0.00737	0.00235	135.69350		Two	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	120	40	1.41111	0.70866	5.34226	2.67113	0.18719	
672	670	18.00000	0.05556	0.00983	0.00313	101.77013		Six	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	120	40	1.41111	0.70866	4.00670	2.00335	0.24958	
684	682	18.00000	0.05556	0.00737	0.00235	135.69350		Two	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	127	32	1.41111	0.70866	5.34226	2.67113	0.18719	
756	754	18.00000	0.05556	0.00737	0.00235	135.69350		Two	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	120	32	1.41111	0.70866	5.34226	2.67113	0.18719	
788	786	18.00000	0.05556	0.00737	0.00235	135.69350		Two	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	127	30	1.41111	0.70866	5.34226	2.67113	0.18719	
860	858	18.00000	0.05556	0.00737	0.00235	135.69350		Two	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	120	30	1.41111	0.70866	5.34226	2.67113	0.18719	
803	801	18.06222	0.05536	0.00653	0.00208	153.18289		One	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	127	30	1.40625	0.71111	6.03082	3.01541	0.16581	
640	638	18.14173	0.05512	0.00975	0.00311	102.57147		Six	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	120	40	1.40009	0.71424	4.03825	2.01912	0.24763	
828	826	18.14173	0.05512	0.00731	0.00233	136.76195		Two	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	120	30	1.40009	0.71424	5.38433	2.69216	0.18572	
513	511	18.34444	0.05451	0.01045	0.00333	95.73930		Seven	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	30	1.38462	0.72222	3.76926	1.88463	0.26530	
649	647	18.42520	0.05427	0.01040	0.00332	96.16075		Seven	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	120	40	1.37855	0.72540	3.78586	1.89293	0.26414	
418	416	18.52083	0.05399	0.01114	0.00355	89.75560		Eight	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	127	32	1.37143	0.72917	3.53368	1.76684	0.28299	
615	613	18.62667	0.05369	0.00870	0.00278	114.88716		Five	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	127	40	1.36364	0.73333	4.52312	2.26156	0.22109	
490	488	18.66667	0.05357	0.01105	0.00353	90.46233		Eight	NA	NA	NA	Lscrew	B	40	127	1	1	1	1	127	30	1.36071	0.73491	3.56151	1.78075	0.28078	
562	560	18.66667	0.05357	0.01105	0.00353	90.46233		Eight	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	120	30	1.36071	0.73491	3.56151	1.78075	0.28078	
694	692	18.75000	0.05333	0.00786	0.00251	127.21266		Four	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	127	32	1.35467	0.73819	5.00837	2.50419	0.19967	
766																											

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC: uwPM1340GT										
2		TPI	Z-IPT	Rate	FEED	Rate	FEED	FEED	TPI	ne2Eig	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERns	Pmm-X	mmPTrns
717	715	18.85156	0.05305	0.00743	0.00237	134.63340	Three	NA	NA	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	1	127	32	1.34737	0.74219	5.30053	2.65026	0.18866	
630	628	18.89764	0.05292	0.00780	0.00249	128.21433	Four	NA	NA	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	1	120	40	1.34408	0.74400	5.04781	2.52390	0.19811	
723	721	18.89764	0.05292	0.00624	0.00199	160.26791	One	NA	NA	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	1	1	120	32	1.34408	0.74400	6.30976	3.15488	0.15848
734	732	18.89764	0.05292	0.00780	0.00249	128.21433	Four	NA	NA	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	1	1	120	32	1.34408	0.74400	5.04781	2.52390	0.19811
838	836	18.89764	0.05292	0.00780	0.00249	128.21433	Four	NA	NA	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	1	1	120	30	1.34408	0.74400	5.04781	2.52390	0.19811
581	579	19.00000	0.05263	0.00737	0.00235	135.69350	Three	NA	NA	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	1	1	127	40	1.33684	0.74803	5.34226	2.67113	0.18719
653	651	19.00000	0.05263	0.00737	0.00235	135.69350	Three	NA	NA	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	1	1	120	40	1.33684	0.74803	5.34226	2.67113	0.18719
685	683	19.00000	0.05263	0.00737	0.00235	135.69350	Three	NA	NA	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	1	1	127	32	1.33684	0.74803	5.34226	2.67113	0.18719
757	755	19.00000	0.05263	0.00737	0.00235	135.69350	Three	NA	NA	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	1	1	120	32	1.33684	0.74803	5.34226	2.67113	0.18719
789	787	19.00000	0.05263	0.00737	0.00235	135.69350	Three	NA	NA	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	1	1	127	30	1.33684	0.74803	5.34226	2.67113	0.18719
861	859	19.00000	0.05263	0.00737	0.00235	135.69350	Three	NA	NA	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	1	1	120	30	1.33684	0.74803	5.34226	2.67113	0.18719
604	602	19.05000	0.05249	0.00696	0.00222	143.60896	Two	NA	NA	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	1	1	127	40	1.33333	0.75000	5.65390	2.82695	0.17687
624	622	19.05000	0.05249	0.00928	0.00296	107.70672	Six	NA	NA	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	1	1	127	40	1.33333	0.75000	4.24042	2.12021	0.23583
708	706	19.05000	0.05249	0.00696	0.00222	143.60896	Two	NA	NA	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	1	1	127	32	1.33333	0.75000	5.65390	2.82695	0.17687
812	810	19.05000	0.05249	0.00696	0.00222	143.60896	Two	NA	NA	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	1	1	127	30	1.33333	0.75000	5.65390	2.82695	0.17687
829	827	19.14961	0.05222	0.00731	0.00233	136.76195	Three	NA	NA	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	1	1	120	30	1.32640	0.75392	5.38433	2.69216	0.18572
592	590	19.20000	0.05208	0.00921	0.00294	108.55480	Six	NA	NA	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	1	1	127	40	1.32292	0.75591	4.27381	2.13691	0.23398
664	662	19.20000	0.05208	0.00921	0.00294	108.55480	Six	NA	NA	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	1	1	120	40	1.32292	0.75591	4.27381	2.13691	0.23398
780	778	19.20000	0.05208	0.00691	0.00220	144.73973	Two	NA	NA	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	1	1	127	30	1.32292	0.75591	5.69841	2.84921	0.17549
852	850	19.20000	0.05208	0.00691	0.00220	144.73973	Two	NA	NA	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	1	1	120	30	1.32292	0.75591	5.69841	2.84921	0.17549
743	741	19.48819	0.05131	0.00832	0.00265	120.20094	Five	NA	NA	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	1	1	120	32	1.30335	0.76725	4.73232	2.36616	0.21131
601	599	19.50000	0.05128	0.00983	0.00313	101.77013	Seven	NA	NA	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	1	1	127	40	1.30256	0.76772	4.00670	2.00335	0.24958
673	671	19.50000	0.05128	0.00983	0.00313	101.77013	Seven	NA	NA	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	1	1	120	40	1.30256	0.76772	4.00670	2.00335	0.24958
641	639	19.65354	0.05088	0.00975	0.00311	102.57147	Seven	NA	NA	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	1	1	120	40	1.29239	0.77376	4.03825	2.01912	0.24763
514	512	19.75556	0.05062	0.01045	0.00333	95.73930	Eight	NA	NA	NA	NA	NA	Lscrew	B	40	120	1	1	1	1	1	1	127	30	1.28571	0.77778	3.76926	1.88463	0.26530
650	648	19.84252	0.05040	0.01040	0.00332	96.16075	Eight	NA	NA	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	1	1	120	40	1.28008	0.78120	3.78586	1.89293	0.26414
718	716	19.84375	0.05039	0.00743	0.00237	134.63340	Four	NA	NA	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	1	1	127	32	1.28000	0.78125	5.30053	2.65026	0.18866
582	580	20.00000	0.05000	0.00737	0.00235	135.69350	Four	NA	NA	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	1	1	127	40	1.27000	0.78740	5.34226	2.67113	0.18719
654	652	20.00000	0.05000	0.00737	0.00235	135.69350	Four	NA	NA	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	1	1	120	40	1.27000	0.78740	5.34226	2.67113	0.18719
675	673	20.00000	0.05000	0.00590	0.00188	169.61688	One	NA	NA	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	1	1	127	32	1.27000	0.78740	6.67783	3.33891	0.14975
686	684	20.00000	0.05000	0.00737	0.00235	135.69350	Four	NA	NA	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	1	1	127	32	1.27000	0.78740	5.34226	2.67113	0.18719
747	745	20.00000	0.05000	0.00590	0.00188	169.61688	One	NA	NA	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	1	1	120	32	1.27000	0.78740	6.67783	3.33891	0.14975
758	756	20.00000	0.05000	0.00737	0.00235	135.69350	Four	NA	NA	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	1	1	120	32	1.27000	0.78740	5.34226	2.67113	0.18719
790	788	20.00000	0.05000	0.00737	0.00235	135.69350	Four	NA	NA	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	1	1	127	30	1.27000	0.78740	5.34226	2.67113	0.18719
862	860	20.00000	0.05000	0.00737	0.00235	135.69350	Four	NA	NA	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	1	1	120	30	1.27000	0.78740	5.34226	2.67113	0.18719
605	603	20.10833	0.04973	0.00696	0.00222	143.60896	Three	NA	NA	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	1	1	127	40	1.26316	0.79167	5.65390	2.82695	0.17687
709	707	20.10833	0.04973	0.00696	0.00222	143.60896	Three	NA	NA	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	1	1	127	32	1.26316	0.79167	5.65390	2.82695	0.17687
813	811	20.10833	0.04973	0.00696	0.00222	143.60896	Three	NA	NA	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	1	1	127	30	1.26316	0.79167	5.65390	2.82695	0.17687
819	817	20.15748	0.04961	0.00585	0.00187	170.95244	One	NA	NA	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	1	1	120	30	1.26008	0.79360	6.73041	3.36521	0.14858
830	828	20.15748	0.04961	0.00731	0.00233	136.76195	Four	NA	NA	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	1	1	120	30	1.26008	0.79360	5.38433	2.69216	0.18572
781	779	20.26667	0.04934	0.00691	0.00220	144.73973	Three	NA	NA	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	1	1	127	30	1.25329	0.79790	5.69841	2.84921	0.17549
853	851	20.26667	0.04934	0.00691	0.00220	144.73973	Three	NA	NA	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	1	1	120	30	1.25329	0.79790	5.69841	2.84921	0.17549
616	614	20.32000	0.04921	0.00870	0.00278	114.88716	Six	NA	NA	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	1	1	127	40	1.25000	0.80000	4.52312	2.26156	0.22109
804	802	20.32000	0.04921	0.00653	0.00208	153.18289	Two	NA	NA	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	1	1	127	30	1.25000	0.80000	6.03082	3.01541	0.16581
695	693	20.62500	0.04848	0.00786	0.00251	127.21266	Five	NA	NA	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	1	1	127	32	1.23152	0.81201	5.00837	2.50419	0.19967
767	765	20.62500	0.04848	0.00786	0.00251	127.21266	Five	NA	NA	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	1	1	120	32	1.23152	0.81201	5.00837	2.50419	0.19967
625	623	20.6																											

1	1620	ENGLISH	Previs: C	uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC:	uwPM1340GT						
2		TPI	Z-IPT Rate	FEED Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERsPmm-X	mmPTTrns
665	663	20.80000	0.04808	0.00921	0.00294	108.55480	Seven	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	120	40	1.22115	0.81890	4.27381	2.13691	0.23398
602	600	21.00000	0.04762	0.00983	0.00313	101.77013	Eight	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	127	40	1.20952	0.82677	4.00670	2.00335	0.24958
674	672	21.00000	0.04762	0.00983	0.00313	101.77013	Eight	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	120	40	1.20952	0.82677	4.00670	2.00335	0.24958
642	640	21.16535	0.04725	0.00975	0.00311	102.57147	Eight	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	120	40	1.20007	0.83328	4.03825	2.01912	0.24763
606	604	21.16667	0.04724	0.00696	0.00222	143.60896	Four	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	40	1.20000	0.83333	5.65390	2.82695	0.17687
699	697	21.16667	0.04724	0.00557	0.00178	179.51119	One	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	32	1.20000	0.83333	7.06737	3.53368	0.14150
710	708	21.16667	0.04724	0.00696	0.00222	143.60896	Four	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	127	32	1.20000	0.83333	5.65390	2.82695	0.17687
814	812	21.16667	0.04724	0.00696	0.00222	143.60896	Four	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	127	30	1.20000	0.83333	5.65390	2.82695	0.17687
724	722	21.25984	0.04704	0.00624	0.00199	160.26791	Two	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	120	32	1.19474	0.83700	6.30976	3.15488	0.15848
744	742	21.25984	0.04704	0.00832	0.00265	120.20094	Six	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	120	32	1.19474	0.83700	4.73232	2.36616	0.21131
771	769	21.33333	0.04688	0.00553	0.00176	180.92467	One	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	127	30	1.19063	0.83990	7.12302	3.56151	0.14039
782	780	21.33333	0.04688	0.00691	0.00220	144.73973	Four	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	127	30	1.19063	0.83990	5.69841	2.84921	0.17549
843	841	21.33333	0.04688	0.00553	0.00176	180.92467	One	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	120	30	1.19063	0.83990	7.12302	3.56151	0.14039
854	852	21.33333	0.04688	0.00691	0.00220	144.73973	Four	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	120	30	1.19063	0.83990	5.69841	2.84921	0.17549
805	803	21.44889	0.04662	0.00653	0.00208	153.18289	Three	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	127	30	1.18421	0.84444	6.03082	3.01541	0.16581
719	717	21.82813	0.04581	0.00743	0.00237	134.63340	Five	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	127	32	1.16364	0.85938	5.30053	2.65026	0.18866
583	581	22.00000	0.04545	0.00737	0.00235	135.69350	Five	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	127	40	1.15455	0.86614	5.34226	2.67113	0.18719
655	653	22.00000	0.04545	0.00737	0.00235	135.69350	Five	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	120	40	1.15455	0.86614	5.34226	2.67113	0.18719
687	685	22.00000	0.04545	0.00737	0.00235	135.69350	Five	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	127	32	1.15455	0.86614	5.34226	2.67113	0.18719
759	757	22.00000	0.04545	0.00737	0.00235	135.69350	Five	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	120	32	1.15455	0.86614	5.34226	2.67113	0.18719
791	789	22.00000	0.04545	0.00737	0.00235	135.69350	Five	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	127	30	1.15455	0.86614	5.34226	2.67113	0.18719
863	861	22.00000	0.04545	0.00737	0.00235	135.69350	Five	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	120	30	1.15455	0.86614	5.34226	2.67113	0.18719
617	615	22.01333	0.04543	0.00870	0.00278	114.88716	Seven	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	127	40	1.15385	0.86667	4.52312	2.26156	0.22109
831	829	22.17323	0.04510	0.00731	0.00233	136.76195	Five	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	120	30	1.14553	0.87296	5.38433	2.69216	0.18572
626	624	22.22500	0.04499	0.00928	0.00296	107.70672	Eight	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	127	40	1.14286	0.87500	4.24042	2.12021	0.23583
594	592	22.40000	0.04464	0.00921	0.00294	108.55480	Eight	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	127	40	1.13393	0.88189	4.27381	2.13691	0.23398
666	664	22.40000	0.04464	0.00921	0.00294	108.55480	Eight	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	120	40	1.13393	0.88189	4.27381	2.13691	0.23398
725	723	22.44094	0.04456	0.00624	0.00199	160.26791	Three	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	120	32	1.13186	0.88350	6.30976	3.15488	0.15848
676	674	22.50000	0.04444	0.00590	0.00188	169.61688	Two	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	127	32	1.12889	0.88583	6.67783	3.33891	0.14975
696	694	22.50000	0.04444	0.00786	0.00251	127.21266	Six	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	127	32	1.12889	0.88583	5.00837	2.50419	0.19967
748	746	22.50000	0.04444	0.00590	0.00188	169.61688	Two	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	120	32	1.12889	0.88583	6.67783	3.33891	0.14975
768	766	22.50000	0.04444	0.00786	0.00251	127.21266	Six	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	120	32	1.12889	0.88583	5.00837	2.50419	0.19967
795	793	22.57778	0.04429	0.00522	0.00167	191.47861	One	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	30	1.12500	0.88889	7.53853	3.76926	0.13265
806	804	22.57778	0.04429	0.00653	0.00208	153.18289	Four	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	127	30	1.12500	0.88889	6.03082	3.01541	0.16581
632	630	22.67717	0.04410	0.00780	0.00249	128.21433	Six	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	120	40	1.12007	0.89280	5.04781	2.52390	0.19811
736	734	22.67717	0.04410	0.00780	0.00249	128.21433	Six	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	120	32	1.12007	0.89280	5.04781	2.52390	0.19811
820	818	22.67717	0.04410	0.00585	0.00187	170.95244	Two	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	120	30	1.12007	0.89280	6.73041	3.36521	0.14858
840	838	22.67717	0.04410	0.00780	0.00249	128.21433	Six	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	120	30	1.12007	0.89280	5.04781	2.52390	0.19811
931	929	22.67717	0.04410	0.00520	0.00166	192.32150	One	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	40	1.12007	0.89280	7.57171	3.78586	0.13207
745	743	23.03150	0.04342	0.00832	0.00265	120.20094	Seven	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	120	32	1.10284	0.90675	4.73232	2.36616	0.21131
607	605	23.28333	0.04295	0.00696	0.00222	143.60896	Five	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	40	1.09091	0.91667	5.65390	2.82695	0.17687
711	709	23.28333	0.04295	0.00696	0.00222	143.60896	Five	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	127	32	1.09091	0.91667	5.65390	2.82695	0.17687
815	813	23.28333	0.04295	0.00696	0.00222	143.60896	Five	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	127	30	1.09091	0.91667	5.65390	2.82695	0.17687
783	781	23.46667	0.04261	0.00691	0.00220	144.73973	Five	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	127	30	1.08239	0.92388	5.69841	2.84921	0.17549
855	853	23.46667	0.04261	0.00691	0.00220	144.73973	Five	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	120	30	1.08239	0.92388	5.69841	2.84921	0.17549
726	724	23.62205	0.04233	0.00624	0.00199	160.26791	Four	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	120	32	1.07527	0.93000	6.30976	3.15488	0.15848
618	616	23.70667	0.04218	0.00870	0.00278	114.88716	Eight	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	127	40	1.07143	0.93333	4.52312	2.26156	0.22109
677	675	23.75000	0.04211	0.00590	0.00188	169.61688	Three	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	127	32	1.06947	0.93504	6.67783	3.33891	0.14975
749	747	23.75000	0.04211	0.00590	0.00188	169.61688	Three	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	120	32	1.06947	0.93504	6.67783	3.33891	0.14975
700	698	23.81250	0.04199	0.00557	0.00178	179.51119	Two	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	32	1.06667	0.93750	7.06737	3.53368	0.14150
720	718	23.81250	0.04199	0.00743	0.00237	134.63340	Six	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	127	32	1.06667	0.93750	5.30053	2.65026	

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:															METRIC: uwPM1340GT									
2		TPI	Z-IPT	Rate	FEED	Rate	XFEED	FEED	TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERs	Pmm-X	mmPTrns
821	819	23.93701	0.04178	0.00585	0.00187	170.95244		Three	NA	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	1	120	30	1.06112	0.94240	6.73041	3.36521	0.14858	
584	582	24.00000	0.04167	0.00737	0.00235	135.69350		Six	NA	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	1	127	40	1.05833	0.94488	5.34226	2.67113	0.18719	
656	654	24.00000	0.04167	0.00737	0.00235	135.69350		Six	NA	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	1	120	40	1.05833	0.94488	5.34226	2.67113	0.18719	
688	686	24.00000	0.04167	0.00737	0.00235	135.69350		Six	NA	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	1	127	32	1.05833	0.94488	5.34226	2.67113	0.18719	
760	758	24.00000	0.04167	0.00737	0.00235	135.69350		Six	NA	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	1	120	32	1.05833	0.94488	5.34226	2.67113	0.18719	
772	770	24.00000	0.04167	0.00553	0.00176	180.92467		Two	NA	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	1	127	30	1.05833	0.94488	7.12302	3.56151	0.14039	
792	790	24.00000	0.04167	0.00737	0.00235	135.69350		Six	NA	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	1	127	30	1.05833	0.94488	5.34226	2.67113	0.18719	
844	842	24.00000	0.04167	0.00553	0.00176	180.92467		Two	NA	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	1	120	30	1.05833	0.94488	7.12302	3.56151	0.14039	
864	862	24.00000	0.04167	0.00737	0.00235	135.69350		Six	NA	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	1	120	30	1.05833	0.94488	5.34226	2.67113	0.18719	
883	881	24.00000	0.04167	0.00491	0.00157	203.54025		One	NA	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	1	127	40	1.05833	0.94488	8.01340	4.00670	0.12479	
955	953	24.00000	0.04167	0.00491	0.00157	203.54025		One	NA	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	1	120	40	1.05833	0.94488	8.01340	4.00670	0.12479	
1451	1449	24.04019	0.04160	0.04160	0.01327	24.04019		Any	NA	NA	NA	NA	Feed	A	30	127	1	1	1	1	1	120	40	1.05656	0.94646	0.94646	0.47323	1.05656	
832	830	24.18898	0.04134	0.00731	0.00233	136.76195		Six	NA	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	1	120	30	1.05007	0.95232	5.38433	2.69216	0.18572	
923	921	24.18898	0.04134	0.00487	0.00155	205.14293		One	NA	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	1	120	40	1.05007	0.95232	8.07649	4.03825	0.12382	
697	695	24.37500	0.04103	0.00786	0.00251	127.21266		Seven	NA	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	1	127	32	1.04205	0.95965	5.00837	2.50419	0.19967	
769	767	24.37500	0.04103	0.00786	0.00251	127.21266		Seven	NA	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	1	120	32	1.04205	0.95965	5.00837	2.50419	0.19967	
633	631	24.56693	0.04071	0.00780	0.00249	128.21433		Seven	NA	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	1	120	40	1.03391	0.96720	5.04781	2.52390	0.19811	
737	735	24.56693	0.04071	0.00780	0.00249	128.21433		Seven	NA	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	1	120	32	1.03391	0.96720	5.04781	2.52390	0.19811	
841	839	24.56693	0.04071	0.00780	0.00249	128.21433		Seven	NA	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	1	120	30	1.03391	0.96720	5.04781	2.52390	0.19811	
746	744	24.80315	0.04032	0.00832	0.00265	120.20094		Eight	NA	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	1	120	32	1.02406	0.97650	4.73232	2.36616	0.21131	
807	805	24.83556	0.04026	0.00653	0.00208	153.18289		Five	NA	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	1	127	30	1.02273	0.97778	6.03082	3.01541	0.16581	
678	676	25.00000	0.04000	0.00590	0.00188	169.61688		Four	NA	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	1	127	32	1.01600	0.98425	6.67783	3.33891	0.14975	
750	748	25.00000	0.04000	0.00590	0.00188	169.61688		Four	NA	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	1	120	32	1.01600	0.98425	6.67783	3.33891	0.14975	
701	699	25.13542	0.03978	0.00557	0.00178	179.51119		Three	NA	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	1	127	32	1.01053	0.98958	7.06737	3.53368	0.14150	
822	820	25.19685	0.03969	0.00585	0.00187	170.95244		Four	NA	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	1	120	30	1.00806	0.99200	6.73041	3.36521	0.14858	
773	771	25.33333	0.03947	0.00553	0.00176	180.92467		Three	NA	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	1	127	30	1.00263	0.99738	7.12302	3.56151	0.14039	
845	843	25.33333	0.03947	0.00553	0.00176	180.92467		Three	NA	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	1	120	30	1.00263	0.99738	7.12302	3.56151	0.14039	
608	606	25.40000	0.03937	0.00696	0.00222	143.60896		Six	NA	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	1	127	40	1.00000	1.00000	5.65390	2.82695	0.17687	
712	710	25.40000	0.03937	0.00696	0.00222	143.60896		Six	NA	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	1	127	32	1.00000	1.00000	5.65390	2.82695	0.17687	
796	794	25.40000	0.03937	0.00522	0.00167	191.47861		Two	NA	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	1	127	30	1.00000	1.00000	7.53853	3.76926	0.13265	
816	814	25.40000	0.03937	0.00696	0.00222	143.60896		Six	NA	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	1	127	30	1.00000	1.00000	5.65390	2.82695	0.17687	
907	905	25.40000	0.03937	0.00464	0.00148	215.41343		One	NA	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	1	127	40	1.00000	1.00000	8.48084	4.24042	0.11791	
1445	1443	25.44253	0.03930	0.03930	0.01254	25.44253		Any	NA	NA	NA	NA	Feed	A	30	127	1	1	1	1	1	127	40	0.99833	1.00167	1.00167	0.50084	0.99833	
1454	1452	25.44253	0.03930	0.03930	0.01254	25.44253		Any	NA	NA	NA	NA	Feed	A	30	120	1	1	1	1	1	120	40	0.99833	1.00167	1.00167	0.50084	0.99833	
932	930	25.51181	0.03920	0.00520	0.00166	192.32150		Two	NA	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	1	120	40	0.99562	1.00440	7.57171	3.78586	0.13207	
784	782	25.60000	0.03906	0.00691	0.00220	144.73973		Six	NA	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	1	127	30	0.99219	1.00787	5.69841	2.84921	0.17549	
856	854	25.60000	0.03906	0.00691	0.00220	144.73973		Six	NA	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	1	120	30	0.99219	1.00787	5.69841	2.84921	0.17549	
875	873	25.60000	0.03906	0.00461	0.00147	217.10960		One	NA	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	1	127	40	0.99219	1.00787	8.54762	4.27381	0.11699	
947	945	25.60000	0.03906	0.00461	0.00147	217.10960		One	NA	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	1	120	40	0.99219	1.00787	8.54762	4.27381	0.11699	
1450	1448	25.64287	0.03900	0.03900	0.01244	25.64287		Any	NA	NA	NA	NA	Feed	A	32	127	1	1	1	1	1	120	40	0.99053	1.00956	1.00956	0.50478	0.99053	
721	719	25.79688	0.03876	0.00743	0.00237	134.63340		Seven	NA	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	1	127	32	0.98462	1.01563	5.30053	2.65026	0.18866	
727	725	25.98425	0.03848	0.00624	0.00199	160.26791		Five	NA	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	1	120	32	0.97752	1.02300	6.30976	3.15488	0.15848	
585	583	26.00000	0.03846	0.00737	0.00235	135.69350		Seven	NA	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	1	127	40	0.97692	1.02362	5.34226	2.67113	0.18719	
657	655	26.00000	0.03846	0.00737	0.00235	135.69350		Seven	NA	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	1	120	40	0.97692	1.02362	5.34226	2.67113	0.18719	
689	687	26.00000	0.03846	0.00737	0.00235	135.69350		Seven	NA	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	1	127	32	0.97692	1.02362	5.34226	2.67113	0.18719	
761	759	26.00000	0.03846	0.00737	0.00235	135.69350		Seven	NA	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	1	120	32	0.97692	1.02362	5.34226	2.67113	0.18719	
793	791	26.00000	0.03846	0.00737	0.00235	135.69350		Seven	NA	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	1	127	30	0.97692	1.02362	5.34226	2.67113	0.18719	
865	863	26.00000	0.03846	0.00737	0.00235	135.69350		Seven	NA	NA	NA	NA	Lscrew</																

1	1620	ENGLISH	Previs: C	uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:															METRIC:	uwPM1340GT					
2		TPI	Z-IPT Rate	FEED Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERsPmm-X	mmPTrns
634	632	26.45669	0.03780	0.00780	0.00249	128.21433	Eight	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	120	40	0.96006	1.04160	5.04781	2.52390	0.19811
738	736	26.45669	0.03780	0.00780	0.00249	128.21433	Eight	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	120	32	0.96006	1.04160	5.04781	2.52390	0.19811
842	840	26.45669	0.03780	0.00780	0.00249	128.21433	Eight	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	120	30	0.96006	1.04160	5.04781	2.52390	0.19811
702	700	26.45833	0.03780	0.00557	0.00178	179.51119	Four	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	32	0.96000	1.04167	7.06737	3.53368	0.14150
774	772	26.66667	0.03750	0.00553	0.00176	180.92467	Four	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	127	30	0.95250	1.04987	7.12302	3.56151	0.14039
846	844	26.66667	0.03750	0.00553	0.00176	180.92467	Four	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	120	30	0.95250	1.04987	7.12302	3.56151	0.14039
797	795	26.81111	0.03730	0.00522	0.00167	191.47861	Three	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	30	0.94737	1.05556	7.53853	3.76926	0.13265
1448	1446	26.92668	0.03714	0.03714	0.01184	26.92668	Any	NA	NA	NA	Feed	A	30	120	1	1	1	1	127	40	0.94330	1.06011	1.06011	0.53005	0.94330
933	931	26.92913	0.03713	0.00520	0.00166	192.32150	Three	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	40	0.94322	1.06020	7.57171	3.78586	0.13207
884	882	27.00000	0.03704	0.00491	0.00157	203.54025	Two	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	40	0.94074	1.06299	8.01340	4.00670	0.12479
956	954	27.00000	0.03704	0.00491	0.00157	203.54025	Two	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	40	0.94074	1.06299	8.01340	4.00670	0.12479
808	806	27.09333	0.03691	0.00653	0.00208	153.18289	Six	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	127	30	0.93750	1.06667	6.03082	3.01541	0.16581
899	897	27.09333	0.03691	0.00435	0.00139	229.77433	One	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	40	0.93750	1.06667	9.04623	4.52312	0.11054
1444	1442	27.13870	0.03685	0.03685	0.01175	27.13870	Any	NA	NA	NA	Feed	A	32	127	1	1	1	1	127	40	0.93593	1.06845	1.06845	0.53423	0.93593
1453	1451	27.13870	0.03685	0.03685	0.01175	27.13870	Any	NA	NA	NA	Feed	A	32	120	1	1	1	1	120	40	0.93593	1.06845	1.06845	0.53423	0.93593
924	922	27.21260	0.03675	0.00487	0.00155	205.14293	Two	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	40	0.93339	1.07136	8.07649	4.03825	0.12382
679	677	27.50000	0.03636	0.00590	0.00188	169.61688	Five	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	127	32	0.92364	1.08268	6.67783	3.33891	0.14975
751	749	27.50000	0.03636	0.00590	0.00188	169.61688	Five	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	120	32	0.92364	1.08268	6.67783	3.33891	0.14975
609	607	27.51667	0.03634	0.00696	0.00222	143.60896	Seven	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	40	0.92308	1.08333	5.65390	2.82695	0.17687
713	711	27.51667	0.03634	0.00696	0.00222	143.60896	Seven	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	127	32	0.92308	1.08333	5.65390	2.82695	0.17687
817	815	27.51667	0.03634	0.00696	0.00222	143.60896	Seven	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	127	30	0.92308	1.08333	5.65390	2.82695	0.17687
823	821	27.71654	0.03608	0.00585	0.00187	170.95244	Five	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	120	30	0.91642	1.09120	6.73041	3.36521	0.14858
785	783	27.73333	0.03606	0.00691	0.00220	144.73973	Seven	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	127	30	0.91587	1.09186	5.69841	2.84921	0.17549
857	855	27.73333	0.03606	0.00691	0.00220	144.73973	Seven	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	120	30	0.91587	1.09186	5.69841	2.84921	0.17549
722	720	27.78125	0.03600	0.00743	0.00237	134.63340	Eight	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	127	32	0.91429	1.09375	5.30053	2.65026	0.18866
586	584	28.00000	0.03571	0.00737	0.00235	135.69350	Eight	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	127	40	0.90714	1.10236	5.34226	2.67113	0.18719
658	656	28.00000	0.03571	0.00737	0.00235	135.69350	Eight	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	120	40	0.90714	1.10236	5.34226	2.67113	0.18719
690	688	28.00000	0.03571	0.00737	0.00235	135.69350	Eight	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	127	32	0.90714	1.10236	5.34226	2.67113	0.18719
762	760	28.00000	0.03571	0.00737	0.00235	135.69350	Eight	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	120	32	0.90714	1.10236	5.34226	2.67113	0.18719
794	792	28.00000	0.03571	0.00737	0.00235	135.69350	Eight	NA	NA	NA	Lscrew	C	30	127	1	1	1	1	127	30	0.90714	1.10236	5.34226	2.67113	0.18719
866	864	28.00000	0.03571	0.00737	0.00235	135.69350	Eight	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	120	30	0.90714	1.10236	5.34226	2.67113	0.18719
834	832	28.22047	0.03544	0.00731	0.00233	136.76195	Eight	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	120	30	0.90006	1.11104	5.38433	2.69216	0.18572
798	796	28.22222	0.03543	0.00522	0.00167	191.47861	Four	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	30	0.90000	1.11111	7.53853	3.76926	0.13265
728	726	28.34646	0.03528	0.00624	0.00199	160.26791	Six	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	120	32	0.89606	1.11600	6.30976	3.15488	0.15848
934	932	28.34646	0.03528	0.00520	0.00166	192.32150	Four	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	40	0.89606	1.11600	7.57171	3.78586	0.13207
1027	1025	28.34646	0.03528	0.00416	0.00133	240.40187	One	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	32	0.89606	1.11600	9.46464	4.73232	0.10566
885	883	28.50000	0.03509	0.00491	0.00157	203.54025	Three	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	40	0.89123	1.12205	8.01340	4.00670	0.12479
957	955	28.50000	0.03509	0.00491	0.00157	203.54025	Three	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	40	0.89123	1.12205	8.01340	4.00670	0.12479
908	906	28.57500	0.03500	0.00464	0.00148	215.41343	Two	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	40	0.88889	1.12500	8.48084	4.24042	0.11791
1447	1445	28.72179	0.03482	0.03482	0.01110	28.72179	Any	NA	NA	NA	Feed	A	32	120	1	1	1	1	127	40	0.88435	1.13078	1.13078	0.56539	0.88435
925	923	28.72441	0.03481	0.00487	0.00155	205.14293	Three	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	40	0.88427	1.13088	8.07649	4.03825	0.12382
876	874	28.80000	0.03472	0.00461	0.00147	217.10960	Two	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	40	0.88194	1.13386	8.54762	4.27381	0.11699
948	946	28.80000	0.03472	0.00461	0.00147	217.10960	Two	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	40	0.88194	1.13386	8.54762	4.27381	0.11699
703	701	29.10417	0.03436	0.00557	0.00178	179.51119	Five	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	32	0.87273	1.14583	7.06737	3.53368	0.14150
775	773	29.33333	0.03409	0.00553	0.00176	180.92467	Five	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	127	30	0.86591	1.15486	7.12302	3.56151	0.14039
847	845	29.33333	0.03409	0.00553	0.00176	180.92467	Five	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	120	30	0.86591	1.15486	7.12302	3.56151	0.14039
809	807	29.35111	0.03407	0.00653	0.00208	153.18289	Seven	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	127	30	0.86538	1.15556	6.03082	3.01541	0.16581
610	608	29.63333	0.03375	0.00696	0.00222	143.60896	Eight	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	40	0.85714	1.16667	5.65390	2.82695	0.17687
714	712	29.63333	0.03375	0.00696	0.00222	143.60896	Eight	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	127	32	0.85714	1.16667	5.65390	2.82695	0.17687
818	816	29.63333	0.03375	0.00696	0.00222	143.60896	Eight	NA	NA	NA	Lscrew	C	30	120	1	1	1	1	127	30	0.85714	1.16667	5.65390	2.82695	0.17687
786	784	29.86667	0.03348	0.00691	0.00220	144.73973	Eight	NA	NA	NA	Lscrew	C	32	127	1	1	1	1	127	30	0.85045	1.17585	5.69841		

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC:		uwPM1340GT						
2		TPI	Z-IPT	Rate	FEED Rate	XFEED	FEED_TPI	ne2Eig	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERns	Pmm-X	mmPTTrns
858	856	29.86667	0.03348	0.00691	0.00220	144.73973		Eight	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	120	30	0.85045	1.17585	5.69841	2.84921	0.17549	
680	678	30.00000	0.03333	0.00590	0.00188	169.61688		Six	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	127	32	0.84667	1.18110	6.67783	3.33891	0.14975	
752	750	30.00000	0.03333	0.00590	0.00188	169.61688		Six	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	120	32	0.84667	1.18110	6.67783	3.33891	0.14975	
886	884	30.00000	0.03333	0.00491	0.00157	203.54025		Four	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	40	0.84667	1.18110	8.01340	4.00670	0.12479	
958	956	30.00000	0.03333	0.00491	0.00157	203.54025		Four	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	40	0.84667	1.18110	8.01340	4.00670	0.12479	
979	977	30.00000	0.03333	0.00393	0.00125	254.42531		One	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	32	0.84667	1.18110	10.01674	5.00837	0.09983	
1051	1049	30.00000	0.03333	0.00393	0.00125	254.42531		One	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	32	0.84667	1.18110	10.01674	5.00837	0.09983	
1463	1461	30.05023	0.03328	0.03328	0.01061	30.05023		Any	NA	NA	NA	Feed	A	30	127	1	1	1	1	120	32	0.84525	1.18308	1.18308	0.59154	0.84525	
909	907	30.16250	0.03315	0.00464	0.00148	215.41343		Three	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	40	0.84211	1.18750	8.48084	4.24042	0.11791	
824	822	30.23622	0.03307	0.00585	0.00187	170.95244		Six	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	120	30	0.84005	1.19040	6.73041	3.36521	0.14858	
915	913	30.23622	0.03307	0.00390	0.00124	256.42866		One	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	40	0.84005	1.19040	10.09562	5.04781	0.09905	
926	924	30.23622	0.03307	0.00487	0.00155	205.14293		Four	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	40	0.84005	1.19040	8.07649	4.03825	0.12382	
1019	1017	30.23622	0.03307	0.00390	0.00124	256.42866		One	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	32	0.84005	1.19040	10.09562	5.04781	0.09905	
1123	1121	30.23622	0.03307	0.00390	0.00124	256.42866		One	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	30	0.84005	1.19040	10.09562	5.04781	0.09905	
877	875	30.40000	0.03289	0.00461	0.00147	217.10960		Three	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	40	0.83553	1.19685	8.54762	4.27381	0.11699	
949	947	30.40000	0.03289	0.00461	0.00147	217.10960		Three	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	40	0.83553	1.19685	8.54762	4.27381	0.11699	
900	898	30.48000	0.03281	0.00435	0.00139	229.77433		Two	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	40	0.83333	1.20000	9.04623	4.52312	0.11054	
729	727	30.70866	0.03256	0.00624	0.00199	160.26791		Seven	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	120	32	0.82713	1.20900	6.30976	3.15488	0.15848	
799	797	31.04444	0.03221	0.00522	0.00167	191.47861		Five	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	30	0.81818	1.22222	7.53853	3.76926	0.13265	
935	933	31.18110	0.03207	0.00520	0.00166	192.32150		Five	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	40	0.81460	1.22760	7.57171	3.78586	0.13207	
810	808	31.60889	0.03164	0.00653	0.00208	153.18289		Eight	NA	NA	NA	Lscrew	C	32	120	1	1	1	1	127	30	0.80357	1.24444	6.03082	3.01541	0.16581	
704	702	31.75000	0.03150	0.00557	0.00178	179.51119		Six	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	32	0.80000	1.25000	7.06737	3.53368	0.14150	
910	908	31.75000	0.03150	0.00464	0.00148	215.41343		Four	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	40	0.80000	1.25000	8.48084	4.24042	0.11791	
1003	1001	31.75000	0.03150	0.00371	0.00118	269.26679		One	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	32	0.80000	1.25000	10.60105	5.30053	0.09433	
1457	1455	31.80316	0.03144	0.03144	0.01003	31.80316		Any	NA	NA	NA	Feed	A	30	127	1	1	1	1	127	32	0.79866	1.25209	1.25209	0.62605	0.79866	
1466	1464	31.80316	0.03144	0.03144	0.01003	31.80316		Any	NA	NA	NA	Feed	A	30	120	1	1	1	1	120	32	0.79866	1.25209	1.25209	0.62605	0.79866	
1028	1026	31.88976	0.03136	0.00416	0.00133	240.40187		Two	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	32	0.79649	1.25550	9.46464	4.73232	0.10566	
776	774	32.00000	0.03125	0.00553	0.00176	180.92467		Six	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	127	30	0.79375	1.25984	7.12302	3.56151	0.14039	
848	846	32.00000	0.03125	0.00553	0.00176	180.92467		Six	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	120	30	0.79375	1.25984	7.12302	3.56151	0.14039	
867	865	32.00000	0.03125	0.00368	0.00118	271.38700		One	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	40	0.79375	1.25984	10.68453	5.34226	0.09359	
878	876	32.00000	0.03125	0.00461	0.00147	217.10960		Four	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	40	0.79375	1.25984	8.54762	4.27381	0.11699	
939	937	32.00000	0.03125	0.00368	0.00118	271.38700		One	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	40	0.79375	1.25984	10.68453	5.34226	0.09359	
950	948	32.00000	0.03125	0.00461	0.00147	217.10960		Four	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	40	0.79375	1.25984	8.54762	4.27381	0.11699	
971	969	32.00000	0.03125	0.00368	0.00118	271.38700		One	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	32	0.79375	1.25984	10.68453	5.34226	0.09359	
1043	1041	32.00000	0.03125	0.00368	0.00118	271.38700		One	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	32	0.79375	1.25984	10.68453	5.34226	0.09359	
1075	1073	32.00000	0.03125	0.00368	0.00118	271.38700		One	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	30	0.79375	1.25984	10.68453	5.34226	0.09359	
1147	1145	32.00000	0.03125	0.00368	0.00118	271.38700		One	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	30	0.79375	1.25984	10.68453	5.34226	0.09359	
1449	1447	32.05358	0.03120	0.03120	0.00995	32.05358		Any	NA	NA	NA	Feed	A	40	127	1	1	1	1	120	40	0.79242	1.26195	1.26195	0.63098	0.79242	
1462	1460	32.05358	0.03120	0.03120	0.00995	32.05358		Any	NA	NA	NA	Feed	A	32	127	1	1	1	1	120	32	0.79242	1.26195	1.26195	0.63098	0.79242	
1475	1473	32.05358	0.03120	0.03120	0.00995	32.05358		Any	NA	NA	NA	Feed	A	30	127	1	1	1	1	120	30	0.79242	1.26195	1.26195	0.63098	0.79242	
901	899	32.17333	0.03108	0.00435	0.00139	229.77433		Three	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	40	0.78947	1.26667	9.04623	4.52312	0.11054	
1115	1113	32.25197	0.03101	0.00366	0.00117	273.52391		One	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	30	0.78755	1.26976	10.76866	5.38433	0.09286	
681	679	32.50000	0.03077	0.00590	0.00188	169.61688		Seven	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	127	32	0.78154	1.27953	6.67783	3.33891	0.14975	
753	751	32.50000	0.03077	0.00590	0.00188	169.61688		Seven	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	120	32	0.78154	1.27953	6.67783	3.33891	0.14975	
825	823	32.75591	0.03053	0.00585	0.00187	170.95244		Seven	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	120	30	0.77543	1.28960	6.73041	3.36521	0.14858	
887	885	33.00000	0.03030	0.00491	0.00157	203.54025		Five	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	40	0.76970	1.29921	8.01340	4.00670	0.12479	
959	957	33.00000	0.03030	0.00491	0.00157	203.54025		Five	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	40	0.76970	1.29921	8.01340	4.00670	0.12479	
730	728	33.07087	0.03024	0.00624	0.00199	160.26791		Eight	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	120	32	0.76805	1.30200	6.30976	3.15488	0.15848	
927	925	33.25984	0.03007	0.00487	0.00155	205.14293		Five	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	40	0.76368	1.30944	8.07649	4.03825	0.12382	
1460	1458	33.65835	0.02971	0.02971	0.00948	33.65835		Any	NA	NA	NA	Feed	A	30	120	1	1	1	1	127	32	0.75464					

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:													METRIC:		uwPM1340GT						
2		TPI	Z-IPT	Rate	FEED Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERsPmm-X	mmPTrns
980	978	33.75000	0.02963	0.00393	0.00125	254.42531	Two	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	32	0.75259	1.32874	10.01674	5.00837	0.09983	
1052	1050	33.75000	0.02963	0.00393	0.00125	254.42531	Two	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	32	0.75259	1.32874	10.01674	5.00837	0.09983	
800	798	33.86667	0.02953	0.00522	0.00167	191.47861	Six	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	30	0.75000	1.33333	7.53853	3.76926	0.13265	
891	889	33.86667	0.02953	0.00348	0.00111	287.21791	One	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	40	0.75000	1.33333	11.30779	5.65390	0.08843	
902	900	33.86667	0.02953	0.00435	0.00139	229.77433	Four	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	40	0.75000	1.33333	9.04623	4.52312	0.11054	
995	993	33.86667	0.02953	0.00348	0.00111	287.21791	One	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	32	0.75000	1.33333	11.30779	5.65390	0.08843	
1099	1097	33.86667	0.02953	0.00348	0.00111	287.21791	One	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	30	0.75000	1.33333	11.30779	5.65390	0.08843	
1443	1441	33.92338	0.02948	0.02948	0.00940	33.92338	Any	NA	NA	NA	Feed	A	40	127	1	1	1	1	127	40	0.74875	1.33557	1.33557	0.66778	0.74875	
1452	1450	33.92338	0.02948	0.02948	0.00940	33.92338	Any	NA	NA	NA	Feed	A	40	120	1	1	1	1	120	40	0.74875	1.33557	1.33557	0.66778	0.74875	
1456	1454	33.92338	0.02948	0.02948	0.00940	33.92338	Any	NA	NA	NA	Feed	A	32	127	1	1	1	1	127	32	0.74875	1.33557	1.33557	0.66778	0.74875	
1465	1463	33.92338	0.02948	0.02948	0.00940	33.92338	Any	NA	NA	NA	Feed	A	32	120	1	1	1	1	120	32	0.74875	1.33557	1.33557	0.66778	0.74875	
1469	1467	33.92338	0.02948	0.02948	0.00940	33.92338	Any	NA	NA	NA	Feed	A	30	127	1	1	1	1	127	30	0.74875	1.33557	1.33557	0.66778	0.74875	
1478	1476	33.92338	0.02948	0.02948	0.00940	33.92338	Any	NA	NA	NA	Feed	A	30	120	1	1	1	1	120	30	0.74875	1.33557	1.33557	0.66778	0.74875	
916	914	34.01575	0.02940	0.00390	0.00124	256.42866	Two	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	40	0.74671	1.33920	10.09562	5.04781	0.09905	
936	934	34.01575	0.02940	0.00520	0.00166	192.32150	Six	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	40	0.74671	1.33920	7.57171	3.78586	0.13207	
1020	1018	34.01575	0.02940	0.00390	0.00124	256.42866	Two	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	32	0.74671	1.33920	10.09562	5.04781	0.09905	
1124	1122	34.01575	0.02940	0.00390	0.00124	256.42866	Two	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	30	0.74671	1.33920	10.09562	5.04781	0.09905	
1067	1065	34.13333	0.02930	0.00345	0.00110	289.47947	One	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	30	0.74414	1.34383	11.39683	5.69841	0.08774	
1139	1137	34.13333	0.02930	0.00345	0.00110	289.47947	One	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	30	0.74414	1.34383	11.39683	5.69841	0.08774	
1474	1472	34.19049	0.02925	0.02925	0.00933	34.19049	Any	NA	NA	NA	Feed	A	32	127	1	1	1	1	120	30	0.74290	1.34608	1.34608	0.67304	0.74290	
705	703	34.39583	0.02907	0.00557	0.00178	179.51119	Seven	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	32	0.73846	1.35417	7.06737	3.53368	0.14150	
777	775	34.66667	0.02885	0.00553	0.00176	180.92467	Seven	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	127	30	0.73269	1.36483	7.12302	3.56151	0.14039	
849	847	34.66667	0.02885	0.00553	0.00176	180.92467	Seven	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	120	30	0.73269	1.36483	7.12302	3.56151	0.14039	
911	909	34.92500	0.02863	0.00464	0.00148	215.41343	Five	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	40	0.72727	1.37500	8.48084	4.24042	0.11791	
682	680	35.00000	0.02857	0.00590	0.00188	169.61688	Eight	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	127	32	0.72571	1.37795	6.67783	3.33891	0.14975	
754	752	35.00000	0.02857	0.00590	0.00188	169.61688	Eight	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	120	32	0.72571	1.37795	6.67783	3.33891	0.14975	
879	877	35.20000	0.02841	0.00461	0.00147	217.10960	Five	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	40	0.72159	1.38583	8.54762	4.27381	0.11699	
951	949	35.20000	0.02841	0.00461	0.00147	217.10960	Five	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	40	0.72159	1.38583	8.54762	4.27381	0.11699	
826	824	35.27559	0.02835	0.00585	0.00187	170.95244	Eight	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	120	30	0.72004	1.38880	6.73041	3.36521	0.14858	
1030	1028	35.43307	0.02822	0.00416	0.00133	240.40187	Four	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	32	0.71684	1.39500	9.46464	4.73232	0.10566	
981	979	35.62500	0.02807	0.00393	0.00125	254.42531	Three	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	32	0.71298	1.40256	10.01674	5.00837	0.09983	
1053	1051	35.62500	0.02807	0.00393	0.00125	254.42531	Three	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	32	0.71298	1.40256	10.01674	5.00837	0.09983	
1004	1002	35.71875	0.02800	0.00371	0.00118	269.26679	Two	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	32	0.71111	1.40625	10.60105	5.30053	0.09433	
1446	1444	35.90224	0.02785	0.02785	0.00888	35.90224	Any	NA	NA	NA	Feed	A	40	120	1	1	1	1	127	40	0.70748	1.41347	1.41347	0.70674	0.70748	
1459	1457	35.90224	0.02785	0.02785	0.00888	35.90224	Any	NA	NA	NA	Feed	A	32	120	1	1	1	1	127	32	0.70748	1.41347	1.41347	0.70674	0.70748	
1472	1470	35.90224	0.02785	0.02785	0.00888	35.90224	Any	NA	NA	NA	Feed	A	30	120	1	1	1	1	127	30	0.70748	1.41347	1.41347	0.70674	0.70748	
917	915	35.90551	0.02785	0.00390	0.00124	256.42866	Three	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	40	0.70741	1.41360	10.09562	5.04781	0.09905	
1021	1019	35.90551	0.02785	0.00390	0.00124	256.42866	Three	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	32	0.70741	1.41360	10.09562	5.04781	0.09905	
1125	1123	35.90551	0.02785	0.00390	0.00124	256.42866	Three	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	30	0.70741	1.41360	10.09562	5.04781	0.09905	
868	866	36.00000	0.02778	0.00368	0.00118	271.38700	Two	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	40	0.70556	1.41732	10.68453	5.34226	0.09359	
888	886	36.00000	0.02778	0.00491	0.00157	203.54025	Six	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	40	0.70556	1.41732	8.01340	4.00670	0.12479	
940	938	36.00000	0.02778	0.00368	0.00118	271.38700	Two	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	40	0.70556	1.41732	10.68453	5.34226	0.09359	
960	958	36.00000	0.02778	0.00491	0.00157	203.54025	Six	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	40	0.70556	1.41732	8.01340	4.00670	0.12479	
972	970	36.00000	0.02778	0.00368	0.00118	271.38700	Two	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	32	0.70556	1.41732	10.68453	5.34226	0.09359	
1044	1042	36.00000	0.02778	0.00368	0.00118	271.38700	Two	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	32	0.70556	1.41732	10.68453	5.34226	0.09359	
1076	1074	36.00000	0.02778	0.00368	0.00118	271.38700	Two	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	30	0.70556	1.41732	10.68453	5.34226	0.09359	
1148	1146	36.00000	0.02778	0.00368	0.00118	271.38700	Two	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	30	0.70556	1.41732	10.68453	5.34226	0.09359	
1091	1089	36.12444	0.02768	0.00326	0.00104	306.36577	One	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	30	0.70313	1.42222	12.06164	6.03082	0.08291	
1468	1466	36.18493	0.02764	0.02764	0.00881	36.18493	Any	NA	NA	NA	Feed	A	32	127	1	1	1	1	127	30	0.70195	1.42460	1.42460	0.71230	0.70195	
1477	1475	36.18493	0.02764	0.02764	0.00881	36.18493	Any	NA	NA	NA	Feed	A	32	120	1	1	1	1	120	30	0.70195	1.42460	1.42460	0.71230	0.70195	
928	926	36.28346	0.02756	0.00487	0.00155	205.14293	Six	NA	NA	NA	Lscrew	D	32	127												

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC:		uwPM1340GT					
2		TPI	Z-IPT	Rate	FEED Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERsPmm-X	mmPTrns
1116	1114	36.28346	0.02756	0.00366	0.00117	273.52391	Two	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	30	0.70004	1.42848	10.76866	5.38433	0.09286	
801	799	36.68889	0.02726	0.00522	0.00167	191.47861	Seven	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	30	0.69231	1.44444	7.53853	3.76926	0.13265	
937	935	36.85039	0.02714	0.00520	0.00166	192.32150	Seven	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	40	0.68927	1.45080	7.57171	3.78586	0.13207	
706	704	37.04167	0.02700	0.00557	0.00178	179.51119	Eight	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	32	0.68571	1.45833	7.06737	3.53368	0.14150	
903	901	37.25333	0.02684	0.00435	0.00139	229.77433	Five	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	40	0.68182	1.46667	9.04623	4.52312	0.11054	
778	776	37.33333	0.02679	0.00553	0.00176	180.92467	Eight	NA	NA	NA	Lscrew	C	40	127	1	1	1	1	127	30	0.68036	1.46982	7.12302	3.56151	0.14039	
850	848	37.33333	0.02679	0.00553	0.00176	180.92467	Eight	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	120	30	0.68036	1.46982	7.12302	3.56151	0.14039	
982	980	37.50000	0.02667	0.00393	0.00125	254.42531	Four	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	32	0.67733	1.47638	10.01674	5.00837	0.09983	
1054	1052	37.50000	0.02667	0.00393	0.00125	254.42531	Four	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	32	0.67733	1.47638	10.01674	5.00837	0.09983	
1005	1003	37.70313	0.02652	0.00371	0.00118	269.26679	Three	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	32	0.67368	1.48438	10.60105	5.30053	0.09433	
918	916	37.79528	0.02646	0.00390	0.00124	256.42866	Four	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	40	0.67204	1.48800	10.09562	5.04781	0.09905	
1011	1009	37.79528	0.02646	0.00312	0.00100	320.53583	One	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	32	0.67204	1.48800	12.61952	6.30976	0.07924	
1022	1020	37.79528	0.02646	0.00390	0.00124	256.42866	Four	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	32	0.67204	1.48800	10.09562	5.04781	0.09905	
1126	1124	37.79528	0.02646	0.00390	0.00124	256.42866	Four	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	30	0.67204	1.48800	10.09562	5.04781	0.09905	
869	867	38.00000	0.02632	0.00368	0.00118	271.38700	Three	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	40	0.66842	1.49606	10.68453	5.34226	0.09359	
941	939	38.00000	0.02632	0.00368	0.00118	271.38700	Three	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	40	0.66842	1.49606	10.68453	5.34226	0.09359	
973	971	38.00000	0.02632	0.00368	0.00118	271.38700	Three	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	32	0.66842	1.49606	10.68453	5.34226	0.09359	
1045	1043	38.00000	0.02632	0.00368	0.00118	271.38700	Three	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	32	0.66842	1.49606	10.68453	5.34226	0.09359	
1077	1075	38.00000	0.02632	0.00368	0.00118	271.38700	Three	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	30	0.66842	1.49606	10.68453	5.34226	0.09359	
1149	1147	38.00000	0.02632	0.00368	0.00118	271.38700	Three	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	30	0.66842	1.49606	10.68453	5.34226	0.09359	
892	890	38.10000	0.02625	0.00348	0.00111	287.21791	Two	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	40	0.66667	1.50000	11.30779	5.65390	0.08843	
912	910	38.10000	0.02625	0.00464	0.00148	215.41343	Six	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	40	0.66667	1.50000	8.48084	4.24042	0.11791	
996	994	38.10000	0.02625	0.00348	0.00111	287.21791	Two	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	32	0.66667	1.50000	11.30779	5.65390	0.08843	
1100	1098	38.10000	0.02625	0.00348	0.00111	287.21791	Two	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	30	0.66667	1.50000	11.30779	5.65390	0.08843	
1471	1469	38.29572	0.02611	0.02611	0.00833	38.29572	Any	NA	NA	NA	Feed	A	32	120	1	1	1	1	127	30	0.66326	1.50771	1.50771	0.75385	0.66326	
1117	1115	38.29921	0.02611	0.00366	0.00117	273.52391	Three	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	30	0.66320	1.50784	10.76866	5.38433	0.09286	
880	878	38.40000	0.02604	0.00461	0.00147	217.10960	Six	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	40	0.66146	1.51181	8.54762	4.27381	0.11699	
952	950	38.40000	0.02604	0.00461	0.00147	217.10960	Six	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	40	0.66146	1.51181	8.54762	4.27381	0.11699	
1068	1066	38.40000	0.02604	0.00345	0.00110	289.47947	Two	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	30	0.66146	1.51181	11.39683	5.69841	0.08774	
1140	1138	38.40000	0.02604	0.00345	0.00110	289.47947	Two	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	30	0.66146	1.51181	11.39683	5.69841	0.08774	
1031	1029	38.97638	0.02566	0.00416	0.00133	240.40187	Five	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	32	0.65168	1.53450	9.46464	4.73232	0.10566	
889	887	39.00000	0.02564	0.00491	0.00157	203.54025	Seven	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	40	0.65128	1.53543	8.01340	4.00670	0.12479	
961	959	39.00000	0.02564	0.00491	0.00157	203.54025	Seven	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	40	0.65128	1.53543	8.01340	4.00670	0.12479	
929	927	39.30709	0.02544	0.00487	0.00155	205.14293	Seven	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	40	0.64619	1.54752	8.07649	4.03825	0.12382	
802	800	39.51111	0.02531	0.00522	0.00167	191.47861	Eight	NA	NA	NA	Lscrew	C	40	120	1	1	1	1	127	30	0.64286	1.55556	7.53853	3.76926	0.13265	
938	936	39.68504	0.02520	0.00520	0.00166	192.32150	Eight	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	40	0.64004	1.56240	7.57171	3.78586	0.13207	
1006	1004	39.68750	0.02520	0.00371	0.00118	269.26679	Four	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	32	0.64000	1.56250	10.60105	5.30053	0.09433	
870	868	40.00000	0.02500	0.00368	0.00118	271.38700	Four	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	40	0.63500	1.57480	10.68453	5.34226	0.09359	
942	940	40.00000	0.02500	0.00368	0.00118	271.38700	Four	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	40	0.63500	1.57480	10.68453	5.34226	0.09359	
963	961	40.00000	0.02500	0.00295	0.00094	339.23375	One	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	32	0.63500	1.57480	13.35566	6.67783	0.07487	
974	972	40.00000	0.02500	0.00368	0.00118	271.38700	Four	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	32	0.63500	1.57480	10.68453	5.34226	0.09359	
1035	1033	40.00000	0.02500	0.00295	0.00094	339.23375	One	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	32	0.63500	1.57480	13.35566	6.67783	0.07487	
1046	1044	40.00000	0.02500	0.00368	0.00118	271.38700	Four	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	32	0.63500	1.57480	10.68453	5.34226	0.09359	
1078	1076	40.00000	0.02500	0.00368	0.00118	271.38700	Four	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	30	0.63500	1.57480	10.68453	5.34226	0.09359	
1150	1148	40.00000	0.02500	0.00368	0.00118	271.38700	Four	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	30	0.63500	1.57480	10.68453	5.34226	0.09359	
1461	1459	40.06698	0.02496	0.02496	0.00796	40.06698	Any	NA	NA	NA	Feed	A	40	127	1	1	1	1	120	32	0.63394	1.57744	1.57744	0.78872	0.63394	
893	891	40.21667	0.02487	0.00348	0.00111	287.21791	Three	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	40	0.63158	1.58333	11.30779	5.65390	0.08843	
997	995	40.21667	0.02487	0.00348	0.00111	287.21791	Three	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	32	0.63158	1.58333	11.30779	5.65390	0.08843	
1101	1099	40.21667	0.02487	0.00348	0.00111	287.21791	Three	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	30	0.63158	1.58333	11.30779	5.65390	0.08843	
1107	1105	40.31496	0.02480	0.00292	0.00093	341.90488	One	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	30	0.63004	1.58720	13.46082	6.73041	0.07429	
1118	1116	40.31496	0.02480	0.00366	0.00117	273.52391	Four	NA	NA	NA	Ls															

1	1620	ENGLISH	Previs: C	uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC:	uwPM1340GT							
2		TPI	Z-IPT Rate	FEED Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERs	Pmm-X	mmPTrns
1069	1067	40.53333	0.02467	0.00345	0.00110	289.47947	Three	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	30	0.62664	1.59580	11.39683	5.69841	0.08774	
1141	1139	40.53333	0.02467	0.00345	0.00110	289.47947	Three	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	30	0.62664	1.59580	11.39683	5.69841	0.08774	
904	902	40.64000	0.02461	0.00435	0.00139	229.77433	Six	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	40	0.62500	1.60000	9.04623	4.52312	0.11054	
1092	1090	40.64000	0.02461	0.00326	0.00104	306.36577	Two	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	30	0.62500	1.60000	12.06164	6.03082	0.08291	
983	981	41.25000	0.02424	0.00393	0.00125	254.42531	Five	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	32	0.61576	1.62402	10.01674	5.00837	0.09983	
1055	1053	41.25000	0.02424	0.00393	0.00125	254.42531	Five	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	32	0.61576	1.62402	10.01674	5.00837	0.09983	
913	911	41.27500	0.02423	0.00464	0.00148	215.41343	Seven	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	40	0.61538	1.62500	8.48084	4.24042	0.11791	
919	917	41.57480	0.02405	0.00390	0.00124	256.42866	Five	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	40	0.61095	1.63680	10.09562	5.04781	0.09905	
1023	1021	41.57480	0.02405	0.00390	0.00124	256.42866	Five	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	32	0.61095	1.63680	10.09562	5.04781	0.09905	
1127	1125	41.57480	0.02405	0.00390	0.00124	256.42866	Five	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	30	0.61095	1.63680	10.09562	5.04781	0.09905	
881	879	41.60000	0.02404	0.00461	0.00147	217.10960	Seven	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	40	0.61058	1.63780	8.54762	4.27381	0.11699	
953	951	41.60000	0.02404	0.00461	0.00147	217.10960	Seven	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	40	0.61058	1.63780	8.54762	4.27381	0.11699	
890	888	42.00000	0.02381	0.00491	0.00157	203.54025	Eight	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	40	0.60476	1.65354	8.01340	4.00670	0.12479	
962	960	42.00000	0.02381	0.00491	0.00157	203.54025	Eight	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	40	0.60476	1.65354	8.01340	4.00670	0.12479	
930	928	42.33071	0.02362	0.00487	0.00155	205.14293	Eight	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	40	0.60004	1.66656	8.07649	4.03825	0.12382	
894	892	42.33333	0.02362	0.00348	0.00111	287.21791	Four	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	40	0.60000	1.66667	11.30779	5.65390	0.08843	
987	985	42.33333	0.02362	0.00279	0.00089	359.02239	One	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	32	0.60000	1.66667	14.13474	7.06737	0.07075	
998	996	42.33333	0.02362	0.00348	0.00111	287.21791	Four	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	32	0.60000	1.66667	11.30779	5.65390	0.08843	
1102	1100	42.33333	0.02362	0.00348	0.00111	287.21791	Four	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	30	0.60000	1.66667	11.30779	5.65390	0.08843	
1455	1453	42.40422	0.02358	0.02358	0.00752	42.40422	Any	NA	NA	NA	Feed	A	40	127	1	1	1	1	127	32	0.59900	1.66946	1.66946	0.83473	0.59900	
1464	1462	42.40422	0.02358	0.02358	0.00752	42.40422	Any	NA	NA	NA	Feed	A	40	120	1	1	1	1	120	32	0.59900	1.66946	1.66946	0.83473	0.59900	
1012	1010	42.51969	0.02352	0.00312	0.00100	320.53583	Two	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	32	0.59737	1.67400	12.61952	6.30976	0.07924	
1032	1030	42.51969	0.02352	0.00416	0.00133	240.40187	Six	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	32	0.59737	1.67400	9.46464	4.73232	0.10566	
1059	1057	42.66667	0.02344	0.00276	0.00088	361.84934	One	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	30	0.59531	1.67979	14.24604	7.12302	0.07019	
1070	1068	42.66667	0.02344	0.00345	0.00110	289.47947	Four	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	30	0.59531	1.67979	11.39683	5.69841	0.08774	
1131	1129	42.66667	0.02344	0.00276	0.00088	361.84934	One	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	30	0.59531	1.67979	14.24604	7.12302	0.07019	
1142	1140	42.66667	0.02344	0.00345	0.00110	289.47947	Four	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	30	0.59531	1.67979	11.39683	5.69841	0.08774	
1473	1471	42.73811	0.02340	0.02340	0.00746	42.73811	Any	NA	NA	NA	Feed	A	40	127	1	1	1	1	120	30	0.59432	1.68260	1.68260	0.84130	0.59432	
1093	1091	42.89778	0.02331	0.00326	0.00104	306.36577	Three	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	30	0.59211	1.68889	12.06164	6.03082	0.08291	
1007	1005	43.65625	0.02291	0.00371	0.00118	269.26679	Five	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	32	0.58182	1.71875	10.60105	5.30053	0.09433	
871	869	44.00000	0.02273	0.00368	0.00118	271.38700	Five	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	40	0.57727	1.73228	10.68453	5.34226	0.09359	
943	941	44.00000	0.02273	0.00368	0.00118	271.38700	Five	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	40	0.57727	1.73228	10.68453	5.34226	0.09359	
975	973	44.00000	0.02273	0.00368	0.00118	271.38700	Five	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	32	0.57727	1.73228	10.68453	5.34226	0.09359	
1047	1045	44.00000	0.02273	0.00368	0.00118	271.38700	Five	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	32	0.57727	1.73228	10.68453	5.34226	0.09359	
1079	1077	44.00000	0.02273	0.00368	0.00118	271.38700	Five	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	30	0.57727	1.73228	10.68453	5.34226	0.09359	
1151	1149	44.00000	0.02273	0.00368	0.00118	271.38700	Five	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	30	0.57727	1.73228	10.68453	5.34226	0.09359	
905	903	44.02667	0.02271	0.00435	0.00139	229.77433	Seven	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	40	0.57692	1.73333	9.04623	4.52312	0.11054	
1119	1117	44.34646	0.02255	0.00366	0.00117	273.52391	Five	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	30	0.57276	1.74592	10.76866	5.38433	0.09286	
914	912	44.45000	0.02250	0.00464	0.00148	215.41343	Eight	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	40	0.57143	1.75000	8.48084	4.24042	0.11791	
882	880	44.80000	0.02232	0.00461	0.00147	217.10960	Eight	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	40	0.56696	1.76378	8.54762	4.27381	0.11699	
954	952	44.80000	0.02232	0.00461	0.00147	217.10960	Eight	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	40	0.56696	1.76378	8.54762	4.27381	0.11699	
1458	1456	44.87780	0.02228	0.00228	0.00711	44.87780	Any	NA	NA	NA	Feed	A	40	120	1	1	1	1	127	32	0.56598	1.76684	1.76684	0.88342	0.56598	
1013	1011	44.88189	0.02228	0.00312	0.00100	320.53583	Three	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	32	0.56593	1.76700	12.61952	6.30976	0.07924	
964	962	45.00000	0.02222	0.00295	0.00094	339.23375	Two	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	32	0.56444	1.77165	13.35566	6.67783	0.07487	
984	982	45.00000	0.02222	0.00393	0.00125	254.42531	Six	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	32	0.56444	1.77165	10.01674	5.00837	0.09983	
1036	1034	45.00000	0.02222	0.00295	0.00094	339.23375	Two	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	32	0.56444	1.77165	13.35566	6.67783	0.07487	
1056	1054	45.00000	0.02222	0.00393	0.00125	254.42531	Six	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	32	0.56444	1.77165	10.01674	5.00837	0.09983	
1083	1081	45.15556	0.02215	0.00261	0.00083	382.95721	One	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	30	0.56250	1.77778	15.07706	7.53853	0.06633	
1094	1092	45.15556	0.02215	0.00326	0.00104	306.36577	Four	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	30	0.56250	1.77778	12.06164	6.03082	0.08291	
1467	1465	45.23117	0.02211	0.02211	0.00705	45.23117	Any	NA	NA	NA	Feed	A	40	127	1	1	1	1	127	30	0.56156	1.78075	1.78075	0.89038	0.56156	
1476	1474	45.23117	0.02211	0.02211	0.00705	45.23117	Any	NA	NA	NA	Feed	A	40	120												

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC: uwPM1340GT							
2		TPI	Z-IPT	Rate	FEED Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERsPmm-X	mmPTTrns
920	918	45.35433	0.02205	0.00390	0.00124	256.42866		Six	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	40	0.56003	1.78560	10.09562	5.04781	0.09905
1024	1022	45.35433	0.02205	0.00390	0.00124	256.42866		Six	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	32	0.56003	1.78560	10.09562	5.04781	0.09905
1108	1106	45.35433	0.02205	0.00292	0.00093	341.90488		Two	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	30	0.56003	1.78560	13.46082	6.73041	0.07429
1128	1126	45.35433	0.02205	0.00390	0.00124	256.42866		Six	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	30	0.56003	1.78560	10.09562	5.04781	0.09905
1219	1217	45.35433	0.02205	0.00260	0.00083	384.64300		One	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	40	0.56003	1.78560	15.14343	7.57171	0.06604
1033	1031	46.06299	0.02171	0.00416	0.00133	240.40187		Seven	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	32	0.55142	1.81350	9.46464	4.73232	0.10566
895	893	46.56667	0.02147	0.00348	0.00111	287.21791		Five	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	40	0.54545	1.83333	11.30779	5.65390	0.08843
999	997	46.56667	0.02147	0.00348	0.00111	287.21791		Five	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	32	0.54545	1.83333	11.30779	5.65390	0.08843
1103	1101	46.56667	0.02147	0.00348	0.00111	287.21791		Five	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	30	0.54545	1.83333	11.30779	5.65390	0.08843
1071	1069	46.93333	0.02131	0.00345	0.00110	289.47947		Five	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	30	0.54119	1.84777	11.39683	5.69841	0.08774
1143	1141	46.93333	0.02131	0.00345	0.00110	289.47947		Five	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	30	0.54119	1.84777	11.39683	5.69841	0.08774
1014	1012	47.24409	0.02117	0.00312	0.00100	320.53583		Four	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	32	0.53763	1.86000	12.61952	6.30976	0.07924
906	904	47.41333	0.02109	0.00435	0.00139	229.77433		Eight	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	40	0.53571	1.86667	9.04623	4.52312	0.11054
965	963	47.50000	0.02105	0.00295	0.00094	339.23375		Three	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	32	0.53474	1.87008	13.35566	6.67783	0.07487
1037	1035	47.50000	0.02105	0.00295	0.00094	339.23375		Three	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	32	0.53474	1.87008	13.35566	6.67783	0.07487
988	986	47.62500	0.02100	0.00279	0.00089	359.02239		Two	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	32	0.53333	1.87500	14.13474	7.06737	0.07085
1008	1006	47.62500	0.02100	0.00371	0.00118	269.26679		Six	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	32	0.53333	1.87500	10.60105	5.30053	0.09433
1470	1468	47.86965	0.02089	0.02089	0.00666	47.86965		Any	NA	NA	NA	Feed	A	40	120	1	1	1	1	127	30	0.53061	1.88463	1.88463	0.94232	0.53061
1109	1107	47.87402	0.02089	0.00292	0.00093	341.90488		Three	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	30	0.53056	1.88480	13.46082	6.73041	0.07429
872	870	48.00000	0.02083	0.00368	0.00118	271.38700		Six	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	40	0.52917	1.88976	10.68453	5.34226	0.09359
944	942	48.00000	0.02083	0.00368	0.00118	271.38700		Six	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	40	0.52917	1.88976	10.68453	5.34226	0.09359
976	974	48.00000	0.02083	0.00368	0.00118	271.38700		Six	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	32	0.52917	1.88976	10.68453	5.34226	0.09359
1048	1046	48.00000	0.02083	0.00368	0.00118	271.38700		Six	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	32	0.52917	1.88976	10.68453	5.34226	0.09359
1060	1058	48.00000	0.02083	0.00276	0.00088	361.84934		Two	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	30	0.52917	1.88976	14.24604	7.12302	0.07019
1080	1078	48.00000	0.02083	0.00368	0.00118	271.38700		Six	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	30	0.52917	1.88976	10.68453	5.34226	0.09359
1132	1130	48.00000	0.02083	0.00276	0.00088	361.84934		Two	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	30	0.52917	1.88976	14.24604	7.12302	0.07019
1152	1150	48.00000	0.02083	0.00368	0.00118	271.38700		Six	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	30	0.52917	1.88976	10.68453	5.34226	0.09359
1171	1169	48.00000	0.02083	0.00246	0.00078	407.08050		One	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	40	0.52917	1.88976	16.02679	8.01340	0.06240
1243	1241	48.00000	0.02083	0.00246	0.00078	407.08050		One	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	40	0.52917	1.88976	16.02679	8.01340	0.06240
1487	1485	48.08037	0.02080	0.02080	0.00663	48.08037		Any	NA	NA	NA	Feed	B	30	127	1	1	1	A	120	40	0.52828	1.89293	1.89293	0.94646	0.52828
1120	1118	48.37795	0.02067	0.00366	0.00117	273.52391		Six	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	30	0.52503	1.90464	10.76866	5.38433	0.09286
1211	1209	48.37795	0.02067	0.00244	0.00078	410.28586		One	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	40	0.52503	1.90464	16.15299	8.07649	0.06191
985	983	48.75000	0.02051	0.00393	0.00125	254.42531		Seven	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	32	0.52103	1.91929	10.01674	5.00837	0.09983
1057	1055	48.75000	0.02051	0.00393	0.00125	254.42531		Seven	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	32	0.52103	1.91929	10.01674	5.00837	0.09983
921	919	49.13386	0.02035	0.00390	0.00124	256.42866		Seven	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	40	0.51696	1.93440	10.09562	5.04781	0.09905
1025	1023	49.13386	0.02035	0.00390	0.00124	256.42866		Seven	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	32	0.51696	1.93440	10.09562	5.04781	0.09905
1129	1127	49.13386	0.02035	0.00390	0.00124	256.42866		Seven	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	30	0.51696	1.93440	10.09562	5.04781	0.09905
1034	1032	49.60630	0.02016	0.00416	0.00133	240.40187		Eight	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	32	0.51203	1.95300	9.46464	4.73232	0.10566
1095	1093	49.67111	0.02013	0.00326	0.00104	306.36577		Five	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	30	0.51136	1.95556	12.06164	6.03082	0.08291
966	964	50.00000	0.02000	0.00295	0.00094	339.23375		Four	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	32	0.50800	1.96850	13.35566	6.67783	0.07487
1038	1036	50.00000	0.02000	0.00295	0.00094	339.23375		Four	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	32	0.50800	1.96850	13.35566	6.67783	0.07487
989	987	50.27083	0.01989	0.00279	0.00089	359.02239		Three	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	32	0.50526	1.97917	14.13474	7.06737	0.07075
1110	1108	50.39370	0.01984	0.00292	0.00093	341.90488		Four	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	30	0.50403	1.98400	13.46082	6.73041	0.07429
1061	1059	50.66667	0.01974	0.00276	0.00088	361.84934		Three	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	30	0.50132	1.99475	14.24604	7.12302	0.07019
1133	1131	50.66667	0.01974	0.00276	0.00088	361.84934		Three	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	30	0.50132	1.99475	14.24604	7.12302	0.07019
896	894	50.80000	0.01969	0.00348	0.00111	287.21791		Six	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	40	0.50000	2.00000	11.30779	5.65390	0.08843
1000	998	50.80000	0.01969	0.00348	0.00111	287.21791		Six	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	32	0.50000	2.00000	11.30779	5.65390	0.08843
1084	1082	50.80000	0.01969	0.00261	0.00083	382.95721		Two	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	30	0.50000	2.00000	15.07706	7.53853	0.06633
1104	1102	50.80000	0.01969	0.00348	0.00111	287.21791		Six	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	30	0.50000	2.00000	11.30779	5.65390	0.08843
1195	1193	50.80000	0.01969	0.00232	0.00074	430.82687		One	NA	NA	NA	Lscrew	E</													

1	1620	ENGLISH	Previs: C	uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:															METRIC:	uwPM1340GT					
2		TPI	Z-IPT Rate	FEED Rate	XFEED	FEED_TPI	ne2Eig	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERsPmm-X	mmPTrns
1490	1488	50.88506	0.01965	0.01965	0.00627	50.88506	Any	NA	NA	NA	Feed	B	30	120	1	1	1	1	120	40	0.49916	2.00335	2.00335	1.00167	0.49916
1220	1218	51.02362	0.01960	0.00260	0.00083	384.64300	Two	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	40	0.49781	2.00880	15.14343	7.57171	0.06604
1072	1070	51.20000	0.01953	0.00345	0.00110	289.47947	Six	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	30	0.49609	2.01575	11.39683	5.69841	0.08774
1144	1142	51.20000	0.01953	0.00345	0.00110	289.47947	Six	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	30	0.49609	2.01575	11.39683	5.69841	0.08774
1163	1161	51.20000	0.01953	0.00230	0.00073	434.21920	One	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	40	0.49609	2.01575	17.09524	8.54762	0.05850
1235	1233	51.20000	0.01953	0.00230	0.00073	434.21920	One	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	40	0.49609	2.01575	17.09524	8.54762	0.05850
1486	1484	51.28573	0.01950	0.01950	0.00622	51.28573	Any	NA	NA	NA	Feed	B	32	127	1	1	1	1	120	40	0.49526	2.01912	2.01912	1.00956	0.49526
1009	1007	51.59375	0.01938	0.00371	0.00118	269.26679	Seven	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	32	0.49231	2.03125	10.60105	5.30053	0.09433
1015	1013	51.96850	0.01924	0.00312	0.00100	320.53583	Five	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	32	0.48876	2.04600	12.61952	6.30976	0.07924
873	871	52.00000	0.01923	0.00368	0.00118	271.38700	Seven	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	40	0.48846	2.04724	10.68453	5.34226	0.09359
945	943	52.00000	0.01923	0.00368	0.00118	271.38700	Seven	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	40	0.48846	2.04724	10.68453	5.34226	0.09359
977	975	52.00000	0.01923	0.00368	0.00118	271.38700	Seven	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	32	0.48846	2.04724	10.68453	5.34226	0.09359
1049	1047	52.00000	0.01923	0.00368	0.00118	271.38700	Seven	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	32	0.48846	2.04724	10.68453	5.34226	0.09359
1081	1079	52.00000	0.01923	0.00368	0.00118	271.38700	Seven	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	30	0.48846	2.04724	10.68453	5.34226	0.09359
1153	1151	52.00000	0.01923	0.00368	0.00118	271.38700	Seven	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	30	0.48846	2.04724	10.68453	5.34226	0.09359
1121	1119	52.40945	0.01908	0.00366	0.00117	273.52391	Seven	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	30	0.48465	2.06336	10.76866	5.38433	0.09286
986	984	52.50000	0.01905	0.00393	0.00125	254.42531	Eight	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	32	0.48381	2.06693	10.01674	5.00837	0.09983
1058	1056	52.50000	0.01905	0.00393	0.00125	254.42531	Eight	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	32	0.48381	2.06693	10.01674	5.00837	0.09983
922	920	52.91339	0.01890	0.00390	0.00124	256.42866	Eight	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	40	0.48003	2.08320	10.09562	5.04781	0.09905
1026	1024	52.91339	0.01890	0.00390	0.00124	256.42866	Eight	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	32	0.48003	2.08320	10.09562	5.04781	0.09905
1130	1128	52.91339	0.01890	0.00390	0.00124	256.42866	Eight	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	120	30	0.48003	2.08320	10.09562	5.04781	0.09905
990	988	52.91667	0.01890	0.00279	0.00089	359.02239	Four	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	32	0.48000	2.08333	14.13474	7.06737	0.07075
1062	1060	53.33333	0.01875	0.00276	0.00088	361.84934	Four	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	30	0.47625	2.09974	14.24604	7.12302	0.07019
1134	1132	53.33333	0.01875	0.00276	0.00088	361.84934	Four	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	30	0.47625	2.09974	14.24604	7.12302	0.07019
1085	1083	53.62222	0.01865	0.00261	0.00083	382.95721	Three	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	30	0.47368	2.11111	15.07706	7.53853	0.06633
1484	1482	53.85336	0.01857	0.01857	0.00592	53.85336	Any	NA	NA	NA	Feed	B	30	120	1	1	1	1	127	40	0.47165	2.12021	2.12021	1.06011	0.47165
1221	1219	53.85827	0.01857	0.00260	0.00083	384.64300	Three	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	40	0.47161	2.12040	15.14343	7.57171	0.06604
1172	1170	54.00000	0.01852	0.00246	0.00078	407.08050	Two	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	40	0.47037	2.12598	16.02679	8.01340	0.06240
1244	1242	54.00000	0.01852	0.00246	0.00078	407.08050	Two	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	40	0.47037	2.12598	16.02679	8.01340	0.06240
1096	1094	54.18667	0.01845	0.00326	0.00104	306.36577	Six	NA	NA	NA	Lscrew	D	32	120	1	1	1	A	127	30	0.46875	2.13333	12.06164	6.03082	0.08291
1187	1185	54.18667	0.01845	0.00218	0.00069	459.54866	One	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	40	0.46875	2.13333	18.09247	9.04623	0.05527
1480	1478	54.27740	0.01842	0.01842	0.00588	54.27740	Any	NA	NA	NA	Feed	B	32	127	1	1	1	1	127	40	0.46797	2.13691	2.13691	1.06845	0.46797
1489	1487	54.27740	0.01842	0.01842	0.00588	54.27740	Any	NA	NA	NA	Feed	B	32	120	1	1	1	1	120	40	0.46797	2.13691	2.13691	1.06845	0.46797
1212	1210	54.42520	0.01837	0.00244	0.00078	410.28586	Two	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	40	0.46670	2.14272	16.15299	8.07649	0.06191
967	965	55.00000	0.01818	0.00295	0.00094	339.23375	Five	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	32	0.46182	2.16535	13.35566	6.67783	0.07487
1039	1037	55.00000	0.01818	0.00295	0.00094	339.23375	Five	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	32	0.46182	2.16535	13.35566	6.67783	0.07487
897	895	55.03333	0.01817	0.00348	0.00111	287.21791	Seven	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	40	0.46154	2.16667	11.30779	5.65390	0.08843
1001	999	55.03333	0.01817	0.00348	0.00111	287.21791	Seven	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	32	0.46154	2.16667	11.30779	5.65390	0.08843
1105	1103	55.03333	0.01817	0.00348	0.00111	287.21791	Seven	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	30	0.46154	2.16667	11.30779	5.65390	0.08843
1111	1109	55.43307	0.01804	0.00292	0.00093	341.90488	Five	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	30	0.45821	2.18240	13.46082	6.73041	0.07429
1073	1071	55.46667	0.01803	0.00345	0.00110	289.47947	Seven	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	30	0.45793	2.18373	11.39683	5.69841	0.08774
1145	1143	55.46667	0.01803	0.00345	0.00110	289.47947	Seven	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	30	0.45793	2.18373	11.39683	5.69841	0.08774
1010	1008	55.56250	0.01800	0.00371	0.00118	269.26679	Eight	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	32	0.45714	2.18750	10.60105	5.30053	0.09433
874	872	56.00000	0.01786	0.00368	0.00118	271.38700	Eight	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	40	0.45357	2.20472	10.68453	5.34226	0.09359
946	944	56.00000	0.01786	0.00368	0.00118	271.38700	Eight	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	40	0.45357	2.20472	10.68453	5.34226	0.09359
978	976	56.00000	0.01786	0.00368	0.00118	271.38700	Eight	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	32	0.45357	2.20472	10.68453	5.34226	0.09359
1050	1048	56.00000	0.01786	0.00368	0.00118	271.38700	Eight	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	32	0.45357	2.20472	10.68453	5.34226	0.09359
1082	1080	56.00000	0.01786	0.00368	0.00118	271.38700	Eight	NA	NA	NA	Lscrew	D	30	127	1	1	1	1	127	30	0.45357	2.20472	10.68453	5.34226	0.09359
1154	1152	56.00000	0.01786	0.00368	0.00118	271.38700	Eight	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	120	30	0.45357	2.20472	10.68453	5.34226	0.09359
1122	1120	56.44094	0.01772	0.00366	0.00117	273.52391	Eight	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	120	30	0.45003	2.22208	10.76866	5.38433	0.09286
1086	1084	56.44444	0.01772	0.00261	0.00083	382.95721	Four	NA	NA</																

1	1620	ENGLISH	Previs: C	uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:															METRIC:	uwPM1340GT					
2		TPI	Z-IPT Rate	FEED Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERsPmm-X	mmPTrns
1016	1014	56.69291	0.01764	0.00312	0.00100	320.53583	Six	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	32	0.44803	2.23200	12.61952	6.30976	0.07924
1222	1220	56.69291	0.01764	0.00260	0.00083	384.64300	Four	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	40	0.44803	2.23200	15.14343	7.57171	0.06604
1315	1313	56.69291	0.01764	0.00208	0.00066	480.80374	One	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	32	0.44803	2.23200	18.92928	9.46464	0.05283
1173	1171	57.00000	0.01754	0.00246	0.00078	407.08050	Three	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	40	0.44561	2.24409	16.02679	8.01340	0.06240
1245	1243	57.00000	0.01754	0.00246	0.00078	407.08050	Three	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	40	0.44561	2.24409	16.02679	8.01340	0.06240
1196	1194	57.15000	0.01750	0.00232	0.00074	430.82687	Two	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	40	0.44444	2.25000	16.96169	8.48084	0.05896
1483	1481	57.44358	0.01741	0.01741	0.00555	57.44358	Any	NA	NA	NA	Feed	B	32	120	1	1	1	1	127	40	0.44217	2.26156	2.26156	1.13078	0.44217
1213	1211	57.44882	0.01741	0.00244	0.00078	410.28586	Three	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	40	0.44213	2.26176	16.15299	8.07649	0.06191
1164	1162	57.60000	0.01736	0.00230	0.00073	434.21920	Two	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	40	0.44097	2.26772	17.09524	8.54762	0.05850
1236	1234	57.60000	0.01736	0.00230	0.00073	434.21920	Two	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	40	0.44097	2.26772	17.09524	8.54762	0.05850
991	989	58.20833	0.01718	0.00279	0.00089	359.02239	Five	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	32	0.43636	2.29167	14.13474	7.06737	0.07075
1063	1061	58.66667	0.01705	0.00276	0.00088	361.84934	Five	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	30	0.43295	2.30971	14.24604	7.12302	0.07019
1135	1133	58.66667	0.01705	0.00276	0.00088	361.84934	Five	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	30	0.43295	2.30971	14.24604	7.12302	0.07019
1097	1095	58.70222	0.01704	0.00326	0.00104	306.36577	Seven	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	30	0.43269	2.31111	12.06164	6.03082	0.08291
898	896	59.26667	0.01687	0.00348	0.00111	287.21791	Eight	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	40	0.42857	2.33333	11.30779	5.65390	0.08843
1002	1000	59.26667	0.01687	0.00348	0.00111	287.21791	Eight	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	32	0.42857	2.33333	11.30779	5.65390	0.08843
1106	1104	59.26667	0.01687	0.00348	0.00111	287.21791	Eight	NA	NA	NA	Lscrew	D	30	120	1	1	1	1	127	30	0.42857	2.33333	11.30779	5.65390	0.08843
1074	1072	59.73333	0.01674	0.00345	0.00110	289.47947	Eight	NA	NA	NA	Lscrew	D	32	127	1	1	1	1	127	30	0.42522	2.35171	11.39683	5.69841	0.08774
1146	1144	59.73333	0.01674	0.00345	0.00110	289.47947	Eight	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	120	30	0.42522	2.35171	11.39683	5.69841	0.08774
968	966	60.00000	0.01667	0.00295	0.00094	339.23375	Six	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	32	0.42333	2.36220	13.35566	6.67783	0.07487
1040	1038	60.00000	0.01667	0.00295	0.00094	339.23375	Six	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	32	0.42333	2.36220	13.35566	6.67783	0.07487
1174	1172	60.00000	0.01667	0.00246	0.00078	407.08050	Four	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	40	0.42333	2.36220	16.02679	8.01340	0.06240
1246	1244	60.00000	0.01667	0.00246	0.00078	407.08050	Four	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	40	0.42333	2.36220	16.02679	8.01340	0.06240
1267	1265	60.00000	0.01667	0.00197	0.00063	508.85063	One	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	32	0.42333	2.36220	20.03349	10.01674	0.04992
1339	1337	60.00000	0.01667	0.00197	0.00063	508.85063	One	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	32	0.42333	2.36220	20.03349	10.01674	0.04992
1499	1497	60.10047	0.01664	0.01664	0.00531	60.10047	Any	NA	NA	NA	Feed	B	30	127	1	1	1	1	120	32	0.42263	2.36616	2.36616	1.18308	0.42263
1197	1195	60.32500	0.01658	0.00232	0.00074	430.82687	Three	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	40	0.42105	2.37500	16.96169	8.48084	0.05896
1112	1110	60.47244	0.01654	0.00292	0.00093	341.90488	Six	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	30	0.42003	2.38080	13.46082	6.73041	0.07429
1203	1201	60.47244	0.01654	0.00195	0.00062	512.85733	One	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	40	0.42003	2.38080	20.19123	10.09562	0.04953
1214	1212	60.47244	0.01654	0.00244	0.00078	410.28586	Four	NA	NA	NA	Lscrew	E	32	127	1	1	1	A-A	120	40	0.42003	2.38080	16.15299	8.07649	0.06191
1307	1305	60.47244	0.01654	0.00195	0.00062	512.85733	One	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	32	0.42003	2.38080	20.19123	10.09562	0.04953
1411	1409	60.47244	0.01654	0.00195	0.00062	512.85733	One	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	30	0.42003	2.38080	20.19123	10.09562	0.04953
1165	1163	60.80000	0.01645	0.00230	0.00073	434.21920	Three	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	40	0.41776	2.39370	17.09524	8.54762	0.05850
1237	1235	60.80000	0.01645	0.00230	0.00073	434.21920	Three	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	40	0.41776	2.39370	17.09524	8.54762	0.05850
1188	1186	60.96000	0.01640	0.00218	0.00069	459.54866	Two	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	40	0.41667	2.40000	18.09247	9.04623	0.05527
1017	1015	61.41732	0.01628	0.00312	0.00100	320.53583	Seven	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	32	0.41356	2.41800	12.61952	6.30976	0.07924
1087	1085	62.08889	0.01611	0.00261	0.00083	382.95721	Five	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	30	0.40909	2.44444	15.07706	7.53853	0.06633
1223	1221	62.36220	0.01604	0.00260	0.00083	384.64300	Five	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	40	0.40730	2.45520	15.14343	7.57171	0.06604
1098	1096	63.21778	0.01582	0.00326	0.00104	306.36577	Eight	NA	NA	NA	Lscrew	D	32	120	1	1	1	1	127	30	0.40179	2.48889	12.06164	6.03082	0.08291
992	990	63.50000	0.01575	0.00279	0.00089	359.02239	Six	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	32	0.40000	2.50000	14.13474	7.06737	0.07075
1198	1196	63.50000	0.01575	0.00232	0.00074	430.82687	Four	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	40	0.40000	2.50000	16.96169	8.48084	0.05896
1291	1289	63.50000	0.01575	0.00186	0.00059	538.53358	One	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	32	0.40000	2.50000	21.20211	10.60105	0.04717
1493	1491	63.60633	0.01572	0.01572	0.00501	63.60633	Any	NA	NA	NA	Feed	B	30	127	1	1	1	1	127	32	0.39933	2.50419	2.50419	1.25209	0.39933
1502	1500	63.60633	0.01572	0.01572	0.00501	63.60633	Any	NA	NA	NA	Feed	B	30	120	1	1	1	1	120	32	0.39933	2.50419	2.50419	1.25209	0.39933
1316	1314	63.77953	0.01568	0.00208	0.00066	480.80374	Two	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	32	0.39825	2.51101	18.92928	9.46464	0.05283
1064	1062	64.00000	0.01563	0.00276	0.00088	361.84934	Six	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	30	0.39688	2.51969	14.24604	7.12302	0.07019
1136	1134	64.00000	0.01563	0.00276	0.00088	361.84934	Six	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	30	0.39688	2.51969	14.24604	7.12302	0.07019
1155	1153	64.00000	0.01563	0.00184	0.00059	542.77400	One	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	40	0.39688	2.51969	21.36906	10.68453	0.04680
1166	1164	64.00000	0.01563	0.00230	0.00073	434.21920	Four	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	40	0.39688	2.51969	17.09524	8.54762	0.05850
1227	1225	64.00000	0.01563	0.00184	0.00059	542.77400	One	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	40	0.39688	2.51969	21.36906	10.68453	0.04680
1238	1236	64.00000	0.01563	0.00230	0.00073	4																			

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC:		uwPM1340GT				
2		TPI	Z-IPT Rate	FEED Rate	XFEED	FEED_TPI	ne2Eig	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERsPmm-X	mmPTTrns
1259	1257	64.00000	0.01563	0.00184	0.00059	542.77400	One	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	32	0.39688	2.51969	21.36906	10.68453	0.04680
1331	1329	64.00000	0.01563	0.00184	0.00059	542.77400	One	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	32	0.39688	2.51969	21.36906	10.68453	0.04680
1363	1361	64.00000	0.01563	0.00184	0.00059	542.77400	One	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	30	0.39688	2.51969	21.36906	10.68453	0.04680
1435	1433	64.00000	0.01563	0.00184	0.00059	542.77400	One	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	30	0.39688	2.51969	21.36906	10.68453	0.04680
1485	1483	64.10717	0.01560	0.01560	0.00498	64.10717	Any	NA	NA	NA	Feed	B	40	127	1	1	1	1	120	40	0.39621	2.52390	2.52390	1.26195	0.39621
1498	1496	64.10717	0.01560	0.01560	0.00498	64.10717	Any	NA	NA	NA	Feed	B	32	127	1	1	1	1	120	32	0.39621	2.52390	2.52390	1.26195	0.39621
1511	1509	64.10717	0.01560	0.01560	0.00498	64.10717	Any	NA	NA	NA	Feed	B	30	127	1	1	1	1	120	30	0.39621	2.52390	2.52390	1.26195	0.39621
1189	1187	64.34667	0.01554	0.00218	0.00069	459.54866	Three	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	40	0.39474	2.53333	18.09247	9.04623	0.05527
1403	1401	64.50394	0.01550	0.00183	0.00058	547.04782	One	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	30	0.39377	2.53953	21.53732	10.76866	0.04643
969	967	65.00000	0.01538	0.00295	0.00094	339.23375	Seven	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	32	0.39077	2.55906	13.35566	6.67783	0.07487
1041	1039	65.00000	0.01538	0.00295	0.00094	339.23375	Seven	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	32	0.39077	2.55906	13.35566	6.67783	0.07487
1113	1111	65.51181	0.01526	0.00292	0.00093	341.90488	Seven	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	30	0.38772	2.57921	13.46082	6.73041	0.07429
1175	1173	66.00000	0.01515	0.00246	0.00078	407.08050	Five	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	40	0.38485	2.59843	16.02679	8.01340	0.06240
1247	1245	66.00000	0.01515	0.00246	0.00078	407.08050	Five	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	40	0.38485	2.59843	16.02679	8.01340	0.06240
1018	1016	66.14173	0.01512	0.00312	0.00100	320.53583	Eight	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	32	0.38402	2.60401	12.61952	6.30976	0.07924
1215	1213	66.51969	0.01503	0.00244	0.00078	410.28586	Five	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	40	0.38184	2.61889	16.15299	8.07649	0.06191
1496	1494	67.31670	0.01486	0.01486	0.00474	67.31670	Any	NA	NA	NA	Feed	B	30	120	1	1	1	1	127	32	0.37732	2.65026	2.65026	1.32513	0.37732
1317	1315	67.32283	0.01485	0.00208	0.00066	480.80374	Three	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	32	0.37729	2.65051	18.92928	9.46464	0.05283
1268	1266	67.50000	0.01481	0.00197	0.00063	508.85063	Two	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	32	0.37630	2.65748	20.03349	10.01674	0.04992
1340	1338	67.50000	0.01481	0.00197	0.00063	508.85063	Two	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	32	0.37630	2.65748	20.03349	10.01674	0.04992
1088	1086	67.73333	0.01476	0.00261	0.00083	382.95721	Six	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	30	0.37500	2.66667	15.07706	7.53853	0.06633
1179	1177	67.73333	0.01476	0.00174	0.00056	574.43582	One	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	40	0.37500	2.66667	22.61558	11.30779	0.04422
1190	1188	67.73333	0.01476	0.00218	0.00069	459.54866	Four	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	40	0.37500	2.66667	18.09247	9.04623	0.05527
1283	1281	67.73333	0.01476	0.00174	0.00056	574.43582	One	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	32	0.37500	2.66667	22.61558	11.30779	0.04422
1387	1385	67.73333	0.01476	0.00174	0.00056	574.43582	One	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	30	0.37500	2.66667	22.61558	11.30779	0.04422
1479	1477	67.84675	0.01474	0.01474	0.00470	67.84675	Any	NA	NA	NA	Feed	B	40	127	1	1	1	1	127	40	0.37437	2.67113	2.67113	1.33557	0.37437
1488	1486	67.84675	0.01474	0.01474	0.00470	67.84675	Any	NA	NA	NA	Feed	B	40	120	1	1	1	1	120	40	0.37437	2.67113	2.67113	1.33557	0.37437
1492	1490	67.84675	0.01474	0.01474	0.00470	67.84675	Any	NA	NA	NA	Feed	B	32	127	1	1	1	1	127	32	0.37437	2.67113	2.67113	1.33557	0.37437
1501	1499	67.84675	0.01474	0.01474	0.00470	67.84675	Any	NA	NA	NA	Feed	B	32	120	1	1	1	1	120	32	0.37437	2.67113	2.67113	1.33557	0.37437
1505	1503	67.84675	0.01474	0.01474	0.00470	67.84675	Any	NA	NA	NA	Feed	B	30	127	1	1	1	1	127	30	0.37437	2.67113	2.67113	1.33557	0.37437
1514	1512	67.84675	0.01474	0.01474	0.00470	67.84675	Any	NA	NA	NA	Feed	B	30	120	1	1	1	1	120	30	0.37437	2.67113	2.67113	1.33557	0.37437
1204	1202	68.03150	0.01470	0.00195	0.00062	512.85733	Two	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	40	0.37336	2.67841	20.19123	10.09562	0.04953
1224	1222	68.03150	0.01470	0.00260	0.00083	384.64300	Six	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	40	0.37336	2.67841	15.14343	7.57171	0.06604
1308	1306	68.03150	0.01470	0.00195	0.00062	512.85733	Two	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	32	0.37336	2.67841	20.19123	10.09562	0.04953
1412	1410	68.03150	0.01470	0.00195	0.00062	512.85733	Two	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	30	0.37336	2.67841	20.19123	10.09562	0.04953
1355	1353	68.26667	0.01465	0.00173	0.00055	578.95894	One	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	30	0.37207	2.68766	22.79366	11.39683	0.04387
1427	1425	68.26667	0.01465	0.00173	0.00055	578.95894	One	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	30	0.37207	2.68766	22.79366	11.39683	0.04387
1510	1508	68.38098	0.01462	0.01462	0.00466	68.38098	Any	NA	NA	NA	Feed	B	32	127	1	1	1	1	120	30	0.37145	2.69216	2.69216	1.34608	0.37145
993	991	68.79167	0.01454	0.00279	0.00089	359.02239	Seven	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	32	0.36923	2.70833	14.13474	7.06737	0.07075
1065	1063	69.33333	0.01442	0.00276	0.00088	361.84934	Seven	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	30	0.36635	2.72966	14.24604	7.12302	0.07019
1137	1135	69.33333	0.01442	0.00276	0.00088	361.84934	Seven	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	30	0.36635	2.72966	14.24604	7.12302	0.07019
1199	1197	69.85000	0.01432	0.00232	0.00074	430.82687	Five	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	40	0.36364	2.75000	16.96169	8.48084	0.05896
970	968	70.00000	0.01429	0.00295	0.00094	339.23375	Eight	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	32	0.36286	2.75591	13.35566	6.67783	0.07487
1042	1040	70.00000	0.01429	0.00295	0.00094	339.23375	Eight	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	32	0.36286	2.75591	13.35566	6.67783	0.07487
1167	1165	70.40000	0.01420	0.00230	0.00073	434.21920	Five	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	40	0.36080	2.77165	17.09524	8.54762	0.05850
1239	1237	70.40000	0.01420	0.00230	0.00073	434.21920	Five	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	40	0.36080	2.77165	17.09524	8.54762	0.05850
1114	1112	70.55118	0.01417	0.00292	0.00093	341.90488	Eight	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	120	30	0.36002	2.77761	13.46082	6.73041	0.07429
1318	1316	70.86614	0.01411	0.00208	0.00066	480.80374	Four	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	32	0.35842	2.79001	18.92928	9.46464	0.05283
1269	1267	71.25000	0.01404	0.00197	0.00063	508.85063	Three	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	32	0.35649	2.80512	20.03349	10.01674	0.04992
1341	1339	71.25000	0.01404	0.00197	0.00063	508.85063	Three	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	32	0.35649	2.80512	20.03349	10.01674	0.04992
1292	1290	71.43750	0.01400	0.00186	0.0																				

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC: uwPM1340GT							
2		TPI	Z-IPT	Rate	FEED Rate	XFEED	FEED_TPI	ne2Eig	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERnsPmm-X	mmPTrns
1482	1480	71.80448	0.01393	0.01393	0.00444	71.80448		Any	NA	NA	NA	Feed	B	40	120	1	1	1	1	127	40	0.35374	2.82695	2.82695	1.41347	0.35374
1495	1493	71.80448	0.01393	0.01393	0.00444	71.80448		Any	NA	NA	NA	Feed	B	32	120	1	1	1	1	127	32	0.35374	2.82695	2.82695	1.41347	0.35374
1508	1506	71.80448	0.01393	0.01393	0.00444	71.80448		Any	NA	NA	NA	Feed	B	30	120	1	1	1	1	127	30	0.35374	2.82695	2.82695	1.41347	0.35374
1205	1203	71.81102	0.01393	0.00195	0.00062	512.85733		Three	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	40	0.35371	2.82721	20.19123	10.09562	0.04953
1309	1307	71.81102	0.01393	0.00195	0.00062	512.85733		Three	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	32	0.35371	2.82721	20.19123	10.09562	0.04953
1413	1411	71.81102	0.01393	0.00195	0.00062	512.85733		Three	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	30	0.35371	2.82721	20.19123	10.09562	0.04953
1156	1154	72.00000	0.01389	0.00184	0.00059	542.77400		Two	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	40	0.35278	2.83465	21.36906	10.68453	0.04680
1176	1174	72.00000	0.01389	0.00246	0.00078	407.08050		Six	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	40	0.35278	2.83465	16.02679	8.01340	0.06240
1228	1226	72.00000	0.01389	0.00184	0.00059	542.77400		Two	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	40	0.35278	2.83465	21.36906	10.68453	0.04680
1248	1246	72.00000	0.01389	0.00246	0.00078	407.08050		Six	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	40	0.35278	2.83465	16.02679	8.01340	0.06240
1260	1258	72.00000	0.01389	0.00184	0.00059	542.77400		Two	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	32	0.35278	2.83465	21.36906	10.68453	0.04680
1332	1330	72.00000	0.01389	0.00184	0.00059	542.77400		Two	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	32	0.35278	2.83465	21.36906	10.68453	0.04680
1364	1362	72.00000	0.01389	0.00184	0.00059	542.77400		Two	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	30	0.35278	2.83465	21.36906	10.68453	0.04680
1436	1434	72.00000	0.01389	0.00184	0.00059	542.77400		Two	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	30	0.35278	2.83465	21.36906	10.68453	0.04680
1379	1377	72.24889	0.01384	0.00163	0.00052	612.73154		One	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	30	0.35156	2.84444	24.12329	12.06164	0.04145
1504	1502	72.36987	0.01382	0.01382	0.00441	72.36987		Any	NA	NA	NA	Feed	B	32	127	1	1	1	1	127	30	0.35097	2.84921	2.84921	1.42460	0.35097
1513	1511	72.36987	0.01382	0.01382	0.00441	72.36987		Any	NA	NA	NA	Feed	B	32	120	1	1	1	1	120	30	0.35097	2.84921	2.84921	1.42460	0.35097
1216	1214	72.56693	0.01378	0.00244	0.00078	410.28586		Six	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	40	0.35002	2.85697	16.15299	8.07649	0.06191
1404	1402	72.56693	0.01378	0.00183	0.00058	547.04782		Two	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	30	0.35002	2.85697	21.53732	10.76866	0.04643
1089	1087	73.37778	0.01363	0.00261	0.00083	382.95721		Seven	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	30	0.34615	2.88889	15.07706	7.53853	0.06633
1225	1223	73.70079	0.01357	0.00260	0.00083	384.64300		Seven	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	40	0.34464	2.90161	15.14343	7.57171	0.06604
994	992	74.08333	0.01350	0.00279	0.00089	359.02239		Eight	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	32	0.34286	2.91667	14.13474	7.06737	0.07075
1191	1189	74.50667	0.01342	0.00218	0.00069	459.54866		Five	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	40	0.34091	2.93333	18.09247	9.04623	0.05527
1066	1064	74.66667	0.01339	0.00276	0.00088	361.84934		Eight	NA	NA	NA	Lscrew	D	40	127	1	1	1	1	127	30	0.34018	2.93963	14.24604	7.12302	0.07019
1138	1136	74.66667	0.01339	0.00276	0.00088	361.84934		Eight	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	120	30	0.34018	2.93963	14.24604	7.12302	0.07019
1270	1268	75.00000	0.01333	0.00197	0.00063	508.85063		Four	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	32	0.33867	2.95276	20.03349	10.01674	0.04992
1342	1340	75.00000	0.01333	0.00197	0.00063	508.85063		Four	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	32	0.33867	2.95276	20.03349	10.01674	0.04992
1293	1291	75.40625	0.01326	0.00186	0.00059	538.53358		Three	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	32	0.33684	2.96875	21.20211	10.60105	0.04717
1206	1204	75.59055	0.01323	0.00195	0.00062	512.85733		Four	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	40	0.33602	2.97601	20.19123	10.09562	0.04953
1299	1297	75.59055	0.01323	0.00156	0.00050	641.07166		One	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	32	0.33602	2.97601	25.23904	12.61952	0.03962
1310	1308	75.59055	0.01323	0.00195	0.00062	512.85733		Four	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	32	0.33602	2.97601	20.19123	10.09562	0.04953
1414	1412	75.59055	0.01323	0.00195	0.00062	512.85733		Four	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	30	0.33602	2.97601	20.19123	10.09562	0.04953
1157	1155	76.00000	0.01316	0.00184	0.00059	542.77400		Three	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	40	0.33421	2.99213	21.36906	10.68453	0.04680
1229	1227	76.00000	0.01316	0.00184	0.00059	542.77400		Three	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	40	0.33421	2.99213	21.36906	10.68453	0.04680
1261	1259	76.00000	0.01316	0.00184	0.00059	542.77400		Three	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	32	0.33421	2.99213	21.36906	10.68453	0.04680
1333	1331	76.00000	0.01316	0.00184	0.00059	542.77400		Three	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	32	0.33421	2.99213	21.36906	10.68453	0.04680
1365	1363	76.00000	0.01316	0.00184	0.00059	542.77400		Three	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	30	0.33421	2.99213	21.36906	10.68453	0.04680
1437	1435	76.00000	0.01316	0.00184	0.00059	542.77400		Three	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	30	0.33421	2.99213	21.36906	10.68453	0.04680
1180	1178	76.20000	0.01312	0.00174	0.00056	574.43582		Two	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	40	0.33333	3.00000	22.61558	11.30779	0.04422
1200	1198	76.20000	0.01312	0.00232	0.00074	430.82687		Six	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	40	0.33333	3.00000	16.96169	8.48084	0.05896
1284	1282	76.20000	0.01312	0.00174	0.00056	574.43582		Two	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	32	0.33333	3.00000	22.61558	11.30779	0.04422
1388	1386	76.20000	0.01312	0.00174	0.00056	574.43582		Two	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	30	0.33333	3.00000	22.61558	11.30779	0.04422
1507	1505	76.59144	0.01306	0.01306	0.00416	76.59144		Any	NA	NA	NA	Feed	B	32	120	1	1	1	1	127	30	0.33163	3.01541	3.01541	1.50771	0.33163
1405	1403	76.59843	0.01306	0.00183	0.00058	547.04782		Three	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	30	0.33160	3.01569	21.53732	10.76866	0.04643
1168	1166	76.80000	0.01302	0.00230	0.00073	434.21920		Six	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	40	0.33073	3.02362	17.09524	8.54762	0.05850
1240	1238	76.80000	0.01302	0.00230	0.00073	434.21920		Six	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	40	0.33073	3.02362	17.09524	8.54762	0.05850
1356	1354	76.80000	0.01302	0.00173	0.00055	578.95894		Two	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	30	0.33073	3.02362	22.79366	11.39683	0.04387
1428	1426	76.80000	0.01302	0.00173	0.00055	578.95894		Two	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	30	0.33073	3.02362	22.79366	11.39683	0.04387
1319	1317	77.95276	0.01283	0.00208	0.00066	480.80374		Five	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	32	0.32584	3.06901	18.92928	9.46464	0.05283
1177	1175	78.00000	0.01282	0.00246	0.00078	4																				

1	1620	ENGLISH	Previs: C	uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC:	uwPM1340GT						
2		TPI	Z-IPT Rate	FEED Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERsPmm-X	mmPTTrns
1217	1215	78.61417	0.01272	0.00244	0.00078	410.28586	Seven	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	40	0.32310	3.09505	16.15299	8.07649	0.06191
1090	1088	79.02222	0.01265	0.00261	0.00083	382.95721	Eight	NA	NA	NA	Lscrew	D	40	120	1	1	1	1	127	30	0.32143	3.11111	15.07706	7.53853	0.06633
1226	1224	79.37008	0.01260	0.00260	0.00083	384.64300	Eight	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	40	0.32002	3.12481	15.14343	7.57171	0.06604
1294	1292	79.37500	0.01260	0.00186	0.00059	538.53358	Four	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	32	0.32000	3.12500	21.20211	10.60105	0.04717
1158	1156	80.00000	0.01250	0.00184	0.00059	542.77400	Four	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	40	0.31750	3.14961	21.36906	10.68453	0.04680
1230	1228	80.00000	0.01250	0.00184	0.00059	542.77400	Four	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	40	0.31750	3.14961	21.36906	10.68453	0.04680
1251	1249	80.00000	0.01250	0.00147	0.00047	678.46751	One	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	32	0.31750	3.14961	26.71132	13.35566	0.03744
1262	1260	80.00000	0.01250	0.00184	0.00059	542.77400	Four	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	32	0.31750	3.14961	21.36906	10.68453	0.04680
1323	1321	80.00000	0.01250	0.00147	0.00047	678.46751	One	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	32	0.31750	3.14961	26.71132	13.35566	0.03744
1334	1332	80.00000	0.01250	0.00184	0.00059	542.77400	Four	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	32	0.31750	3.14961	21.36906	10.68453	0.04680
1366	1364	80.00000	0.01250	0.00184	0.00059	542.77400	Four	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	30	0.31750	3.14961	21.36906	10.68453	0.04680
1438	1436	80.00000	0.01250	0.00184	0.00059	542.77400	Four	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	30	0.31750	3.14961	21.36906	10.68453	0.04680
1497	1495	80.13396	0.01248	0.01248	0.00398	80.13396	Any	NA	NA	NA	Feed	B	40	127	1	1	1	1	120	32	0.31697	3.15488	3.15488	1.57744	0.31697
1181	1179	80.43333	0.01243	0.00174	0.00056	574.43582	Three	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	40	0.31579	3.16667	22.61558	11.30779	0.04422
1285	1283	80.43333	0.01243	0.00174	0.00056	574.43582	Three	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	32	0.31579	3.16667	22.61558	11.30779	0.04422
1389	1387	80.43333	0.01243	0.00174	0.00056	574.43582	Three	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	30	0.31579	3.16667	22.61558	11.30779	0.04422
1395	1393	80.62992	0.01240	0.00146	0.00047	683.80977	One	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	30	0.31502	3.17441	26.92164	13.46082	0.03714
1406	1404	80.62992	0.01240	0.00183	0.00058	547.04782	Four	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	30	0.31502	3.17441	21.53732	10.76866	0.04643
1357	1355	81.06667	0.01234	0.00173	0.00055	578.95894	Three	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	30	0.31332	3.19160	22.79366	11.39683	0.04387
1429	1427	81.06667	0.01234	0.00173	0.00055	578.95894	Three	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	30	0.31332	3.19160	22.79366	11.39683	0.04387
1192	1190	81.28000	0.01230	0.00218	0.00069	459.54866	Six	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	40	0.31250	3.20000	18.09247	9.04623	0.05527
1380	1378	81.28000	0.01230	0.00163	0.00052	612.73154	Two	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	30	0.31250	3.20000	24.12329	12.06164	0.04145
1271	1269	82.50000	0.01212	0.00197	0.00063	508.85063	Five	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	32	0.30788	3.24803	20.03349	10.01674	0.04992
1343	1341	82.50000	0.01212	0.00197	0.00063	508.85063	Five	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	32	0.30788	3.24803	20.03349	10.01674	0.04992
1201	1199	82.55000	0.01211	0.00232	0.00074	430.82687	Seven	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	40	0.30769	3.25000	16.96169	8.48084	0.05896
1207	1205	83.14961	0.01203	0.00195	0.00062	512.85733	Five	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	40	0.30547	3.27361	20.19123	10.09562	0.04953
1311	1309	83.14961	0.01203	0.00195	0.00062	512.85733	Five	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	32	0.30547	3.27361	20.19123	10.09562	0.04953
1415	1413	83.14961	0.01203	0.00195	0.00062	512.85733	Five	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	30	0.30547	3.27361	20.19123	10.09562	0.04953
1169	1167	83.20000	0.01202	0.00230	0.00073	434.21920	Seven	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	40	0.30529	3.27559	17.09524	8.54762	0.05850
1241	1239	83.20000	0.01202	0.00230	0.00073	434.21920	Seven	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	40	0.30529	3.27559	17.09524	8.54762	0.05850
1178	1176	84.00000	0.01190	0.00246	0.00078	407.08050	Eight	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	40	0.30238	3.30709	16.02679	8.01340	0.06240
1250	1248	84.00000	0.01190	0.00246	0.00078	407.08050	Eight	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	40	0.30238	3.30709	16.02679	8.01340	0.06240
1218	1216	84.66142	0.01181	0.00244	0.00078	410.28586	Eight	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	40	0.30002	3.33313	16.15299	8.07649	0.06191
1182	1180	84.66667	0.01181	0.00174	0.00056	574.43582	Four	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	40	0.30000	3.33333	22.61558	11.30779	0.04422
1275	1273	84.66667	0.01181	0.00139	0.00044	718.04478	One	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	32	0.30000	3.33333	28.26948	14.13474	0.03537
1286	1284	84.66667	0.01181	0.00174	0.00056	574.43582	Four	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	32	0.30000	3.33333	22.61558	11.30779	0.04422
1390	1388	84.66667	0.01181	0.00174	0.00056	574.43582	Four	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	30	0.30000	3.33333	22.61558	11.30779	0.04422
1491	1489	84.80844	0.01179	0.01179	0.00376	84.80844	Any	NA	NA	NA	Feed	B	40	127	1	1	1	1	127	32	0.29950	3.33891	3.33891	1.66946	0.29950
1500	1498	84.80844	0.01179	0.01179	0.00376	84.80844	Any	NA	NA	NA	Feed	B	40	120	1	1	1	1	120	32	0.29950	3.33891	3.33891	1.66946	0.29950
1300	1298	85.03937	0.01176	0.00156	0.00050	641.07166	Two	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	32	0.29869	3.34801	25.23904	12.61952	0.03962
1320	1318	85.03937	0.01176	0.00208	0.00066	480.80374	Six	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	32	0.29869	3.34801	18.92928	9.46464	0.05283
1347	1345	85.33333	0.01172	0.00138	0.00044	723.69867	One	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	30	0.29766	3.35958	28.49207	14.24604	0.03510
1358	1356	85.33333	0.01172	0.00173	0.00055	578.95894	Four	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	30	0.29766	3.35958	22.79366	11.39683	0.04387
1419	1417	85.33333	0.01172	0.00138	0.00044	723.69867	One	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	30	0.29766	3.35958	28.49207	14.24604	0.03510
1430	1428	85.33333	0.01172	0.00173	0.00055	578.95894	Four	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	30	0.29766	3.35958	22.79366	11.39683	0.04387
1509	1507	85.47622	0.01170	0.01170	0.00373	85.47622	Any	NA	NA	NA	Feed	B	40	127	1	1	1	1	120	30	0.29716	3.36521	3.36521	1.68260	0.29716
1381	1379	85.79556	0.01166	0.00163	0.00052	612.73154	Three	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	30	0.29605	3.37778	24.12329	12.06164	0.04145
1295	1293	87.31250	0.01145	0.00186	0.00059	538.53358	Five	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	32	0.29091	3.43750	21.20211	10.60105	0.04717
1159	1157	88.00000	0.01136	0.00184	0.00059	542.77400	Five	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	40	0.28864	3.46457	21.36906	10.68453	0.04680
1231	1229	88.00000	0.01136	0.00184	0.00059	542.77400	Five	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	40	0.28864	3.46457	21.36906	10.68453	0.04680</

1	1620	ENGLISH	Previs: C	uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC:	uwPM1340GT						
2		TPI	Z-IPT Rate	FEED Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERnsPmm-X	mmPTTrns
1335	1333	88.00000	0.01136	0.00184	0.00059	542.77400	Five	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	32	0.28864	3.46457	21.36906	10.68453	0.04680
1367	1365	88.00000	0.01136	0.00184	0.00059	542.77400	Five	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	30	0.28864	3.46457	21.36906	10.68453	0.04680
1439	1437	88.00000	0.01136	0.00184	0.00059	542.77400	Five	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	30	0.28864	3.46457	21.36906	10.68453	0.04680
1193	1191	88.05333	0.01136	0.00218	0.00069	459.54866	Seven	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	40	0.28846	3.46667	18.09247	9.04623	0.05527
1407	1405	88.69291	0.01127	0.00183	0.00058	547.04782	Five	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	30	0.28638	3.49185	21.53732	10.76866	0.04643
1202	1200	88.90000	0.01125	0.00232	0.00074	430.82687	Eight	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	40	0.28571	3.50000	16.96169	8.48084	0.05896
1170	1168	89.60000	0.01116	0.00230	0.00073	434.21920	Eight	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	40	0.28348	3.52756	17.09524	8.54762	0.05850
1242	1240	89.60000	0.01116	0.00230	0.00073	434.21920	Eight	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	40	0.28348	3.52756	17.09524	8.54762	0.05850
1494	1492	89.75560	0.01114	0.00114	0.00355	89.75560	Any	NA	NA	NA	Feed	B	40	120	1	1	1	1	127	32	0.28299	3.53368	3.53368	1.76684	0.28299
1301	1299	89.76378	0.01114	0.00156	0.00050	641.07166	Three	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	32	0.28296	3.53401	25.23904	12.61952	0.03962
1252	1250	90.00000	0.01111	0.00147	0.00047	678.46751	Two	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	32	0.28222	3.54331	26.71132	13.35566	0.03744
1272	1270	90.00000	0.01111	0.00197	0.00063	508.85063	Six	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	32	0.28222	3.54331	20.03349	10.01674	0.04992
1324	1322	90.00000	0.01111	0.00147	0.00047	678.46751	Two	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	32	0.28222	3.54331	26.71132	13.35566	0.03744
1344	1342	90.00000	0.01111	0.00197	0.00063	508.85063	Six	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	32	0.28222	3.54331	20.03349	10.01674	0.04992
1371	1369	90.31111	0.01107	0.00131	0.00042	765.91443	One	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	30	0.28125	3.55556	30.15411	15.07706	0.03316
1382	1380	90.31111	0.01107	0.00163	0.00052	612.73154	Four	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	30	0.28125	3.55556	24.12329	12.06164	0.04145
1503	1501	90.46233	0.01105	0.00105	0.00353	90.46233	Any	NA	NA	NA	Feed	B	40	127	1	1	1	1	127	30	0.28078	3.56151	3.56151	1.78075	0.28078
1512	1510	90.46233	0.01105	0.00105	0.00353	90.46233	Any	NA	NA	NA	Feed	B	40	120	1	1	1	1	120	30	0.28078	3.56151	3.56151	1.78075	0.28078
1208	1206	90.70866	0.01102	0.00195	0.00062	512.85733	Six	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	40	0.28002	3.57121	20.19123	10.09562	0.04953
1312	1310	90.70866	0.01102	0.00195	0.00062	512.85733	Six	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	32	0.28002	3.57121	20.19123	10.09562	0.04953
1396	1394	90.70866	0.01102	0.00146	0.00047	683.80977	Two	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	30	0.28002	3.57121	26.92164	13.46082	0.03714
1416	1414	90.70866	0.01102	0.00195	0.00062	512.85733	Six	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	30	0.28002	3.57121	20.19123	10.09562	0.04953
1321	1319	92.12598	0.01085	0.00208	0.00066	480.80374	Seven	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	32	0.27571	3.62701	18.92928	9.46464	0.05283
1183	1181	93.13333	0.01074	0.00174	0.00056	574.43582	Five	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	40	0.27273	3.66667	22.61558	11.30779	0.04422
1287	1285	93.13333	0.01074	0.00174	0.00056	574.43582	Five	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	32	0.27273	3.66667	22.61558	11.30779	0.04422
1391	1389	93.13333	0.01074	0.00174	0.00056	574.43582	Five	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	30	0.27273	3.66667	22.61558	11.30779	0.04422
1359	1357	93.86667	0.01065	0.00173	0.00055	578.95894	Five	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	30	0.27060	3.69554	22.79366	11.39683	0.04387
1431	1429	93.86667	0.01065	0.00173	0.00055	578.95894	Five	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	30	0.27060	3.69554	22.79366	11.39683	0.04387
1302	1300	94.48819	0.01058	0.00156	0.00050	641.07166	Four	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	32	0.26882	3.72001	25.23904	12.61952	0.03962
1194	1192	94.82667	0.01055	0.00218	0.00069	459.54866	Eight	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	40	0.26786	3.73333	18.09247	9.04623	0.05527
1253	1251	95.00000	0.01053	0.00147	0.00047	678.46751	Three	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	32	0.26737	3.74016	26.71132	13.35566	0.03744
1325	1323	95.00000	0.01053	0.00147	0.00047	678.46751	Three	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	32	0.26737	3.74016	26.71132	13.35566	0.03744
1276	1274	95.25000	0.01050	0.00139	0.00044	718.04478	Two	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	32	0.26667	3.75000	28.26948	14.13474	0.03537
1296	1294	95.25000	0.01050	0.00186	0.00059	538.53358	Six	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	32	0.26667	3.75000	21.20211	10.60105	0.04717
1506	1504	95.73930	0.01045	0.00145	0.00333	95.73930	Any	NA	NA	NA	Feed	B	40	120	1	1	1	1	127	30	0.26530	3.76926	3.76926	1.88463	0.26530
1397	1395	95.74803	0.01044	0.00146	0.00047	683.80977	Three	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	30	0.26528	3.76961	26.92164	13.46082	0.03714
1160	1158	96.00000	0.01042	0.00184	0.00059	542.77400	Six	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	40	0.26458	3.77953	21.36906	10.68453	0.04680
1232	1230	96.00000	0.01042	0.00184	0.00059	542.77400	Six	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	40	0.26458	3.77953	21.36906	10.68453	0.04680
1264	1262	96.00000	0.01042	0.00184	0.00059	542.77400	Six	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	32	0.26458	3.77953	21.36906	10.68453	0.04680
1336	1334	96.00000	0.01042	0.00184	0.00059	542.77400	Six	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	32	0.26458	3.77953	21.36906	10.68453	0.04680
1348	1346	96.00000	0.01042	0.00138	0.00044	723.69867	Two	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	30	0.26458	3.77953	28.49207	14.24604	0.03510
1368	1366	96.00000	0.01042	0.00184	0.00059	542.77400	Six	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	30	0.26458	3.77953	21.36906	10.68453	0.04680
1420	1418	96.00000	0.01042	0.00138	0.00044	723.69867	Two	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	30	0.26458	3.77953	28.49207	14.24604	0.03510
1440	1438	96.00000	0.01042	0.00184	0.00059	542.77400	Six	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	30	0.26458	3.77953	21.36906	10.68453	0.04680
1523	1521	96.16075	0.01040	0.01040	0.00332	96.16075	Any	NA	NA	NA	Feed	C	30	127	1	1	1	1	120	40	0.26414	3.78586	3.78586	1.89293	0.26414
1408	1406	96.75591	0.01034	0.00183	0.00058	547.04782	Six	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	30	0.26252	3.80929	21.53732	10.76866	0.04643
1273	1271	97.50000	0.01026	0.00197	0.00063	508.85063	Seven	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	32	0.26051	3.83858	20.03349	10.01674	0.04992
1345	1343	97.50000	0.01026	0.00197	0.00063	508.85063	Seven	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	32	0.26051	3.83858	20.03349	10.01674	0.04992
1209	1207	98.26772	0.01018	0.00195	0.00062	512.85733	Seven	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	40	0.25848	3.86881	20.19123	10.09562	0.04953
1313	1311	98.26772	0.01018	0.00195	0.00062	512.85733	Seven	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	32	0.25848	3.86881	20.19123	10.09562	0.04953
1417	1415	98.26772	0.01018																						

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:														METRIC:		uwPM1340GT					
2		TPI	Z-IPT	Rate	FEED Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	hFEERnsPmm-X	mmPTrns
1322	1320	99.21260	0.01008	0.00208	0.00066	480.80374		Eight	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	32	0.25602	3.90601	18.92928	9.46464	0.05283
1383	1381	99.34222	0.01007	0.00163	0.00052	612.73154		Five	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	30	0.25568	3.91111	24.12329	12.06164	0.04145
1254	1252	100.00000	0.01000	0.00147	0.00047	678.46751		Four	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	32	0.25400	3.93701	26.71132	13.35566	0.03744
1326	1324	100.00000	0.01000	0.00147	0.00047	678.46751		Four	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	32	0.25400	3.93701	26.71132	13.35566	0.03744
1277	1275	100.54167	0.00995	0.00139	0.00044	718.04478		Three	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	32	0.25263	3.95833	28.26948	14.13474	0.03537
1398	1396	100.78740	0.00992	0.00146	0.00047	683.80977		Four	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	30	0.25202	3.96801	26.92164	13.46082	0.03714
1349	1347	101.33333	0.00987	0.00138	0.00044	723.69867		Three	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	30	0.25066	3.98950	28.49207	14.24604	0.03510
1421	1419	101.33333	0.00987	0.00138	0.00044	723.69867		Three	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	30	0.25066	3.98950	28.49207	14.24604	0.03510
1184	1182	101.60000	0.00984	0.00174	0.00056	574.43582		Six	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	40	0.25000	4.00000	22.61558	11.30779	0.04422
1288	1286	101.60000	0.00984	0.00174	0.00056	574.43582		Six	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	32	0.25000	4.00000	22.61558	11.30779	0.04422
1372	1370	101.60000	0.00984	0.00131	0.00042	765.91443		Two	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	30	0.25000	4.00000	30.15411	15.07706	0.03316
1392	1390	101.60000	0.00984	0.00174	0.00056	574.43582		Six	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	30	0.25000	4.00000	22.61558	11.30779	0.04422
1517	1515	101.77013	0.00983	0.00983	0.00313	101.77013		Any	NA	NA	NA	Feed	C	30	127	1	1	1	1	127	40	0.24958	4.00670	4.00670	2.00335	0.24958
1526	1524	101.77013	0.00983	0.00983	0.00313	101.77013		Any	NA	NA	NA	Feed	C	30	120	1	1	1	1	120	40	0.24958	4.00670	4.00670	2.00335	0.24958
1360	1358	102.40000	0.00977	0.00173	0.00055	578.95894		Six	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	30	0.24805	4.03150	22.79366	11.39683	0.04387
1432	1430	102.40000	0.00977	0.00173	0.00055	578.95894		Six	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	30	0.24805	4.03150	22.79366	11.39683	0.04387
1522	1520	102.57147	0.00975	0.00975	0.00311	102.57147		Any	NA	NA	NA	Feed	C	32	127	1	1	1	1	120	40	0.24763	4.03825	4.03825	2.01912	0.24763
1297	1295	103.18750	0.00969	0.00186	0.00059	538.53358		Seven	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	32	0.24615	4.06250	21.20211	10.60105	0.04717
1303	1301	103.93701	0.00962	0.00156	0.00050	641.07166		Five	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	32	0.24438	4.09201	25.23904	12.61952	0.03962
1161	1159	104.00000	0.00962	0.00184	0.00059	542.77400		Seven	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	40	0.24423	4.09449	21.36906	10.68453	0.04680
1233	1231	104.00000	0.00962	0.00184	0.00059	542.77400		Seven	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	40	0.24423	4.09449	21.36906	10.68453	0.04680
1265	1263	104.00000	0.00962	0.00184	0.00059	542.77400		Seven	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	32	0.24423	4.09449	21.36906	10.68453	0.04680
1337	1335	104.00000	0.00962	0.00184	0.00059	542.77400		Seven	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	32	0.24423	4.09449	21.36906	10.68453	0.04680
1369	1367	104.00000	0.00962	0.00184	0.00059	542.77400		Seven	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	30	0.24423	4.09449	21.36906	10.68453	0.04680
1441	1439	104.00000	0.00962	0.00184	0.00059	542.77400		Seven	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	30	0.24423	4.09449	21.36906	10.68453	0.04680
1409	1407	104.81890	0.00954	0.00183	0.00058	547.04782		Seven	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	30	0.24232	4.12673	21.53732	10.76866	0.04643
1274	1272	105.00000	0.00952	0.00197	0.00063	508.85063		Eight	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	32	0.24190	4.13386	20.03349	10.01674	0.04992
1346	1344	105.00000	0.00952	0.00197	0.00063	508.85063		Eight	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	32	0.24190	4.13386	20.03349	10.01674	0.04992
1210	1208	105.82677	0.00945	0.00195	0.00062	512.85733		Eight	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	40	0.24001	4.16641	20.19123	10.09562	0.04953
1314	1312	105.82677	0.00945	0.00195	0.00062	512.85733		Eight	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	32	0.24001	4.16641	20.19123	10.09562	0.04953
1418	1416	105.82677	0.00945	0.00195	0.00062	512.85733		Eight	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	120	30	0.24001	4.16641	20.19123	10.09562	0.04953
1278	1276	105.83333	0.00945	0.00139	0.00044	718.04478		Four	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	32	0.24000	4.16667	28.26948	14.13474	0.03537
1350	1348	106.66667	0.00938	0.00138	0.00044	723.69867		Four	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	30	0.23813	4.19948	28.49207	14.24604	0.03510
1422	1420	106.66667	0.00938	0.00138	0.00044	723.69867		Four	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	30	0.23813	4.19948	28.49207	14.24604	0.03510
1373	1371	107.24444	0.00932	0.00131	0.00042	765.91443		Three	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	30	0.23684	4.22222	30.15411	15.07706	0.03316
1520	1518	107.70672	0.00928	0.00928	0.00296	107.70672		Any	NA	NA	NA	Feed	C	30	120	1	1	1	1	127	40	0.23583	4.24042	4.24042	2.12021	0.23583
1384	1382	108.37333	0.00923	0.00163	0.00052	612.73154		Six	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	30	0.23438	4.26667	24.12329	12.06164	0.04145
1516	1514	108.55480	0.00921	0.00921	0.00294	108.55480		Any	NA	NA	NA	Feed	C	32	127	1	1	1	1	127	40	0.23398	4.27381	4.27381	2.13691	0.23398
1525	1523	108.55480	0.00921	0.00921	0.00294	108.55480		Any	NA	NA	NA	Feed	C	32	120	1	1	1	1	120	40	0.23398	4.27381	4.27381	2.13691	0.23398
1255	1253	110.00000	0.00909	0.00147	0.00047	678.46751		Five	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	32	0.23091	4.33071	26.71132	13.35566	0.03744
1327	1325	110.00000	0.00909	0.00147	0.00047	678.46751		Five	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	32	0.23091	4.33071	26.71132	13.35566	0.03744
1185	1183	110.06667	0.00909	0.00174	0.00056	574.43582		Seven	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	40	0.23077	4.33333	22.61558	11.30779	0.04422
1289	1287	110.06667	0.00909	0.00174	0.00056	574.43582		Seven	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	32	0.23077	4.33333	22.61558	11.30779	0.04422
1393	1391	110.06667	0.00909	0.00174	0.00056	574.43582		Seven	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	30	0.23077	4.33333	22.61558	11.30779	0.04422
1399	1397	110.86614	0.00902	0.00146	0.00047	683.80977		Five	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	30	0.22911	4.36481	26.92164	13.46082	0.03714
1361	1359	110.93333	0.00901	0.00173	0.00055	578.95894		Seven	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	30	0.22897	4.36745	22.79366	11.39683	0.04387
1433	1431	110.93333	0.00901	0.00173	0.00055	578.95894		Seven	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	30	0.22897	4.36745	22.79366	11.39683	0.04387
1298	1296	111.12500	0.00900	0.00186	0.00059	538.53358		Eight	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	32	0.22857	4.37500	21.20211	10.60105	0.04717
1162	1160	112.00000	0.00893	0.00184	0.00059	542.77400		Eight	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	40	0.22679	4.40945	21.36906	10.68453	0.04680

1	1620	ENGLISH	Previs: C	uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:															METRIC:	uwPM1340GT					
2		TPI	Z-IPT Rate	FEED Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERsPmm-X	mmPTrns
1338	1336	112.00000	0.00893	0.00184	0.00059	542.77400	Eight	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	32	0.22679	4.40945	21.36906	10.68453	0.04680
1370	1368	112.00000	0.00893	0.00184	0.00059	542.77400	Eight	NA	NA	NA	Lscrew	E	30	127	1	1	1	1	127	30	0.22679	4.40945	21.36906	10.68453	0.04680
1442	1440	112.00000	0.00893	0.00184	0.00059	542.77400	Eight	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	120	30	0.22679	4.40945	21.36906	10.68453	0.04680
1410	1408	112.88189	0.00886	0.00183	0.00058	547.04782	Eight	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	120	30	0.22501	4.44417	21.53732	10.76866	0.04643
1374	1372	112.88889	0.00886	0.00131	0.00042	765.91443	Four	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	30	0.22500	4.44444	30.15411	15.07706	0.03316
1304	1302	113.38583	0.00882	0.00156	0.00050	641.07166	Six	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	32	0.22401	4.46401	25.23904	12.61952	0.03962
1519	1517	114.88716	0.00870	0.00870	0.00278	114.88716	Any	NA	NA	NA	Feed	C	32	120	1	1	1	1	127	40	0.22109	4.52312	4.52312	2.26156	0.22109
1279	1277	116.41667	0.00859	0.00139	0.00044	718.04478	Five	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	32	0.21818	4.58333	28.26948	14.13474	0.03537
1351	1349	117.33333	0.00852	0.00138	0.00044	723.69867	Five	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	30	0.21648	4.61942	28.49207	14.24604	0.03510
1423	1421	117.33333	0.00852	0.00138	0.00044	723.69867	Five	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	30	0.21648	4.61942	28.49207	14.24604	0.03510
1385	1383	117.40444	0.00852	0.00163	0.00052	612.73154	Seven	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	30	0.21635	4.62222	24.12329	12.06164	0.04145
1186	1184	118.53333	0.00844	0.00174	0.00056	574.43582	Eight	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	40	0.21429	4.66667	22.61558	11.30779	0.04422
1290	1288	118.53333	0.00844	0.00174	0.00056	574.43582	Eight	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	32	0.21429	4.66667	22.61558	11.30779	0.04422
1394	1392	118.53333	0.00844	0.00174	0.00056	574.43582	Eight	NA	NA	NA	Lscrew	E	30	120	1	1	1	1	127	30	0.21429	4.66667	22.61558	11.30779	0.04422
1362	1360	119.46667	0.00837	0.00173	0.00055	578.95894	Eight	NA	NA	NA	Lscrew	E	32	127	1	1	1	1	127	30	0.21261	4.70341	22.79366	11.39683	0.04387
1434	1432	119.46667	0.00837	0.00173	0.00055	578.95894	Eight	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	120	30	0.21261	4.70341	22.79366	11.39683	0.04387
1256	1254	120.00000	0.00833	0.00147	0.00047	678.46751	Six	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	32	0.21167	4.72441	26.71132	13.35566	0.03744
1328	1326	120.00000	0.00833	0.00147	0.00047	678.46751	Six	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	32	0.21167	4.72441	26.71132	13.35566	0.03744
1535	1533	120.20094	0.00832	0.00832	0.00265	120.20094	Any	NA	NA	NA	Feed	C	30	127	1	1	1	1	120	32	0.21131	4.73232	4.73232	2.36616	0.21131
1400	1398	120.94488	0.00827	0.00146	0.00047	683.80977	Six	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	30	0.21001	4.76161	26.92164	13.46082	0.03714
1305	1303	122.83465	0.00814	0.00156	0.00050	641.07166	Seven	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	32	0.20678	4.83601	25.23904	12.61952	0.03962
1375	1373	124.17778	0.00805	0.00131	0.00042	765.91443	Five	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	30	0.20455	4.88889	30.15411	15.07706	0.03316
1386	1384	126.43556	0.00791	0.00163	0.00052	612.73154	Eight	NA	NA	NA	Lscrew	E	32	120	1	1	1	1	127	30	0.20089	4.97778	24.12329	12.06164	0.04145
1280	1278	127.00000	0.00787	0.00139	0.00044	718.04478	Six	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	32	0.20000	5.00000	28.26948	14.13474	0.03537
1529	1527	127.21266	0.00786	0.00786	0.00251	127.21266	Any	NA	NA	NA	Feed	C	30	127	1	1	1	1	127	32	0.19967	5.00837	5.00837	2.50419	0.19967
1538	1536	127.21266	0.00786	0.00786	0.00251	127.21266	Any	NA	NA	NA	Feed	C	30	120	1	1	1	1	120	32	0.19967	5.00837	5.00837	2.50419	0.19967
1352	1350	128.00000	0.00781	0.00138	0.00044	723.69867	Six	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	30	0.19844	5.03937	28.49207	14.24604	0.03510
1424	1422	128.00000	0.00781	0.00138	0.00044	723.69867	Six	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	30	0.19844	5.03937	28.49207	14.24604	0.03510
1521	1519	128.21433	0.00780	0.00780	0.00249	128.21433	Any	NA	NA	NA	Feed	C	40	127	1	1	1	1	120	40	0.19811	5.04781	5.04781	2.52390	0.19811
1534	1532	128.21433	0.00780	0.00780	0.00249	128.21433	Any	NA	NA	NA	Feed	C	32	127	1	1	1	1	120	32	0.19811	5.04781	5.04781	2.52390	0.19811
1547	1545	128.21433	0.00780	0.00780	0.00249	128.21433	Any	NA	NA	NA	Feed	C	30	127	1	1	1	1	120	30	0.19811	5.04781	5.04781	2.52390	0.19811
1257	1255	130.00000	0.00769	0.00147	0.00047	678.46751	Seven	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	32	0.19538	5.11811	26.71132	13.35566	0.03744
1329	1327	130.00000	0.00769	0.00147	0.00047	678.46751	Seven	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	32	0.19538	5.11811	26.71132	13.35566	0.03744
1401	1399	131.02362	0.00763	0.00146	0.00047	683.80977	Seven	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	30	0.19386	5.15841	26.92164	13.46082	0.03714
1306	1304	132.28346	0.00756	0.00156	0.00050	641.07166	Eight	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	32	0.19201	5.20801	25.23904	12.61952	0.03962
1532	1530	134.63340	0.00743	0.00743	0.00237	134.63340	Any	NA	NA	NA	Feed	C	30	120	1	1	1	1	127	32	0.18866	5.30053	5.30053	2.65026	0.18866
1376	1374	135.46667	0.00738	0.00131	0.00042	765.91443	Six	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	30	0.18750	5.33333	30.15411	15.07706	0.03316
1515	1513	135.69350	0.00737	0.00737	0.00235	135.69350	Any	NA	NA	NA	Feed	C	40	127	1	1	1	1	127	40	0.18719	5.34226	5.34226	2.67113	0.18719
1524	1522	135.69350	0.00737	0.00737	0.00235	135.69350	Any	NA	NA	NA	Feed	C	40	120	1	1	1	1	120	40	0.18719	5.34226	5.34226	2.67113	0.18719
1528	1526	135.69350	0.00737	0.00737	0.00235	135.69350	Any	NA	NA	NA	Feed	C	32	127	1	1	1	1	127	32	0.18719	5.34226	5.34226	2.67113	0.18719
1537	1535	135.69350	0.00737	0.00737	0.00235	135.69350	Any	NA	NA	NA	Feed	C	32	120	1	1	1	1	120	32	0.18719	5.34226	5.34226	2.67113	0.18719
1541	1539	135.69350	0.00737	0.00737	0.00235	135.69350	Any	NA	NA	NA	Feed	C	30	127	1	1	1	1	127	30	0.18719	5.34226	5.34226	2.67113	0.18719
1550	1548	135.69350	0.00737	0.00737	0.00235	135.69350	Any	NA	NA	NA	Feed	C	30	120	1	1	1	1	120	30	0.18719	5.34226	5.34226	2.67113	0.18719
1546	1544	136.76195	0.00731	0.00731	0.00233	136.76195	Any	NA	NA	NA	Feed	C	32	127	1	1	1	1	120	30	0.18572	5.38433	5.38433	2.69216	0.18572
1281	1279	137.58333	0.00727	0.00139	0.00044	718.04478	Seven	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	32	0.18462	5.41667	28.26948	14.13474	0.03537
1353	1351	138.66667	0.00721	0.00138	0.00044	723.69867	Seven	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	30	0.18317	5.45932	28.49207	14.24604	0.03510
1425	1423	138.66667	0.00721	0.00138	0.00044	723.69867	Seven	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	30	0.18317	5.45932	28.49207	14.24604	0.03510
1258	1256	140.00000	0.00714	0.00147	0.00047	678.46751	Eight	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	32	0.18143	5.51181	26.71132	13.35566	0.03744
1330	1328	140.00000	0.00714	0.00147	0.00047	678.46751	Eight	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	32	0.18143	5.51181	26.71132	13.35566	0.03744
1402	1400	141.10236	0.00709	0.00146	0.00047	683.80977	Eight	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	120	30	0.18001	5.55521	26.92164	13.46082	0.03714
1																									

1	1620	ENGLISH	Previs: C	uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:															METRIC:	uwPM1340GT					
2		TPI	Z-IPT Rate	FEED Rate	XFEED	FEED_TPI	ne2Eigt	NA	NA	NA	LS-Feed	A2E	screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	hPmm	FEERsPmm-X	mmPTTrns
1531	1529	143.60896	0.00696	0.00696	0.00222	143.60896	Any	NA	NA	NA	Feed	C	32	120	1	1	1	1	127	32	0.17687	5.65390	5.65390	2.82695	0.17687
1544	1542	143.60896	0.00696	0.00696	0.00222	143.60896	Any	NA	NA	NA	Feed	C	30	120	1	1	1	1	127	30	0.17687	5.65390	5.65390	2.82695	0.17687
1540	1538	144.73973	0.00691	0.00691	0.00220	144.73973	Any	NA	NA	NA	Feed	C	32	127	1	1	1	1	127	30	0.17549	5.69841	5.69841	2.84921	0.17549
1549	1547	144.73973	0.00691	0.00691	0.00220	144.73973	Any	NA	NA	NA	Feed	C	32	120	1	1	1	1	120	30	0.17549	5.69841	5.69841	2.84921	0.17549
1377	1375	146.75556	0.00681	0.00131	0.00042	765.91443	Seven	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	30	0.17308	5.77778	30.15411	15.07706	0.03316
1282	1280	148.16667	0.00675	0.00139	0.00044	718.04478	Eight	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	32	0.17143	5.83333	28.26948	14.13474	0.03537
1354	1352	149.33333	0.00670	0.00138	0.00044	723.69867	Eight	NA	NA	NA	Lscrew	E	40	127	1	1	1	1	127	30	0.17009	5.87927	28.49207	14.24604	0.03510
1426	1424	149.33333	0.00670	0.00138	0.00044	723.69867	Eight	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	120	30	0.17009	5.87927	28.49207	14.24604	0.03510
1543	1541	153.18289	0.00653	0.00653	0.00208	153.18289	Any	NA	NA	NA	Feed	C	32	120	1	1	1	1	127	30	0.16581	6.03082	6.03082	3.01541	0.16581
1378	1376	158.04444	0.00633	0.00131	0.00042	765.91443	Eight	NA	NA	NA	Lscrew	E	40	120	1	1	1	1	127	30	0.16071	6.22222	30.15411	15.07706	0.03316
1533	1531	160.26791	0.00624	0.00624	0.00199	160.26791	Any	NA	NA	NA	Feed	C	40	127	1	1	1	1	120	32	0.15848	6.30976	6.30976	3.15488	0.15848
1527	1525	169.61688	0.00590	0.00590	0.00188	169.61688	Any	NA	NA	NA	Feed	C	40	127	1	1	1	1	127	32	0.14975	6.67783	6.67783	3.33891	0.14975
1536	1534	169.61688	0.00590	0.00590	0.00188	169.61688	Any	NA	NA	NA	Feed	C	40	120	1	1	1	1	120	32	0.14975	6.67783	6.67783	3.33891	0.14975
1545	1543	170.95244	0.00585	0.00585	0.00187	170.95244	Any	NA	NA	NA	Feed	C	40	127	1	1	1	1	120	30	0.14858	6.73041	6.73041	3.36521	0.14858
1530	1528	179.51119	0.00557	0.00557	0.00178	179.51119	Any	NA	NA	NA	Feed	C	40	120	1	1	1	1	127	32	0.14150	7.06737	7.06737	3.53368	0.14150
1539	1537	180.92467	0.00553	0.00553	0.00176	180.92467	Any	NA	NA	NA	Feed	C	40	127	1	1	1	1	127	30	0.14039	7.12302	7.12302	3.56151	0.14039
1548	1546	180.92467	0.00553	0.00553	0.00176	180.92467	Any	NA	NA	NA	Feed	C	40	120	1	1	1	1	120	30	0.14039	7.12302	7.12302	3.56151	0.14039
1542	1540	191.47861	0.00522	0.00522	0.00167	191.47861	Any	NA	NA	NA	Feed	C	40	120	1	1	1	1	127	30	0.13265	7.53853	7.53853	3.76926	0.13265
1559	1557	192.32150	0.00520	0.00520	0.00166	192.32150	Any	NA	NA	NA	Feed	D	30	127	1	1	1	1	120	40	0.13207	7.57171	7.57171	3.78586	0.13207
1553	1551	203.54025	0.00491	0.00491	0.00157	203.54025	Any	NA	NA	NA	Feed	D	30	127	1	1	1	1	127	40	0.12479	8.01340	8.01340	4.00670	0.12479
1562	1560	203.54025	0.00491	0.00491	0.00157	203.54025	Any	NA	NA	NA	Feed	D	30	120	1	1	1	1	120	40	0.12479	8.01340	8.01340	4.00670	0.12479
1558	1556	205.14293	0.00487	0.00487	0.00155	205.14293	Any	NA	NA	NA	Feed	D	32	127	1	1	1	1	120	40	0.12382	8.07649	8.07649	4.03825	0.12382
1556	1554	215.41343	0.00464	0.00464	0.00148	215.41343	Any	NA	NA	NA	Feed	D	30	120	1	1	1	1	127	40	0.11791	8.48084	8.48084	4.24042	0.11791
1552	1550	217.10960	0.00461	0.00461	0.00147	217.10960	Any	NA	NA	NA	Feed	D	32	127	1	1	1	1	127	40	0.11699	8.54762	8.54762	4.27381	0.11699
1561	1559	217.10960	0.00461	0.00461	0.00147	217.10960	Any	NA	NA	NA	Feed	D	32	120	1	1	1	1	120	40	0.11699	8.54762	8.54762	4.27381	0.11699
1555	1553	229.77433	0.00435	0.00435	0.00139	229.77433	Any	NA	NA	NA	Feed	D	32	120	1	1	1	1	127	40	0.11054	9.04623	9.04623	4.52312	0.11054
1571	1569	240.40187	0.00416	0.00416	0.00133	240.40187	Any	NA	NA	NA	Feed	D	30	127	1	1	1	1	120	32	0.10566	9.46464	9.46464	4.73232	0.10566
1565	1563	254.42531	0.00393	0.00393	0.00125	254.42531	Any	NA	NA	NA	Feed	D	30	127	1	1	1	1	127	32	0.09983	10.01674	10.01674	5.00837	0.09983
1574	1572	254.42531	0.00393	0.00393	0.00125	254.42531	Any	NA	NA	NA	Feed	D	30	120	1	1	1	1	120	32	0.09983	10.01674	10.01674	5.00837	0.09983
1557	1555	256.42866	0.00390	0.00390	0.00124	256.42866	Any	NA	NA	NA	Feed	D	40	127	1	1	1	1	120	40	0.09905	10.09562	10.09562	5.04781	0.09905
1570	1568	256.42866	0.00390	0.00390	0.00124	256.42866	Any	NA	NA	NA	Feed	D	32	127	1	1	1	1	120	32	0.09905	10.09562	10.09562	5.04781	0.09905
1583	1581	256.42866	0.00390	0.00390	0.00124	256.42866	Any	NA	NA	NA	Feed	D	30	127	1	1	1	1	120	30	0.09905	10.09562	10.09562	5.04781	0.09905
1568	1566	269.26679	0.00371	0.00371	0.00118	269.26679	Any	NA	NA	NA	Feed	D	30	120	1	1	1	1	127	32	0.09433	10.60105	10.60105	5.30053	0.09433
1551	1549	271.38700	0.00368	0.00368	0.00118	271.38700	Any	NA	NA	NA	Feed	D	40	127	1	1	1	1	127	40	0.09359	10.68453	10.68453	5.34226	0.09359
1560	1558	271.38700	0.00368	0.00368	0.00118	271.38700	Any	NA	NA	NA	Feed	D	40	120	1	1	1	1	120	40	0.09359	10.68453	10.68453	5.34226	0.09359
1564	1562	271.38700	0.00368	0.00368	0.00118	271.38700	Any	NA	NA	NA	Feed	D	32	127	1	1	1	1	127	32	0.09359	10.68453	10.68453	5.34226	0.09359
1573	1571	271.38700	0.00368	0.00368	0.00118	271.38700	Any	NA	NA	NA	Feed	D	32	120	1	1	1	1	120	32	0.09359	10.68453	10.68453	5.34226	0.09359
1577	1575	271.38700	0.00368	0.00368	0.00118	271.38700	Any	NA	NA	NA	Feed	D	30	127	1	1	1	1	127	30	0.09359	10.68453	10.68453	5.34226	0.09359
1586	1584	271.38700	0.00368	0.00368	0.00118	271.38700	Any	NA	NA	NA	Feed	D	30	120	1	1	1	1	120	30	0.09359	10.68453	10.68453	5.34226	0.09359
1582	1580	273.52391	0.00366	0.00366	0.00117	273.52391	Any	NA	NA	NA	Feed	D	32	127	1	1	1	1	120	30	0.09286	10.76866	10.76866	5.38433	0.09286
1554	1552	287.21791	0.00348	0.00348	0.00111	287.21791	Any	NA	NA	NA	Feed	D	40	120	1	1	1	1	127	40	0.08843	11.30779	11.30779	5.65390	0.08843
1567	1565	287.21791	0.00348	0.00348	0.00111	287.21791	Any	NA	NA	NA	Feed	D	32	120	1	1	1	1	127	32	0.08843	11.30779	11.30779	5.65390	0.08843
1580	1578	287.21791	0.00348	0.00348	0.00111	287.21791	Any	NA	NA	NA	Feed	D	30	120	1	1	1	1	127	30	0.08843	11.30779	11.30779	5.65390	0.08843
1576	1574	289.47947	0.00345	0.00345	0.00110	289.47947	Any	NA	NA	NA	Feed	D	32	127	1	1	1	1	127	30	0.08774	11.39683	11.39683	5.69841	0.08774
1585	1583	289.47947	0.00345	0.00345	0.00110	289.47947	Any	NA	NA	NA	Feed	D	32	120	1	1	1	1	120	30	0.08774	11.39683	11.39683	5.69841	0.08774
1579	1577	306.36577	0.00326	0.00326	0.00104	306.36577	Any	NA	NA	NA	Feed	D	32	120	1	1	1	1	127	30	0.08291	12.06164	12.06164	6.03082	0.08291
1569	1567	320.53583	0.00312	0.00312	0.00100	320.53583	Any	NA	NA	NA	Feed	D	40	127	1	1	1	1	120	32	0.07924	12.61952	12.61952	6.30976	0.07924
1563	1561	339.23375	0.00295	0.00295	0.00094	339.23375	Any	NA	NA	NA	Feed	D	40	127	1	1	1	1	127	32	0.07487	13.35566	13.35566	6.67783	0.07487
1572	1570	339.23375	0.00295	0.00295	0.00094	339.23375	Any	NA	NA	NA	Feed	D	40	120	1	1	1	1	120	32	0.07487	13.35566	13.35566	6.67783	0.07487
1581	1579	341.90488	0.00292	0.00292	0.00093	341.90488	Any	NA	NA	NA	Feed	D	40	127	1	1	1	1	120	30	0.07429	13.46082	13.46082	6.73041	0.07429
1566	1564	359.02239	0.00279	0																					

1	1620	ENGLISH	Previs: C		uwPM1340GT HANDLE POSITIONS, KNOB POSITIONS, GEAR RATIOS or GEAR TEETH:															METRIC: uwPM1340GT						
2		TPI	Z-IPT	Rate	FEED	FEED_TPI	ne2Eig	NA	NA	NA	LS-Feed	A2E	Screw2C	C-C	C2B	B-B	B2A	A-A	A2Spin	Spindle	mmPTh	ThPmm	nPmm	FEERns	Pmm-X	mmPTrns
1575	1573	361.84934	0.00276	0.00276	0.00088	361.84934	Any	NA	NA	NA	Feed	D	40	127	1	1	1	1	127	30	0.07019	14.24604	14.24604	7.12302	0.07019	
1584	1582	361.84934	0.00276	0.00276	0.00088	361.84934	Any	NA	NA	NA	Feed	D	40	120	1	1	1	1	120	30	0.07019	14.24604	14.24604	7.12302	0.07019	
1578	1576	382.95721	0.00261	0.00261	0.00083	382.95721	Any	NA	NA	NA	Feed	D	40	120	1	1	1	1	127	30	0.06633	15.07706	15.07706	7.53853	0.06633	
1595	1593	384.64300	0.00260	0.00260	0.00083	384.64300	Any	NA	NA	NA	Feed	E	30	127	1	1	1	1	120	40	0.06604	15.14343	15.14343	7.57171	0.06604	
1589	1587	407.08050	0.00246	0.00246	0.00078	407.08050	Any	NA	NA	NA	Feed	E	30	127	1	1	1	1	127	40	0.06240	16.02679	16.02679	8.01340	0.06240	
1598	1596	407.08050	0.00246	0.00246	0.00078	407.08050	Any	NA	NA	NA	Feed	E	30	120	1	1	1	1	120	40	0.06240	16.02679	16.02679	8.01340	0.06240	
1594	1592	410.28586	0.00244	0.00244	0.00078	410.28586	Any	NA	NA	NA	Feed	E	32	127	1	1	1	1	120	40	0.06191	16.15299	16.15299	8.07649	0.06191	
1592	1590	430.82687	0.00232	0.00232	0.00074	430.82687	Any	NA	NA	NA	Feed	E	30	120	1	1	1	1	127	40	0.05896	16.96169	16.96169	8.48084	0.05896	
1588	1586	434.21920	0.00230	0.00230	0.00073	434.21920	Any	NA	NA	NA	Feed	E	32	127	1	1	1	1	127	40	0.05850	17.09524	17.09524	8.54762	0.05850	
1597	1595	434.21920	0.00230	0.00230	0.00073	434.21920	Any	NA	NA	NA	Feed	E	32	120	1	1	1	1	120	40	0.05850	17.09524	17.09524	8.54762	0.05850	
1591	1589	459.54866	0.00218	0.00218	0.00069	459.54866	Any	NA	NA	NA	Feed	E	32	120	1	1	1	1	127	40	0.05527	18.09247	18.09247	9.04623	0.05527	
1607	1605	480.80374	0.00208	0.00208	0.00066	480.80374	Any	NA	NA	NA	Feed	E	30	127	1	1	1	1	120	32	0.05283	18.92928	18.92928	9.46464	0.05283	
1601	1599	508.85063	0.00197	0.00197	0.00063	508.85063	Any	NA	NA	NA	Feed	E	30	127	1	1	1	1	127	32	0.04992	20.03349	20.03349	10.01674	0.04992	
1610	1608	508.85063	0.00197	0.00197	0.00063	508.85063	Any	NA	NA	NA	Feed	E	30	120	1	1	1	1	120	32	0.04992	20.03349	20.03349	10.01674	0.04992	
1593	1591	512.85733	0.00195	0.00195	0.00062	512.85733	Any	NA	NA	NA	Feed	E	40	127	1	1	1	1	120	40	0.04953	20.19123	20.19123	10.09562	0.04953	
1606	1604	512.85733	0.00195	0.00195	0.00062	512.85733	Any	NA	NA	NA	Feed	E	32	127	1	1	1	1	120	32	0.04953	20.19123	20.19123	10.09562	0.04953	
1619	1617	512.85733	0.00195	0.00195	0.00062	512.85733	Any	NA	NA	NA	Feed	E	30	127	1	1	1	1	120	30	0.04953	20.19123	20.19123	10.09562	0.04953	
1604	1602	538.53358	0.00186	0.00186	0.00059	538.53358	Any	NA	NA	NA	Feed	E	30	120	1	1	1	1	127	32	0.04717	21.20211	21.20211	10.60105	0.04717	
1587	1585	542.77400	0.00184	0.00184	0.00059	542.77400	Any	NA	NA	NA	Feed	E	40	127	1	1	1	1	127	40	0.04680	21.36906	21.36906	10.68453	0.04680	
1596	1594	542.77400	0.00184	0.00184	0.00059	542.77400	Any	NA	NA	NA	Feed	E	40	120	1	1	1	1	120	40	0.04680	21.36906	21.36906	10.68453	0.04680	
1600	1598	542.77400	0.00184	0.00184	0.00059	542.77400	Any	NA	NA	NA	Feed	E	32	127	1	1	1	1	127	32	0.04680	21.36906	21.36906	10.68453	0.04680	
1609	1607	542.77400	0.00184	0.00184	0.00059	542.77400	Any	NA	NA	NA	Feed	E	32	120	1	1	1	1	120	32	0.04680	21.36906	21.36906	10.68453	0.04680	
1613	1611	542.77400	0.00184	0.00184	0.00059	542.77400	Any	NA	NA	NA	Feed	E	30	127	1	1	1	1	127	30	0.04680	21.36906	21.36906	10.68453	0.04680	
1622	1620	542.77400	0.00184	0.00184	0.00059	542.77400	Any	NA	NA	NA	Feed	E	30	120	1	1	1	1	120	30	0.04680	21.36906	21.36906	10.68453	0.04680	
1618	1616	547.04782	0.00183	0.00183	0.00058	547.04782	Any	NA	NA	NA	Feed	E	32	127	1	1	1	1	120	30	0.04643	21.53732	21.53732	10.76866	0.04643	
1590	1588	574.43582	0.00174	0.00174	0.00056	574.43582	Any	NA	NA	NA	Feed	E	40	120	1	1	1	1	127	40	0.04422	22.61558	22.61558	11.30779	0.04422	
1603	1601	574.43582	0.00174	0.00174	0.00056	574.43582	Any	NA	NA	NA	Feed	E	32	120	1	1	1	1	127	32	0.04422	22.61558	22.61558	11.30779	0.04422	
1616	1614	574.43582	0.00174	0.00174	0.00056	574.43582	Any	NA	NA	NA	Feed	E	30	120	1	1	1	1	127	30	0.04422	22.61558	22.61558	11.30779	0.04422	
1612	1610	578.95894	0.00173	0.00173	0.00055	578.95894	Any	NA	NA	NA	Feed	E	32	127	1	1	1	1	127	30	0.04387	22.79366	22.79366	11.39683	0.04387	
1621	1619	578.95894	0.00173	0.00173	0.00055	578.95894	Any	NA	NA	NA	Feed	E	32	120	1	1	1	1	120	30	0.04387	22.79366	22.79366	11.39683	0.04387	
1615	1613	612.73154	0.00163	0.00163	0.00052	612.73154	Any	NA	NA	NA	Feed	E	32	120	1	1	1	1	127	30	0.04145	24.12329	24.12329	12.06164	0.04145	
1605	1603	641.07166	0.00156	0.00156	0.00050	641.07166	Any	NA	NA	NA	Feed	E	40	127	1	1	1	1	120	32	0.03962	25.23904	25.23904	12.61952	0.03962	
1599	1597	678.46751	0.00147	0.00147	0.00047	678.46751	Any	NA	NA	NA	Feed	E	40	127	1	1	1	1	127	32	0.03744	26.71132	26.71132	13.35566	0.03744	
1608	1606	678.46751	0.00147	0.00147	0.00047	678.46751	Any	NA	NA	NA	Feed	E	40	120	1	1	1	1	120	32	0.03744	26.71132	26.71132	13.35566	0.03744	
1617	1615	683.80977	0.00146	0.00146	0.00047	683.80977	Any	NA	NA	NA	Feed	E	40	127	1	1	1	1	120	30	0.03714	26.92164	26.92164	13.46082	0.03714	
1602	1600	718.04478	0.00139	0.00139	0.00044	718.04478	Any	NA	NA	NA	Feed	E	40	120	1	1	1	1	127	32	0.03537	28.26948	28.26948	14.13474	0.03537	
1611	1609	723.69867	0.00138	0.00138	0.00044	723.69867	Any	NA	NA	NA	Feed	E	40	127	1	1	1	1	127	30	0.03510	28.49207	28.49207	14.24604	0.03510	
1620	1618	723.69867	0.00138	0.00138	0.00044	723.69867	Any	NA	NA	NA	Feed	E	40	120	1	1	1	1	120	30	0.03510	28.49207	28.49207	14.24604	0.03510	
1614	1612	765.91443	0.00131	0.00131	0.00042	765.91443	Any	NA	NA	NA	Feed	E	40	120	1	1	1	1	127	30	0.03316	30.15411	30.15411	15.07706	0.03316	