



# PM 935 Mill 100mm LED Halo Light and 8mm Tachometer Sender



Tach. Sender NPN NO M8 x 25mm (NJK-5001C:NPN Normal Open), tip must be flush with inner 2.3" circle. Check magnet polarity with sender connected to the tach. before installing. LED 100mm ring /cover is a press fit , but can use silicone sealant to seal. Clip off plastic mounting fingers, file small half circle for wires to exit cover.



Outer ring with 100mm LED ring and tach.

Inner ring with magnet

Xenon White 100mm-117SMD LED COB Angel Eyes Halo Ring For Headlights


### Parts:

<https://www.ebay.com/itm/2x-Xenon-White-100mm-117SMD-LED-COB-Angel-Eyes-Halo-Ring-For-Headlights/251644516817>

<https://www.ebay.com/itm/2Pcs-NJK-5001C-NPN-NO-10mm-Hall-Effect-Sensor-Proximity-Switch-DC-6-36V-US/142035139151>

<https://www.ebay.com/itm/4-Digital-Red-LED-Tachometer-RPM-Speed-Meter-Hall-Proximity-Switch-Sensor-NPN/131742032244>

Enclosure depends on the design and location, needs a 12VDC power source, the halo light has a voltage regulator in the wiring that must be used. You can also omit the ring light and just use the tach, but the ring LED light helps decrease shadows from other light sources



### PM 935 Mill Ram Dimensions

